

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/007894

International filing date: 07 March 2005 (07.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US
Number: 60/550,810
Filing date: 05 March 2004 (05.03.2004)

Date of receipt at the International Bureau: 18 April 2005 (18.04.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

1305238

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

April 06, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/550,810

FILING DATE: *March 05, 2004*

RELATED PCT APPLICATION NUMBER: *PCT/US05/07894*



Certified by

Under Secretary of Commerce
for Intellectual Property
and Director of the United States
Patent and Trademark Office

14202 U.S. PTO
030504

Express Mail No. ER 505 058 315 US

COVER SHEET FOR PROVISIONAL APPLICATION FOR PATENT

Commissioner for Patents
P.O. Box 1450
Mail Stop Provisional Patent Application
Alexandria, VA 22313-1450

22857 U.S. PTO
60/550810

030504

Sir:

This is a request for filing a PROVISIONAL APPLICATION under 37 CFR 1.53(c).

CAM 301891-999221		Docket Number	9301-229-888	Type a plus sign (+) inside this box 6	+
INVENTOR(s) APPLICANT(s)					
LAST NAME	FIRST NAME	MIDDLE INITIAL	RESIDENCE (CITY AND EITHER STATE OR FOREIGN COUNTRY)		
Dai	Hongyue		Bothell, Washington		
Van't Veer	Laura		Amsterdam, The Netherlands		
Lamb	John		Shoreline, Washington		
Stoughton	Roland		San Diego, California		
Friend	Stephen		Bryn Mawr, Pennsylvania		
He	Yudong		Kirkland, Washington		
TITLE OF THE INVENTION (280 characters max)					
METHOD OF COLLECTING PLACENTAL STEM CELLS					
JONES DAY 222 East 41 st Street, New York, NY 10017-6702 :20583					
ENCLOSED APPLICATION PARTS (check all that apply)					
<input checked="" type="checkbox"/> Specification	Number of Pages	239 (including 153 pages sequence listing)	<input type="checkbox"/> Applicant claims small entity status, see 37 CFR §1.27		
<input checked="" type="checkbox"/> Drawing(s)	Number of Sheets	10	<input type="checkbox"/> Other (specify)		
METHOD OF PAYMENT (check one)					
<input type="checkbox"/> A check or money order is enclosed to cover the Provisional filing fees.				ESTIMATED PROVISIONAL FILING FEE AMOUNT	
<input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge the required filing fee to Deposit Account Number 503013.				<input checked="" type="checkbox"/> \$160 <input type="checkbox"/> \$80	

The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.

☒ No. ☐ Yes, the name of the U.S. Government agency and the Government contract number are:

Respectfully submitted,

Signature

Adriane M. Antler
JONES DAY

REGISTRATION NO.
(if appropriate)

32,605

Date

March 5, 2004

☐ Additional inventors are being named on separately numbered sheets attached hereto.

Total number of cover sheet pages.

PROVISIONAL APPLICATION FILING ONLY

Express Mail No.: ER 505 058 315 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: DAI et al. Confirmation No.: To be assigned
Application No.: To be assigned Art Unit: To be assigned
Filing Date: On Even Date Herewith Examiner: To Be Assigned
For: CLASSIFICATION OF BREAST CANCER PATIENTS Attorney Docket No.: 9301-229-888
USING A COMBINATION OF CLINICAL CRITERIA
AND INFORMATIVE GENE SETS

TRANSMITTAL OF SEQUENCE LISTING

MAIL STOP PATENT APPLICATION

Commissioner For Patents
P. O. Box 1450
Alexandria, VA 22313-1450

S I R :

In connection with the above-identified application, and in accordance with 37 C.F.R. § 1.821, Applicants submit herewith a Sequence Listing in paper and computer-readable format pursuant to 37 C.F.R. § 1.821(c) and (e).

I hereby state that the content of the paper and computer-readable copies of the Sequence Listing, submitted in accordance with 37 C.F.R. § 1.821(c) and (e), respectively, are the same.

Date March 5, 2004

Respectfully submitted,

Adriane M. Antler Reg. No. 49,020
Adriane M. Antler 32,605
Adriane M. Antler (Reg. No.)

JONES DAY
222 East 41st Street
New York, New York 10017
(212) 326-3939

Enclosures

CLASSIFICATION OF BREAST CANCER PATIENTS USING A
COMBINATION OF CLINICAL CRITERIA AND INFORMATIVE GENE SETS

1. FIELD OF THE INVENTION

[0001] The present invention relates to the use of both phenotypic and genotypic aspects of a condition, such as a disease, in order to identify discrete subsets of patients for which specific sets of informative genes are then identified. The invention also relates to the classification of individuals, such as breast cancer patients, into a subset of the condition on the basis of clinical parameters and the status of markers, for example, of genes expression patterns, and the prognosis of those individuals on the basis of markers informative for prognosis within the subset of the condition. The invention also relates to methods of determining a course of treatment or therapy to an individual having, or suspected of having, a condition, such as breast cancer. The invention further relates to methods of structuring a clinical trial, particularly using five breast cancer-specific patient subsets and prognosis-informative genes for each, and of identifying patient populations for clinical trials or for other condition-related, for example, breast cancer-related, research. Finally, the invention relates to computer implementations of the above methods.

2. BACKGROUND OF THE INVENTION

[0002] The increased number of cancer cases reported in the United States, and, indeed, around the world, is a major concern. Currently there are only a handful of treatments available for specific types of cancer, and these provide no guarantee of success. In order to be most effective, these treatments require not only an early detection of the malignancy, but a reliable assessment of the severity of the malignancy.

[0003] The incidence of breast cancer, a leading cause of death in women, has been gradually increasing in the United States over the last thirty years. Its cumulative risk is relatively high; 1 in 8 women are expected to develop some type of breast cancer by age 85 in the United States. In fact, breast cancer is the most common cancer in women and the second most common cause of cancer death in the United States. In 1997, it was estimated that 181,000 new cases were reported in the U.S., and that 44,000 people would die of breast cancer (Parker *et al.*, *CA Cancer J. Clin.* 47:5-27 (1997); Chu *et al.*, *J. Nat. Cancer Inst.* 88:1571-1579 (1996)). While mechanism of tumorigenesis for most breast carcinomas is largely

unknown, there are genetic factors that can predispose some women to developing breast cancer (Miki *et al.*, *Science*, 266:66-71(1994)).

[0004] Sporadic tumors, those not currently associated with a known germline mutation, constitute the majority of breast cancers. It is also likely that other, non-genetic factors also have a significant effect on the etiology of the disease. Regardless of the cancer's origin, breast cancer morbidity and mortality increases significantly if it is not detected early in its progression. Thus, considerable effort has focused on the early detection of cellular transformation and tumor formation in breast tissue.

[0005] A marker-based approach to tumor identification and characterization promises improved diagnostic and prognostic reliability. Typically, the diagnosis of breast cancer requires histopathological proof of the presence of the tumor. In addition to diagnosis, histopathological examinations also provide information about prognosis and selection of treatment regimens. Prognosis may also be established based upon clinical parameters such as tumor size, tumor grade, the age of the patient, and lymph node metastasis.

[0006] Diagnosis and/or prognosis may be determined to varying degrees of effectiveness by direct examination of the outside of the breast, or through mammography or other X-ray imaging methods (Jatoi, *Am. J. Surg.* 177:518-524 (1999)). The latter approach is not without considerable cost, however. Every time a mammogram is taken, the patient incurs a small risk of having a breast tumor induced by the ionizing properties of the radiation used during the test. In addition, the process is expensive and the subjective interpretations of a technician can lead to imprecision. For example, one study showed major clinical disagreements for about one-third of a set of mammograms that were interpreted individually by a surveyed group of radiologists. Moreover, many women find that undergoing a mammogram is a painful experience. Accordingly, the National Cancer Institute has not recommended mammograms for women under fifty years of age, since this group is not as likely to develop breast cancers as are older women. It is compelling to note, however, that while only about 22% of breast cancers occur in women under fifty, data suggests that breast cancer is more aggressive in pre-menopausal women.

[0007] In clinical practice, accurate diagnosis of various subtypes of breast cancer is important because treatment options, prognosis, and the likelihood of therapeutic response all vary broadly depending on the diagnosis. Accurate prognosis, or determination of distant metastasis-free survival could allow the oncologist to tailor the administration of adjuvant chemotherapy, with women having poorer prognoses being given the most aggressive treatment. Furthermore, accurate prediction of poor prognosis would greatly impact clinical

trials for new breast cancer therapies, because potential study patients could then be stratified according to prognosis. Trials could then be limited to patients having poor prognosis, in turn making it easier to discern if an experimental therapy is efficacious.

[0008] To date, no set of satisfactory predictors for prognosis based on the clinical information alone has been identified. Many have observed that the ER status has a dominant signature in the breast tumor gene expression profiling. See West *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 98:11462 (2001); van 't Veer *et al.*, *Nature* 415:530 (2002); Sorlie *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 100:8418 (2003); Perou *et al.*, *Nature* 406:747 (2000); Gruvberger *et al.*, *Cancer Res.* 61:5979 (2001); Sotiriou *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 100:10393 (2003). It is generally accepted that there is some relationship between patient survival and ER status. van de Vijver *et al.*, *N. Engl. J. Med.* 347:1999 (2002); Surowiak *et al.*, *Folia Histochem. Cytobiol.* 39:143 (2001); Pichon *et al.*, *Br. J. Cancer* 73:1545 (1996); Collett *et al.*, *J. Clin. Pathol.* 49:920 (1996). *BRCA1* mutations are related to the familial cancer susceptibility. Biesecker *et al.*, *JAMA* 269:1970 (1993); Easton *et al.*, *Cancer Surv.* 18:95 (1993). Age is also considered to be a prognosis factor since young cancer patients tend to have poor tumors. Maggard *et al.*, *J. Surg. Res.* 113:109 (2003). Lymph node status is a factor in deciding the treatment. Eifel *et al.*, *J. Natl. Cancer Inst.* 93:979 (2001).

[0009] The discovery and characterization of *BRCA1* and *BRCA2* has recently expanded our knowledge of genetic factors which can contribute to familial breast cancer. Germ-line mutations within these two loci are associated with a 50 to 85% lifetime risk of breast and/or ovarian cancer (Casey, *Curr. Opin. Oncol.* 9:88-93 (1997); Marcus *et al.*, *Cancer* 77:697-709 (1996)). Only about 5% to 10% of breast cancers, however, are associated with breast cancer susceptibility genes, *BRCA1* and *BRCA2*. The cumulative lifetime risk of breast cancer for women who carry the mutant *BRCA1* is predicted to be approximately 92%, while the cumulative lifetime risk for the non-carrier majority is estimated to be approximately 10%. *BRCA1* is a tumor suppressor gene that is involved in DNA repair and cell cycle control, which are both important for the maintenance of genomic stability. More than 90% of all mutations reported so far result in a premature truncation of the protein product with abnormal or abolished function. The histology of breast cancer in *BRCA1* mutation carriers differs from that in sporadic cases, but mutation analysis is the only way to find the carrier. Like *BRCA1*, *BRCA2* is involved in the development of breast cancer, and like *BRCA1* plays a role in DNA repair. However, unlike *BRCA1*, it is not involved in ovarian cancer.

[0010] Other genes have been linked to breast cancer, for example c-erb-2 (*HER2*) and p53 (Beenken *et al.*, *Ann. Surg.* 233(5):630-638 (2001). Overexpression of c-erb-2 (*HER2*) and

p53 have been correlated with poor prognosis (Rudolph *et al.*, *Hum. Pathol.* 32(3):311-319 (2001), as has been aberrant expression products of *mdm2* (Lukas *et al.*, *Cancer Res.* 61(7):3212-3219 (2001) and cyclin1 and p27 (Porter & Roberts, International Publication WO98/33450, published August 6, 1998).

[0011] The detection of *BRCA1* or *BRCA2* mutations represents a step towards the design of therapies to better control and prevent the appearance of these tumors. Recently, many studies have used gene expression profiling to analyze various cancers, and those studies have provided new diagnosis and prognosis information in the molecular level. See Zajchowski *et al.*, "Identification of Gene Expression Profiled that Predict the Aggressive Behavior of Breast Cancer Cells," *Cancer Res.* 61:5168 (2001); West *et al.*, "Predicting the Clinical Status of Human Breast Cancer by Using Gene Expression Profiles," *Proc. Natl. Acad. Sci. U.S.A.* 98:11462 (2001); van 't Veer *et al.*, "Gene Expression Profiling Predicts the Outcome of Breast Cancer," *Nature* 415:530 (2002); Roberts *et al.*, "Diagnosis and Prognosis of Breast Cancer Patients," WO 02/103320; Sorlie *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 100:8418 (2003); Perou *et al.*, *Nature* 406:747 (2000); Khan *et al.*, *Cancer Res* 58, 5009 (1998); Golub *et al.*, *Science* 286, 531 (1999); DeRisi *et al.*, *Nat. Genet.* 14:457 (1996); Alizadeh *et al.*, *Nature* 403, 503 (2000). Methods for the identification of informative genesets for various cancers have also been described. See Roberts *et al.*, "Diagnosis and Prognosis of Breast Cancer Patients," WO 02/103320; Golub *et al.*, United States Patent No. 6,647,341.

[0012] Genesets have been identified that are informative for differentiating individuals having, or suspected of having, breast cancer based on estrogen receptor (ER) status, or *BRCA1* mutation vs. sporadic (*i.e.*, other than *BRCA1*-type) mutation status. See Roberts *et al.*, WO 02/103320; van't Veer *et al.*, *Nature* 415:530 (2001). Genesets have also been identified that enable the classification of sporadic tumor-type individuals as those who will likely have no metastases within five years of initial diagnosis (*i.e.*, individuals with a good prognosis) or those who will likely have a metastasis within five years of initial diagnosis (*i.e.*, those having a poor prognosis). Roberts, *supra*; van't Veer, *supra*.

[0013] Roberts *et al.* WO 02/103320 describes a 70-gene set, useful for the prognosis of breast cancer, which outperformed clinical measures of prognosis, and which showed good potential in selecting good outcome patients, thereby avoiding over-treatment. van de Vijver *et al.*, *N. Engl. J. Med.* 347:1999 (2002). The expression of genes with most predictive value, however, were not homogeneous among poor patients, suggesting the need for improvement.

[0014] Although the patterns of gene expression as described in Roberts *et al.* were correlated with existing clinical indicators such as estrogen receptor and *BRCA1* status, clinical measures were not incorporated. Furthermore, although the poor-outcome group in particular showed heterogeneity in expression pattern, the best classifier decision rule found during these studies was a fairly simple one based on the similarity of a patient profile to the average profile of a good-outcome training group.

[0015] Because it is evident that breast cancer is the result of more than one type of molecular event, there still exists a need for improved prognostic methods so that appropriate courses of therapy may be provided. Genesets having improved prognostic power can be identified by first identifying discrete subsets of breast cancer patients, and then identifying genesets informative for prognosis within those subsets of patients. Individuals having breast cancer, or who are suspected of having breast cancer, would then be provided therapies appropriate to the molecular mechanisms underlying the cancer. The present invention provides such methods for breast cancer, and for other cancers, diseases or conditions.

3. SUMMARY OF THE INVENTION

[0016] The present invention provides methods of identifying relevant subsets of conditions, and the identification of markers relevant to those subsets, for example, for prognosis of individuals classifiable into one of those subsets. The invention further provides sets of markers useful for the prognosis of individuals having breast cancer, wherein those patients have been classified according to one or more characteristics of breast cancer.

[0017] Thus, the present invention provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics of said condition into a plurality of first classes; and (b) identifying within each of said first classes a first set of genes or markers informative for said condition, wherein said first set of genes or markers within each of said first classes is unique to said class relative to other first classes. In a specific embodiment, this method further comprises additionally classifying into a plurality of second classes said samples or individuals in at least one of said first classes on the basis of a phenotypic or genotypic characteristic different than that used in said classifying step (a); and identifying within at least one of said second classes a second set of informative genes or markers, wherein said second set of informative genes or markers within each of said second classes is unique to said second class relative to other first and second classes.

[0018] The invention further provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics into a plurality of first classes; (b) classifying at least one of said first classes into a plurality of second classes on the basis of phenotypic or genotypic characteristic different than that used in said classifying step (a); and (c) identifying within at least one of said first classes or said second classes a set of genes or markers informative for said condition, wherein said second set of genes or markers is unique to said class relative to other first and second classes.

[0019] The invention further provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) selecting a first characteristic from said plurality of phenotypic or genotypic characteristics; (b) identifying at least two first condition classes differentiable by said first characteristic; (c) selecting a plurality of individuals classifiable into at least one of said first condition classes; and (d) identifying in samples derived from each of said plurality of individuals a set of genes or markers informative for said condition within said at least one of said first condition classes.

[0020] The invention further provides a method of classifying an individual with a condition as having a good prognosis or a poor prognosis, comprising: (a) classifying said individual into one of a plurality of patient classes, said patient classes being differentiated by one or more phenotypic, genotypic or clinical characteristics of said condition; (b) determining the level of expression of a plurality of genes or their encoded proteins in a cell sample taken from the individual relative to a control, said plurality of genes or their encoded proteins comprising genes or their encoded proteins informative for prognosis of the patient class into which said individual is classified; and (c) classifying said individual as having a good prognosis or a poor prognosis on the basis of said level of expression. In a specific embodiment, said condition is cancer, said good prognosis is the non-occurrence of metastases within five years of initial diagnosis, and said poor prognosis is the occurrence of metastases within five years of initial diagnosis. In a more specific embodiment, said cancer is breast cancer. In another specific embodiment, said control is the average level of expression of each of said plurality of genes or their encoded proteins across a plurality of samples derived from individuals identified as having a poor prognosis. In a more specific embodiment, said classifying step (c) is carried out by a method comprising comparing the level of expression of each of said plurality of genes or their encoded proteins to said average

level of expression of each corresponding gene or its encoded protein in said control, and classifying said individual as having a poor prognosis if said level of expression correlates with said average level of expression of each of said genes or their encoded proteins in said control more strongly than would be expected by chance. In another specific embodiment, said control is the average level of expression of each of said plurality of genes or their encoded proteins across a plurality of samples derived from individuals identified as having a good prognosis. In a more specific embodiment, said classifying in step (c) is carried out by a method comprising comparing the level expression of each of said plurality of genes or their encoded proteins to said average level of expression of each corresponding gene or its encoded protein in said control, and classifying said individual as having a good prognosis if said level of expression correlates with said average level of expression of each of said genes or their encoded proteins in said control more strongly than would be expected by chance. In another specific embodiment, said plurality of patient classes comprises ER⁻, *BRCA1* individuals; ER⁻, sporadic individuals; ER+, ER/AGE high individuals; ER+, ER/AGE low, LN+ individuals; and ER+, ER/AGE low, LN⁻ individuals.

[0021] The invention further provides a method of classifying a breast cancer patient as having a good prognosis or a poor prognosis comprising: (a) classifying said breast cancer patient as ER⁻, *BRCA1*; ER⁻, sporadic; ER+, ER/AGE high; ER+, ER/AGE low, LN+; or ER+, ER/AGE low, LN⁻; (b) determining the level of expression of a first plurality of genes in a cell sample taken from said breast cancer patient relative to a control, said first plurality of genes comprising two of the genes corresponding to the markers in Table 1 if said breast cancer patient is classified as ER⁻, *BRCA1*; in Table 2 if said breast cancer patient is classified as ER⁻ sporadic; in Table 3 if said breast cancer patient is classified as ER+, ER/AGE high; in Table 4 if said breast cancer patient is classified as ER+, ER/AGE low, LN+; or in Table 5 if said breast cancer patient is classified as ER+, ER/AGE low, LN⁻; and (c) classifying said breast cancer patient as having a good prognosis or a poor prognosis on the basis of the level of expression of said first plurality of genes, wherein said breast cancer patient is “ER/AGE high” if the ratio of the log₁₀(ratio) of ER gene expression to age exceeds a predetermined value, and “ER/AGE low” if the ratio of the log₁₀(ratio) of ER gene expression to age does not exceed said predetermined value. In a specific embodiment, said control is the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁻, *BRCA1* individuals, if said breast cancer patient is ER⁻, *BRCA1*; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁻, sporadic individuals if said breast cancer patient is ER⁻, sporadic; the

average level of expression of each of said plurality of genes in a plurality of samples derived from ER+, ER/AGE high individuals, if said breast cancer patient is ER+, ER/AGE high; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER+, ER/AGE low, LN+ individuals where said breast cancer patient is ER+, ER/AGE low, LN+; or the average level of expression of each of said plurality of genes in a plurality of samples derived from ER+, ER/AGE low, LN⁻ individuals where said breast cancer patient is ER+, ER/AGE low, LN⁻. In a more specific embodiment, each of said individuals has a poor prognosis. In another more specific embodiment, each of said individuals has a good prognosis. In an even more specific embodiment, said classifying step (c) is carried out by a method comprising comparing the level of expression of each of said plurality of genes or their encoded proteins in a sample from said breast cancer patient to said control, and classifying said breast cancer patient as having a poor prognosis if said level of expression correlates with said average level of expression of the corresponding genes or their encoded proteins in said control more strongly than would be expected by chance. In another specific embodiment, said predetermined value of ER is calculated as $ER = 0.1(AGE - 42.5)$, wherein AGE is the age of said individual. In another specific embodiment, said individual is ER⁻, *BRCA1*, and said plurality of genes comprises two of the genes for which markers are listed in Table 1. In another specific embodiment, said individual is ER⁻, *BRCA1*, and said plurality of genes comprises all of the genes for which markers are listed in Table 1. In another specific embodiment, said individual is ER⁻, sporadic, and said plurality of genes comprises two of the genes for which markers are listed in Table 2. said individual is ER⁻, sporadic, and said plurality of genes comprises all of the genes for which markers are listed in Table 2. In another specific embodiment, said individual is ER+, ER/AGE high, and said plurality of genes comprises two of the genes for which markers are listed in Table 3. said individual is ER+, ER/AGE high, and said plurality of genes comprises all of the genes for which markers are listed in Table 3. In another specific embodiment, said individual is ER+, ER/AGE low, LN+, and said plurality of genes comprises two of the genes for which markers are listed in Table 4. In another specific embodiment, said individual is ER+, ER/AGE low, LN+, and said plurality of genes comprises all of the genes for which markers are listed in Table 4. In another specific embodiment, said individual is ER+, ER/AGE low, LN⁻, and said plurality of genes comprises two of the genes for which markers are listed in Table 4. In another specific embodiment, said individual is ER+, ER/AGE low, LN⁻, and said plurality of genes comprises all of the genes for which markers are listed in Table 4. In another specific embodiment, the method further comprises determining in said cell sample the level of

expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis.

[0022] In another embodiment, the invention provides a method for assigning an individual to one of a plurality of categories in a clinical trial, comprising: (a) classifying said individual as ER⁻, *BRCA1*, ER⁻, sporadic; ER⁺, ER/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻; (b) determining for said individual the level of expression of at least two genes for which markers are listed in Table 1 if said individual is classified as ER⁻, *BRCA1*; Table 2 if said individual is classified as ER⁻, sporadic; Table 3 if said individual is classified as ER⁺, ER/AGE high; Table 4 if said individual is classified as ER⁺, ER/AGE low, LN⁺; or Table 5 if said individual is classified as ER⁺, ER/AGE low, LN⁻; (c) determining whether said individual has a pattern of expression of said at least two genes that correlates with a good prognosis or a poor prognosis; and (d) assigning said individual to one category in a clinical trial if said individual has a good prognosis, and assigning said individual to a second category in said clinical trial if said individual has a poor prognosis. In a specific embodiment, said individual is additionally assigned to a category in said clinical trial on the basis of the classification of said individual as determined in step (a). In another specific embodiment, said individual is additionally assigned to a category in said clinical trial on the basis of any other clinical, phenotypic or genotypic characteristic of breast cancer. In another specific embodiment, said method further comprises determining in said cell sample the level of expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis of breast cancer, and determining from the expression of said second plurality of genes, in addition to said first plurality of genes, whether said individual has a good prognosis or a poor prognosis.

[0023] A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in any of Tables 1-5. The invention further provides a microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 1, each of the genes for which markers are listed in Table 1, a plurality of the genes for which markers are listed in Table 2, each of the genes for which markers are listed in Table 2, a plurality of the genes for which markers are listed in Table 3, each of the genes for which markers are listed in Table 3, a plurality of the genes for which markers are listed in Table 4, each of the genes for which markers are listed in Table 4, a plurality of the genes for which markers are listed in Table 5, or each of the genes for which markers are listed in Table 5. The invention further provides any one of the above

microarrays, wherein said probes are at least 50% of the probes on said microarray. The invention further provides any one of the above microarrays, wherein said probes are at least 90% of the probes on said microarray. The invention further provides microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in any of Tables 1-5, wherein said probes are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 1; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 2; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 3; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 4; and are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 5, wherein said probes, in total, are at least 50% of the probes on said microarray.

[0024] The invention further comprises a kit comprising any one of the above microarrays in a sealed container.

[0025] The invention further provides a method of identifying a set of genes informative for a condition, said condition having a plurality of phenotypic or genotypic characteristics such that samples may be categorized by at least one of said phenotypic or genotypic characteristics into at least one characteristic class, said method comprising: (a) selecting a plurality of samples from individuals having said condition; (b) identifying a first set of genes informative for said characteristic class using said plurality of samples; (c) predicting the characteristic class of each of said plurality of samples; (d) discarding samples for which said characteristic class is incorrectly predicted; (e) repeating steps (c) and (d) at least once; and (f) identifying a second set of genes informative for said characteristic class using samples in said plurality of samples remaining after step (e).

[0026] The invention further provides a method for assigning an individual to one of a plurality of categories in a clinical trial, comprising: (a) classifying the individual into one of a plurality of condition categories differentiated by at least one genotypic or phenotypic characteristic of the condition; (b) determining the level of expression, in a sample derived from said individual, of a plurality of genes informative for said condition category; (c) determining whether said level of expression of said plurality of genes indicates that the individual has a good prognosis or a poor prognosis; and (d) assigning the individual to a category in a clinical trial on the basis of prognosis.

4. BRIEF DESCRIPTION OF THE DRAWINGS

[0027] FIG. 1 depicts the decision tree that resulted in the five patient subsets used to identify informative prognosis-related genes.

[0028] FIG. 2: Relationship between ER level and age. (A) Scatter plot of ER vs. age for ER+ patients. Black dots indicate metastases free samples, and gray dots indicate metastases samples. It appears that patients of ER+ group can be subdivided into “ER+, ER/AGE high” group (above the black line) and “ER+, ER/AGE low” (below the black line) group. The black line is approximated by $ER = 0.1 * (AGE - 42.5)$, and the dashed line by $ER = 0.1 * (age - 50)$. Within each population, the ER level also increases with age. (B) Age distribution of all patients in ER+ samples. A bimodal distribution is observed. (C) ER-modulated age (age – 10*) distribution of all patients in ER+ samples. A bimodal distribution is observed. (D) Age distribution of samples with metastasis. (E) ER-modulated age distribution of samples with metastasis. The three peaks appearing in this distribution suggest a polymorphism.

[0029] FIG. 3. Performance of classifier for the “ER⁻/sporadic” group. (A) Error rate obtained from leave-one-out cross validation (LOOCV) for predicting the disease outcome as a function of the number of reporter genes used in the classifier. (B) Scatter plot between correlation to good group (X axis) and to poor group (Y axis). Circles indicate metastases-free samples, squares indicate samples with metastases. Dashed line: threshold for separating poor from good. (C) Error rate calculated with respect to good outcome group (good outcome misclassified as poor divided by total number of good), or poor outcome group (poor outcome misclassified as good divided by total number of poor), or the average of the two rates.

[0030] FIG. 4. Performance of classifier for the “ER+, ER/AGE high” group. (A) Error rate obtained from leave-one-out cross validation (LOOCV) for predicting the disease outcome as a function of the number of reporter genes used in the classifier. (B) Scatter plot between correlation to good group (X axis) and to poor group (Y axis). Circles indicate metastases-free samples, and squares indicate samples with metastases. Dashed line: threshold for separating poor from good. (C) Error rate calculated with respect to good outcome group (good outcome misclassified as poor divided by total number of good), or poor outcome group (poor outcome misclassified as good divided by total number of poor), or the average of the two rates.

[0031] FIG. 5. Performance of classifier for the “ER+, ER/AGE low/LN⁻” group. (A) Error rate obtained from leave-one-out cross validation (LOOCV) for predicting the disease outcome as a function of the number of reporter genes used in the classifier. (B) Scatter plot

between correlation to good group (X axis) and to poor group (Y axis). Circles indicate metastases-free samples, and squares indicates samples with metastases. Dashed line indicates the threshold for separating poor from good. (C) Error rate calculated with respect to good outcome group (good outcome misclassified as poor divided by total number of good), or poor outcome group (poor outcome misclassified as good divided by total number of poor), or the average of the two rates.

[0032] FIG. 6. Performance of classifier for the “ER+, ER/AGE low/LN+” group. (A) Error rate obtained from leave-one-out cross validation (LOOCV) for predicting the disease outcome as a function of the number of reporter genes used in the classifier. (B) Scatter plot between correlation to good group (X axis) and to poor group (Y axis). Circles indicate metastases free samples, squares indicate samples with metastases. Dashed line: threshold for separating poor from good. (C) Error rate calculated with respect to good outcome group (good outcome misclassified as poor divided by total number of good), or poor outcome group (poor outcome misclassified as good divided by total number of poor), or the average of the two rates.

[0033] FIG. 7. Performance of classifier for the “ER⁻, *BRCA1*” group. (A) Error rate obtained from leave-one-out cross validation (LOOCV) for predicting the disease outcome as a function of the number of reporter genes used in the classifier. (B) Scatter plot between correlation to good group (X axis) and to poor group (Y axis). Circles indicate metastases free samples, squares indicate samples with metastases. Dashed line: threshold for separating poor from good. (C) Error rate calculated with respect to good outcome group (good outcome misclassified as poor divided by total number of good), or poor outcome group (poor outcome misclassified as good divided by total number of poor), or the average of the two rates.

[0034] FIG. 8. Heatmaps of genes representing key biological functions in subgroups of patients: A: Cell cycle genes are predictive of outcome in patients with ER/age high. B: Cell cycle genes are not predictive of outcome in “ER- and sporadic” patients C: Glycolysis genes are predictive of outcome in patients with ER/age low and LN-. D: Glycolysis genes are not predictive of outcome in ‘ER- & BRCA1’ patients.

5. DETAILED DESCRIPTION OF THE INVENTION

5.1 INTRODUCTION

[0035] The present invention provides methods for classifying individuals having a condition, such as a disease, into at least one subset of that condition, wherein the subset is

defined by one or more phenotypic or genotypic characteristics of the condition. Such individuals may be eukaryotes or prokaryotes, may be non-human animals such as mammals, for example humans, primates, rodents, felines, canines, etc.; birds, reptiles, fish, etc. “Individuals” as used herein also encompasses single-celled organisms, or colonies thereof, such as bacteria and yeast. The condition may be a disease, such as cancer, and may be a specific cancer, such as breast cancer. The present invention provides methods of determining the prognosis of individuals having a condition, such as cancer, for example, breast cancer, or who are suspected of having the condition, by the use of a combination of clinical parameters and gene expression pattern data. In the example of breast cancer, patient groups are first classified according to at least one of age, lymph node (LN) status, estrogen receptor (ER) level, and *BRCA1* mutation status into discrete patient subsets. These clinical factors have been implicated in tumor etiology as well as differences in disease outcome. The differences in gene expression or in tumor fate related to these parameters likely represent differences in tumor origin and tumor genesis, and are therefore good candidates for tumor stratification. Genesets informative for prognosis within each subset are then identified. New breast cancer patients are then classified using the same criteria, and a prognosis is made based on the geneset specific for the patient subset into which the patient falls.

[0036] In the process of constructing prognosis classifier within each subset, particular attention is paid to the homogeneous patterns related to the tumor outcome. Emergence of such homogeneous prognosis patterns may indicate the most common mechanism to metastasis within a subset. At the same time, successful identification of such patterns also justifies the parameters being used for the tumor stratification. To differentiate this approach from an mRNA-alone approach, we refer to the current approach of integrating clinical data with the gene expression data as a “comprehensive prognosis”.

5.2 DEFINITIONS

[0037] As used herein, “*BRCA1* tumor” or “*BRCA1* type” means a tumor having cells containing a mutation of the *BRCA1* locus.

[0038] The “absolute amplitude” of correlation means the distance, either positive or negative, from a zero value; *i.e.*, both correlation coefficients -0.35 and 0.35 have an absolute amplitude of 0.35.

[0039]

[0040] “Marker” means a cellular constituent, or a modification of a cellular constituent (*e.g.*, an entire gene, EST derived from that gene, a protein encoded by that gene, post-translational modification of the protein, etc.) the expression or level of which changes between certain conditions. Where a change in a characteristic of the constituent correlates with a certain condition, the constituent is a marker for that condition.

[0041] “Marker-derived polynucleotides” means the RNA transcribed from a marker gene, any cDNA or cRNA produced therefrom, and any nucleic acid derived therefrom, such as synthetic nucleic acid having a sequence derived from the gene corresponding to the marker gene.

[0042] A “similarity value” is a number that represents the degree of similarity between two things being compared. For example, a similarity value may be a number that indicates the overall similarity between a patient’s expression profile using specific phenotype-related markers and a control specific to that phenotype (for instance, the similarity to a “good prognosis” template, where the phenotype is a good prognosis). The similarity value may be expressed as a similarity metric, such as a correlation coefficient, or may simply be expressed as the expression level difference, or the aggregate of the expression level differences, between a patient sample and a template.

[0043] A “patient subset” is a group of individuals, all of whom have a particular condition, that is distinguished from other individuals having that condition by one or more phenotypic, genotypic or clinical characteristics of the condition. For example, where the condition is breast cancer, individuals may belong to an “ER⁺” or an “ER⁻” patient subset, or may belong to a particular age group patient subset.

[0044] A gene and/or marker is “informative” for a condition, phenotype, genotype or clinical characteristic if the expression of the gene or marker is correlated or anticorrelated with the condition, phenotype, genotype or clinical characteristic to a greater degree than would be expected by chance.

[0045] An individual is classified as “ER/AGE high” if the ratio of the log(ratio) of ER expression to the age of individual for which the ER expression level is determined is equal to or greater than a predetermined threshold value, and the individual is classified as “ER/AGE low” if the ratio is less than the threshold value. In one embodiment, the threshold value is calculated as $ER = 0.1 (AGE - 42.5)$; thus, the threshold for a 45-year old individual in this embodiment is $0.1 (45 - 42.5)$, or 0.25. Thus, in this embodiment, if the log(ratio) of ER expression in the individual is equal to or greater than 0.25, the individual is classified as “ER/AGE high”; otherwise, the individual is classified as “ER/AGE low.”

5.3 IDENTIFICATION OF DIAGNOSTIC AND PROGNOSTIC MARKER SETS

5.3.1 IDENTIFICATION OF CONDITION SUBSETS

[0046] The present invention provides methods of identifying of sets of genes and/or markers useful in the diagnosis and prognosis of breast cancer. More generally, the invention also provides methods of identifying sets of genes and/or markers useful in the diagnosis or prognosis of other cancers, and even more generally, of identifying sets of genes and/or markers useful in the differentiation between subgroups of individuals having a particular condition, such as a disease.

[0047] The method may be applied to any condition for which a plurality of phenotypic or genotypic subsets may be identified. The condition may be a disease; for example, the condition may be cancer, an autoimmune disease, an inflammatory disease, an infectious disease, a neurological disease, a degenerative disease, etc. The condition may be environmental; for example, the condition may be a particular diet, geographic location, etc.; the condition may be exposure to a compound, including, for example, a drug, a toxin, a carcinogen, a foodstuff, a poison, an inhaled compound, an ingested compound, etc.; the condition may be a particular genetic background or predisposition to a medical condition; etc.

[0048] Where the condition is cancer, the condition may be any cancer, for example, without limitation: leukemias, including acute leukemia, acute lymphocytic leukemia, acute myelocytic leukemia, myeloblastic leukemia, promyelocytic leukemia, myelomonocytic leukemia, monocytic leukemia, and erythroleukemia; chronic leukemia, such as chronic myelocytic (granulocytic) leukemia or chronic lymphocytic leukemia; polycythemia vera; lymphomas, such as Hodgkin's disease and non-Hodgkin's disease; multiple myeloma; Waldenström's macroglobulinemia; heavy chain disease; solid tumors, such as sarcomas and carcinomas, fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteogenic sarcoma, chordoma, angiosarcoma, endotheliosarcoma, lymphangiosarcoma, lymphangioendotheliosarcoma, synovioma, mesothelioma, Ewing's tumor, leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, pancreatic cancer, breast cancer, ovarian cancer, prostate cancer, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, cystadenocarcinoma, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilms' tumor, cervical cancer, testicular tumor, lung carcinoma, small cell lung carcinoma, bladder

carcinoma, epithelial carcinoma, glioma, astrocytoma, medulloblastoma, craniopharyngioma, ependymoma, pinealoma, hemangioblastoma, acoustic neuroma, oligodendroglioma, meningioma, melanoma, neuroblastoma, or retinoblastoma; etc.

[0049] Rather than stratifying individuals, such as patients or tumor samples derived from patients, by gene expression patterns in the first instance, however, the method of identifying sets of genes informative for a condition begins by identifying phenotypic, genotypic or clinical subsets of individuals within the larger class of individuals having or affected by the condition.

[0050] In one embodiment, the condition is cancer, and the subsets are distinguished by phenotypes, genotypes, and/or clinical characteristics of the cancer. In this embodiment, groups of individuals are classified according to one or more phenotypes, genotypes, or clinical characteristics relevant to the cancer into patient subsets. At any step in the process of subdividing a patient population into patient subsets, the level expression of one or more genes may be determined in order to identify whether a prognosis-informative set of genes may be identified for the particular patient subset. If an informative gene set is identified, but is not as informative as desired, the patient subset may be divided and a new geneset identified. These subsets may be further subdivided. For example, a group of individuals affected by a particular cancer may be classified first on the basis of a phenotypic, genotypic or clinical characteristic A into subsets S1 and S2. The level of expression is then determined of a plurality of genes in tumor samples taken from individuals that fall within subsets S1 or S2 in order to identify sets of genes informative for prognosis within these subsets. Subsets S1 and S2 may then be subdivided into two or more subsets each based on other phenotypic, genotypic or clinical characteristics. The basis for subdivision, if performed, need not be the same for both S1 and S2. For example, in various embodiments, S1 is not subdivided, while S2 is subdivided on the basis of characteristic B; S1 is subdivided based on characteristic B while S2 is not subdivided; S1 and S2 are both subdivided on the basis of characteristic B; S1 is subdivided based on characteristic B, while S2 is subdivided according to characteristic C; and so on. For a particular decision matrix leading to a plurality of patient subsets, the preferred outcome is a prognosis-informative set of genes for each patient subset. Different decision matrices may lead to different patient subsets, which, in turn, may result in different sets of prognosis-informative genes.

[0051] In the specific example of breast cancer, a plurality of phenotypes, genotypes or clinical indications are used to classify a patient as being a member of one of a plurality of patient subsets, wherein the subsets are medically, biochemically or genetically relevant to

breast cancer. For example, a group of patients may be classified into patient subsets based on criteria including, but not limited to, estrogen receptor (ER) status, type of tumor (*i.e.*, *BRCA1*-type or sporadic), lymph node status, grade of cancer, invasiveness of the tumor, or age. “*BRCA1*-type” indicates that the *BRCA1* mutation is present. In each classification step, a group of cancer patients may be classified into only two classes, for example, ER+ or ER⁻, or into three or more subsets (for example, by tumor grade), depending upon the characteristic used to determine the subsets. As used herein, “ER+” indicates that the estrogen receptor is expressed at some level; for example, it may indicate that the estrogen receptor is detectably expressed, or may indicate that more than 10% of cells may be histologically stained for the receptor, etc. Conversely, “ER-” indicates that the estrogen receptor is expressed at a reduced level or not at all; for example, it may indicate that the receptor is not detectably expressed, or that 10% or less of cells may be histologically stained for the receptor, etc. Marker gene sets optimized for each phenotypic class are preferably determined after the subsets are established. Where informative markers for a particular patient subset, distinguished from another subset by a particular characteristic of the condition of interest, cannot be determined, the subset may be further divided by another characteristic of the condition to create a plurality of second patient subsets, whereupon genes informative for these second patient subsets may be identified.

[0052] FIG. 1 depicts the process, described in the Examples, of subdivision of a collection of breast cancer patients according to phenotypic and genotypic characteristics relevant to breast cancer, in preparation for identification of genes informative for prognosis. A collection of breast cancer tumor samples was first subdivided by estrogen receptor status. ER status was chosen because the presence or absence of the estrogen receptor greatly influences the expression of other genes. In the ER+ patient subset, it was noted that patients appeared to be bimodally distributed by ER level vs. age; that is, ER level dependence upon age tended to fall within two classes, as separated by the solid line in FIG. 2A. This bimodality was used to further subdivide ER+ individuals into “ER+, ER/AGE high” individuals and “ER+, ER/AGE low” individuals. A set of informative genes was identified for the ER+, ER/AGE high patient subset. An informative set was not identified for the ER+, ER/AGE low subset, however, so the subset of patients was further divided into LN+ and LN- individuals. Thus, in one embodiment, the present invention provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising (a) classifying each of a plurality of samples or individuals on the basis of one phenotypic or genotypic characteristic into a

plurality of first classes; and (b) identifying within each of said first classes a set of informative genes or markers, wherein said set of informative genes or markers within each said first classes is unique to said class.

5.3.2 IDENTIFICATION OF MARKER SETS INFORMATIVE FOR PATIENT SUBSETS

[0053] Once a patient subset is identified, markers, such as genes, informative for a particular condition, such as prognosis, may be identified. In one embodiment, the method for identifying marker sets is as follows. This example describes the use of genes and gene-derived nucleic acids as markers; however, proteins or other cellular constituents may be used as markers of the condition.

[0054] After extraction and labeling of target polynucleotides, the expression of a plurality of markers (genes) in a sample X is compared to the expression of the plurality markers in a standard or control. In one embodiment, the standard or control comprises target polynucleotide molecules derived from a sample from a normal individual (*i.e.*, an individual not afflicted with breast cancer). In a preferred embodiment, the standard or control is a pool of target polynucleotide molecules. The pool may be derived from collected samples from a number of normal individuals. In a preferred embodiment, the pool comprises samples taken from a number of individuals having sporadic-type tumors. In another preferred embodiment, the pool comprises an artificially-generated population of nucleic acids designed to approximate the level of nucleic acid derived from each marker found in a pool of marker-derived nucleic acids derived from tumor samples. In yet another embodiment, the pool is derived from normal or breast cancer cell lines or cell line samples. In a preferred embodiment, the pool comprises samples taken from individuals within a specific patient subset, *e.g.*, “ER+, ER/AGE high” individuals, wherein each of said individuals has a good prognosis, or each of said individuals has a poor prognosis. Of course, where, for example, expressed proteins are used as markers, the proteins are obtained from the individual’s sample, and the standard or control could be a pool of proteins from a number of normal individuals, or from a number of individuals having a particular state of a condition, such as a pool of samples from individuals having a particular prognosis of breast cancer.

[0055] The comparison may be accomplished by any means known in the art. For example, expression levels of various markers may be assessed by separation of target polynucleotide molecules (*e.g.*, RNA or cDNA) derived from the markers in agarose or polyacrylamide gels, followed by hybridization with marker-specific oligonucleotide probes. Alternatively, the comparison may be accomplished by the labeling of target polynucleotide molecules

followed by separation on a sequencing gel. Polynucleotide samples are placed on the gel such that patient and control or standard polynucleotides are in adjacent lanes. Comparison of expression levels is accomplished visually or by means of densitometer. In a preferred embodiment, the expression of all markers is assessed simultaneously by hybridization to a microarray. In each approach, markers meeting certain criteria are identified as informative for the prognosis of breast cancer.

[0056] Marker genes are selected based upon significant difference of expression in a condition, such as a disease, as compared to a standard or control condition. Marker genes may be screened, for example, by determining whether they show significant variation within a set of samples of interest. Genes that do not show a significant amount of variation within the set of samples are presumed not to be informative for the disease or condition, and are not selected as markers for the disease or condition. Genes showing significant variation within the sample set are candidate informative genes for the disease or condition. The degree of variation may be estimated by calculating the standard deviation of the expression of the gene, or ratio of expression between sample and control, within the set of samples. The expression, or ratio of expressions, may be transformed by any means, *e.g.*, linear or log transformation. Selection may be made based upon either significant up- or down regulation of the marker in the patient sample. Selection may also be made by calculation of the statistical significance (*i.e.*, the p-value) of the correlation between the expression of the marker and the disease and condition. Preferably, both selection criteria are used. Thus, in one embodiment of the present invention, markers associated with prognosis of breast cancer within a patient subset are selected where the markers show both more than two-fold change (increase or decrease) in expression as compared to a standard, and the p-value for the correlation between the existence of breast cancer and the change in marker expression is no more than 0.01 (*i.e.*, is statistically significant).

[0057] In the context of the present invention, “good prognosis” indicates a desired outcome for a particular condition, especially a particular disease, and “poor prognosis” indicates an undesired outcome of the condition. For example, where the condition is cancer, a “good prognosis” may mean partial or complete remission, and “poor prognosis” may mean reappearance of the cancer after treatment. In the specific example of breast cancer, “good prognosis” means the likelihood of non-reoccurrence of metastases within a period of 1, 2, 3, 4, 5 or more years after initial diagnosis, and “poor prognosis” means the likelihood of reoccurrence of metastasis within that period. In a more specific example, “good prognosis”

means the likelihood of non-reoccurrence of metastases within 5 years after initial diagnosis, and “poor prognosis” means the likelihood of reoccurrence of metastasis within that period. [0058] In a more specific embodiment for cancer, for example, breast cancer, using a number of breast cancer tumor samples, markers are identified by calculation of correlation coefficients ρ between the clinical category or clinical parameter(s) \vec{c} and the linear, logarithmic or any transform of the expression ratio \vec{r} across all samples for each individual gene. Specifically, the correlation coefficient may be calculated as:

$$\rho = (\vec{c} \bullet \vec{r}) / (\|\vec{c}\| \cdot \|\vec{r}\|). \quad \text{Equation (1)}$$

[0059] Markers for which the coefficient of correlation exceeds a cutoff are identified as prognosis-informative markers specific for a particular clinical type, *e.g.*, good prognosis, within a given patient subset. Such a cutoff or threshold may correspond to a certain significance of discriminating genes obtained by Monte Carlo simulations. The threshold depends upon the number of samples used; the threshold can be calculated as $3 \times 1/\sqrt{n-3}$, where $1/\sqrt{n-3}$ is the distribution width and n = the number of samples. In a specific embodiment, markers are chosen if the correlation coefficient is greater than about 0.3 or less than about -0.3.

[0060] Next, the significance of the correlation is calculated. This significance may be calculated by any statistical means by which such significance is calculated. In a specific example, a set of correlation data is generated using a Monte-Carlo technique to randomize the association between the expression difference of a particular marker and the clinical category. The frequency distribution of markers satisfying the criteria in the Monte-Carlo runs is used to determine whether the number of markers selected by correlation with clinical data is significant.

[0061] Once a marker set is identified, the markers may be rank-ordered in order of significance of discrimination. One means of rank ordering is by the amplitude of correlation between the change in gene expression of the marker and the specific condition being discriminated. Another, preferred, means is to use a statistical metric. In a specific embodiment, the metric is a t-test-like statistic:

$$t = \frac{(\langle x_1 \rangle - \langle x_2 \rangle)}{\sqrt{[\sigma_1^2(n_1 - 1) + \sigma_2^2(n_2 - 1)] / (n_1 + n_2 - 1) / (1/n_1 + 1/n_2)}} \quad \text{Equation (2)}$$

[0062] In this equation, $\langle x_1 \rangle$ is the error-weighted average of the log ratio of transcript expression measurements within a first clinical group (e.g., good prognosis), $\langle x_2 \rangle$ is the error-weighted average of log ratio within a second, related clinical group (e.g., poor prognosis), σ_1 is the variance of the log ratio within the first clinical group (e.g., good prognosis), n_1 is the number of samples for which valid measurements of log ratios are available, σ_2 is the variance of log ratio within the second clinical group (e.g., poor prognosis), and n_2 is the number of samples for which valid measurements of log ratios are available. The t -value represents the variance-compensated difference between two means.

[0063] The rank-ordered marker set may be used to optimize the number of markers in the set used for discrimination. This is accomplished generally in a “leave one out” method as follows. In a first run, a subset, for example five, of the markers from the top of the ranked list is used to generate a template, where out of X samples, $X-1$ are used to generate the template, and the status of the remaining sample is predicted. This process is repeated for every sample until every one of the X samples is predicted once. In a second run, additional markers, for example five additional markers, are added, so that a template is now generated from 10 markers, and the outcome of the remaining sample is predicted. This process is repeated until the entire set of markers is used to generate the template. For each of the runs, type 1 error (false negative) and type 2 errors (false positive) are counted; the optimal number of markers is that number where the type 1 error rate, or type 2 error rate, or preferably the total of type 1 and type 2 error rate is lowest.

[0064] For prognostic markers, validation of the marker set may be accomplished by an additional statistic, a survival model. This statistic generates the probability of tumor distant metastases as a function of time since initial diagnosis. A number of models may be used, including Weibull, normal, log-normal, log logistic, log-exponential, or log-Rayleigh (Chapter 12 “Life Testing”, S-PLUS 2000 GUIDE TO STATISTICS, Vol. 2, p. 368 (2000)). For the “normal” model, the probability of distant metastases P at time t is calculated as

$$P = \alpha \times \exp(-t^2/\tau^2) \quad \text{Equation (3)}$$

where α is fixed and equal to 1, and τ is a parameter to be fitted and measures the “expected lifetime”.

[0065] It is preferable that the above marker identification process be iterated one or more times by excluding one or more samples from the marker selection or ranking (i.e., from the calculation of correlation). Those samples being excluded are the ones that can not be

predicted correctly from the previous iteration. Preferably, those samples excluded from marker selection in this iteration process are included in the classifier performance evaluation, to avoid overstating the performance.

[0066] It will be apparent to those skilled in the art that the above methods, in particular the statistical methods, described above, are not limited to the identification of markers associated with the prognosis of breast cancer within a particular patient subset, but may be used to identify set of marker genes associated with any phenotype. The phenotype can be the presence or absence of a disease such as cancer, or the presence or absence of any identifying clinical condition associated with that cancer. In the disease context, the phenotype may be a prognosis such as a survival time, probability of distant metastases of a disease condition, or likelihood of a particular response to a therapeutic or prophylactic regimen. The phenotype need not be cancer, or a disease; the phenotype may be a nominal characteristic associated with a healthy individual.

[0067] Thus, the invention provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics of said condition into a plurality of first classes; (b) identifying within each of said first classes a first set of genes or markers informative for said condition, wherein said first set of genes or markers within each of said first classes is unique to said class relative to other classes. In a specific embodiment, samples or individuals in at least one of said first classes are additionally classified on the basis of a phenotypic or genotypic characteristic different than that used to distinguish said first classes. and identifying within at least one of said second classes a second set of informative genes or markers, wherein said second set of informative genes or markers within each of said second classes is unique to said second class relative to other classes. In another embodiment, the invention provides a method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics into a plurality of first classes; (b) classifying at least one of said first classes into a plurality of second classes on the basis of phenotypic or genotypic characteristic different than that used to distinguish said plurality of first classes; (c) identifying within at least one of said first classes or said second classes a set of genes or markers informative for said condition, wherein said second set of genes or markers is unique to said class relative to other classes. The invention further provides a method of identifying

a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising: (a) selecting a first characteristic from said plurality of phenotypic or genotypic characteristics; (b) identifying at least two first condition classes differentiable by said first characteristic; (c) selecting a plurality of individuals classifiable into at least one of said first condition classes; and (d) identifying in samples derived from each of said plurality of individuals a set of genes or markers informative for said condition within said at least one of said first condition classes.

5.3.3 CLASSIFIER GENESETS FOR FIVE PATIENT SUBSETS

[0068] The present invention provides sets of markers useful for the prognosis of breast cancer. The markers were identified according to the above methods in specific subsets of individuals with breast cancer. Generally, the marker sets were identified within a population of breast cancer patients that had been first stratified into five phenotypic categories based on criteria relevant to breast cancer prognosis, including estrogen receptor (ER) status, lymph node status, type of mutation(s) (*i.e.*, *BRCA1*-type or sporadic) and age at diagnosis. More specifically, patients, and tumors from which samples were taken, were classified as ER⁻, sporadic (*i.e.*, being both estrogen receptor negative and having a non-*BRCA1*-type tumor); ER⁻, *BRCA1* (*i.e.*, being both estrogen receptor negative and having a *BRCA1*-type tumor); ER⁺, ER/AGE high (*i.e.*, estrogen receptor positive with a high ratio of the log (ratio) of estrogen receptor gene expression to age); ER⁺, ER/AGE low, LN⁺ (*i.e.*, estrogen receptor positive with a low ratio of the log (ratio) of estrogen receptor gene expression to age, lymph node positive); and ER⁺, ER/AGE low, LN⁻ (*i.e.*, estrogen receptor positive with a low ratio of the log (ratio) of estrogen receptor gene expression to age, lymph node negative). The rationale for subdivision of the original patient set into these five subsets is detailed in the Examples (Section 6). The marker sets useful for each of the subsets above are provided in Tables 1-5, respectively.

Table 1: Geneset of 20 markers used to classify ER⁻, sporadic individuals.

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Corre- lation	Description	Sp_xref_keyword_list
AF055033	IGFBP5	-2.12	0.88	0.54	insulin-like growth factor binding protein 5	Growth factor binding, Glycoprotein, Signal, 3D-structure
NM_000599	IGFBP5	-3.41	0.43	0.53	insulin-like growth factor binding protein 5	Growth factor binding, Glycoprotein, Signal, 3D-structure
L27560	IGFBP5	-4.55	0	0.52	EST	Hypothetical protein
AF052162	FLJ12443	-0.27	1.6	0.52	EST	Hypothetical protein

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Corre- lation	Description	Sp_xref_keyword_list
NM_001456	FLNA	-0.61	2.47	0.52	filamin A, alpha (actin binding protein 280)	Hypothetical protein, Actin-binding, Phosphorylation, Repeat, Polymorphism, Disease mutation
NM_002205	ITGA5	-0.37	2.08	0.49	integrin, alpha 5 (fibronectin receptor, alpha polypeptide)	Integrin, Cell adhesion, Receptor, Glycoprotein, Transmembrane, Signal, Calcium, Repeat
NM_013261	PPARGC1	0.09	1.54	0.47	peroxisome proliferative activated receptor, gamma, coactivator 1	
NM_001605	AARS	0.39	2.36	0.51	alanyl-tRNA synthetase	Aminoacyl-tRNA synthetase, Protein biosynthesis, Ligase, ATP-binding
X87949	HSPA5	-0.03	2.03	0.49	heat shock 70kDa protein 5 (glucose-regulated protein, 78kDa)	ATP-binding, Hypothetical protein, Endoplasmic reticulum, Signal
Contig50950_RC	NGEF	-1.17	3.2	0.52	neuronal guanine nucleotide exchange factor	
NM_005689	ABCB6	-0.51	2.26	0.48	ATP-binding cassette, sub-family B (MDR/TAP), member 6	ATP-binding, Transport, Transmembrane, Mitochondrion, Inner membrane, Transit peptide, Hypothetical protein
NM_004577	PSPH	-0.56	3.05	0.51	phosphoserine phosphatase	Hydrolase, Serine biosynthesis, Magnesium, Phosphorylation
NM_003832	PSPHL	-2.08	2.18	0.5	phosphoserine phosphatase-like	
NM_002422	MMP3	-0.96	2.54	0.5	matrix metalloproteinase 3 (stromelysin 1, progelatinase)	Hydrolase, Metalloprotease, Glycoprotein, Zinc, Zymogen, Calcium, Collagen degradation, Extracellular matrix, Signal, Polymorphism, 3D-structure
Contig37562_RC		-3.42	-6.02	-0.59	ESTs	
NM_018465	MDS030	-0.82	-3.28	-0.58	uncharacterized hematopoietic stem/progenitor cells protein MDS030	Hypothetical protein
Contig54661_RC		-0.79	-2.08	-0.54	ESTs	
AB032969	KIAA1143	-0.6	-2.85	-0.53	KIAA1143 protein	Hypothetical protein
Contig55353_RC	KIAA1915	-0.27	-1.82	-0.47	KIAA1915 protein	Hypothetical protein
NM_005213	CSTA	2.11	-3.4	-0.49	cystatin A (stefin A)	Thiol protease inhibitor, 3D-structure

Table 2. Geneset of 10 markers used to classify ER⁻, *BRCA1* individuals.

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_list
--------------------------	------	---------------------	---------------------	------------------	------------------	-------------	----------------------

AF005487		6.08	0.5	-0.79	HLA-DRB6	Homo sapiens MHC class II antigen (DRB6) mRNA, HLA-DRB6*0201 allele, sequence.	MHC
Contig50728_RC		4.02	0.25	-0.77		ESTs, Weakly similar to S26650 DNA-binding protein 5 - human [H.sapiens]	
Contig53598_RC		8.41	3.26	-0.77	FLJ11413	hypothetical protein FLJ11413	Hypothetical protein
NM_002888	RARR ES1	6.9	0.05	-0.87	RARRES1	retinoic acid receptor responder (tazarotene induced) 1	Receptor, Transmembrane, Signal-anchor
NM_005218	DEFB1	5.14	-3.02	-0.81	DEFB1	defensin, beta 1	Antibiotic, Signal, 3D-structure
U17077	BENE	2.72	-1.72	-0.77	BENE	BENE protein	Transmembrane
Contig14683_RC		1.29	-2.31	-0.74		ESTs	
Contig53641_RC		-3.29	4.23	0.75	MAGE-E1	MAGE-E1 protein	Hypothetical protein
Contig56678_RC		-6.7	-9.73	-0.82		ESTs, Highly similar to THYA_HUMAN Prothymosin alpha [H.sapiens]	
NM_005461	KRML	0.88	-3.38	-0.75	MAFB	v-maf musculoaponeurotic fibrosarcoma oncogene homolog B (avian)	Transcription regulation, Repressor, DNA-binding, Nuclear protein, Hypothetical protein

Table 3. Geneset of 50 markers used to classify ER+, ER/AGE high individuals.

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correlation	Description	Sp_xref_keyword_list
NM_003600	STK15	-2.93	2.08	0.8	serine/threonine kinase 6	ATP-binding, Kinase, Serine/threonine-protein kinase, Transferase
NM_003158	STK6	-1.57	1.42	0.78	serine/threonine kinase 6	ATP-binding, Kinase, Serine/threonine-protein kinase, Transferase
NM_007019	UBCH10	-2.98	2.62	0.81	ubiquitin-conjugating enzyme E2C	Hypothetical protein, Ubl conjugation pathway, Ligase, Multigene family, Mitosis, Cell cycle, Cell division
NM_013277	ID-GAP	-2.43	2.43	0.77	Rac GTPase activating protein 1	Hypothetical protein
NM_004336	BUB1	-2.04	1.39	0.77	BUB1 budding uninhibited by benzimidazoles 1 homolog (yeast)	Transferase, Serine/threonine-protein kinase, ATP-binding, Cell cycle, Nuclear protein, Mitosis, Phosphorylation, Polymorphism
NM_006607	PTTG2	-1.71	1.49	0.72	pituitary tumor-transforming 2	
AK001166	FLJ11252	-1.33	0.99	0.71	hypothetical protein FLJ11252	Hypothetical protein
NM_004701	CCNB2	-4.62	2.01	0.81	cyclin B2	Cyclin, Cell cycle, Cell division, Mitosis

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Corre- lation	Description	Sp_xref_keyword_list
Contig57584_RC		-3.68	2.04	0.78	likely ortholog of mouse gene rich cluster, C8 gene	
NM_006845	KNSL6	-4.13	1.05	0.73	kinesin-like 6 (mitotic centromere-associated kinesin)	Hypothetical protein, Motor protein, Microtubules, ATP-binding, Coiled coil, Nuclear protein
Contig38901_RC		-3.08	1.15	0.75	hypothetical protein MGC45866	Hypothetical protein
NM_018410	DKFZp762E1312	-4.38	1.49	0.75	hypothetical protein DKFZp762E1312	Hypothetical protein
NM_003981	PRC1	-3.52	2.17	0.78	protein regulator of cytokinesis 1	
NM_001809	CENPA	-5.04	0.98	0.75	centromere protein A, 17kDa	Hypothetical protein, Chromosomal protein, Nuclear protein, DNA-binding, Centromere, Antigen
NM_003504	CDC45L	-2.67	1.22	0.73	CDC45 cell division cycle 45-like (S. cerevisiae)	DNA replication, Cell cycle, Nuclear protein, Cell division
Contig41413_RC		-5.43	2.15	0.74	ribonucleotide reductase M2 polypeptide	Oxidoreductase, DNA replication, Iron
NM_004217	STK12	-2.17	0.73	0.72	serine/threonine kinase 12	Hypothetical protein, ATP-binding, Kinase, Serine/threonine-protein kinase, Transferase
NM_002358	MAD2L1	-2.65	2.27	0.83	MAD2 mitotic arrest deficient-like 1 (yeast)	Cell cycle, Mitosis, Nuclear protein, 3D-structure
NM_014321	ORC6L	-2.73	1.8	0.75	origin recognition complex, subunit 6 homolog-like (yeast)	Hypothetical protein, DNA replication, Nuclear protein, DNA-binding
NM_012291	KIAA0165	-1.52	1.55	0.71	extra spindle poles like 1 (S. cerevisiae)	Hypothetical protein
NM_004203	PKMYT1	-3.64	2.2	0.7	retinoblastoma-like 2 (p130)	ATP-binding, Kinase, Serine/threonine-protein kinase, Transferase, Transcription regulation, DNA-binding, Nuclear protein, Cell cycle, Phosphorylation, Anti-oncogene
M96577	E2F1	-2.14	1.42	0.75	E2F transcription factor 1	Transcription regulation, Activator, DNA-binding, Nuclear protein, Phosphorylation, Cell cycle, Apoptosis, Polymorphism
NM_002266	KPNA2	-3.77	1.78	0.71	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	Transport, Protein transport, Repeat, Nuclear protein, Polymorphism
Contig31288_RC		-2.63	0.7	0.68	ESTs, Weakly similar to	hypothetical protein

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Corre- lation	Description	Sp_xref_keyword_list
					FLJ20489 [Homo sapiens] [H.sapiens]	
NM_014501	E2-EPF	-1.55	1.93	0.7	ubiquitin carrier protein	Ubl conjugation pathway, Ligase, Multigene family
NM_001168	BIRC5	-5.76	2.01	0.78	baculoviral IAP repeat-containing 5 (survivin)	Apoptosis, Thiol protease inhibitor, Alternative splicing, 3D-structure, Hypothetical protein, Protease, Receptor
NM_003258	TK1	-4.57	1.38	0.71	thymidine kinase 1, soluble	Transferase, Kinase, DNA synthesis, ATP-binding
NM_001254	CDC6	-2.46	0.28	0.72	CDC6 cell division cycle 6 homolog (S. cerevisiae)	ATP-binding, Cell division
NM_004900	DJ742C19.2	-2.96	0.13	0.69	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3B	Hydrolase
NM_004702	CCNE2	-3.12	2.13	0.81	cyclin E2	Cell cycle, Cell division, Cyclin, Hypothetical protein, Phosphorylation, Alternative splicing, Nuclear protein
AL160131		-3.07	2.42	0.7	hypothetical protein MGC861	Hypothetical protein
NM_016359	LOC51203	-3.22	2.61	0.76	nucleolar protein ANKT	Hypothetical protein, Nuclear protein
NM_004856	KNSL5	-1.52	1.1	0.71	kinesin-like 5 (mitotic kinesin-like protein 1)	Motor protein, Cell division, Microtubules, ATP-binding, Coiled coil, Mitosis, Cell cycle, Nuclear protein
NM_000057	BLM	-1.54	0.76	0.71	Bloom syndrome	Hydrolase, Helicase, ATP-binding, DNA-binding, Nuclear protein, DNA replication, Disease mutation
NM_018455	BM039	-2.44	1.18	0.7	uncharacterized bone marrow protein BM039	
NM_002106	H2AFZ	-2.49	1.53	0.72	H2A histone family, member Z	Chromosomal protein, Nucleosome core, Nuclear protein, DNA-binding, Multigene family
Contig64688		-2.68	3.1	0.73	hypothetical protein FLJ23468	Hypothetical protein
Contig44289_RC		-1.65	1.6	0.67	ESTs	
Contig28552_RC		-1.37	1.53	0.68	diaphanous homolog 3 (Drosophila)	Hypothetical protein, Coiled coil, Repeat, Alternative splicing
Contig46218_RC		-1.31	1.56	0.68	ESTs, Weakly similar to T19201 hypothetical protein C11G6.3 - Caenorhabditis elegans [C. elegans]	
Contig28947_RC		-1.3	0.98	0.67	cell division cycle 25A	Hypothetical protein, Cell division, Mitosis, Hydrolase, Alternative

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correlation	Description	Sp_xref_keyword_list
						splicing, Multigene family, 3D-structure
NM_016095	LOC51659	-1.4	2.13	0.67	HSPC037 protein	Hypothetical protein
NM_003090	SNRPA1	-3.26	0.95	0.7	small nuclear ribonucleoprotein polypeptide A'	Hypothetical protein, Nuclear protein, RNA-binding, Ribonucleoprotein, Leucine-rich repeat, Repeat, 3D-structure
NM_002811	PSMD7	-2.48	1.89	0.7	proteasome (prosome, macropain) 26S subunit, non-ATPase, 7 (Mov34 homolog)	Proteasome
Contig38288_RC		-2.34	0.97	0.67	hypothetical protein DKFZp762A2013	Hypothetical protein
NM_003406	YWHAZ	-1.5	2.79	0.68	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide	Brain, Neurone, Phosphorylation, Acetylation, Multigene family, 3D-structure
AL137540	NTN4	2.13	-4.61	-0.69	netrin 4	Hypothetical protein, Laminin EGF-like domain, Signal
AL049367		1.9	-3.2	-0.68	EST	Transducer, Prenylation, Lipoprotein, Multigene family, Acetylation
NM_013409	FST	1.04	-5.78	-0.69	follistatin	Glycoprotein, Repeat, Signal, Alternative splicing
NM_000060	BTD	3.1	-1.45	-0.67	biotinidase	Hydrolase, Glycoprotein, Signal, Disease mutation

Table 4. Geneset of 50 markers used to classify ER+, ER/AGE low, LN+ individuals.

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correlation	Description	Sp_xref_keyword_list
NM_006417	MTAP44	-1.5	3	0.69	Fc fragment of IgG, low affinity IIb, receptor for (CD32)	Hydrolase, Hypothetical protein, Immunoglobulin domain, IgG-binding protein, Receptor, Transmembrane, Glycoprotein, Signal, Repeat, Multigene family, Polymorphism, NAD, One-carbon metabolism, Serine protease, Zymogen, Protease, Alternative splicing, Chromosomal translocation, Proto-oncogene, Galactin,

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Description	Sp_xref_keyword_list
						Lectin, Antigen
NM_006820	GS3686	-4.3	4.06	0.69	chromosome 1 open reading frame 29	Hypothetical protein
NM_001548	IFIT1	-3.4	4.27	0.71	Interferon-induced protein with tetratricopeptide repeats 1	Repeat, TPR repeat, Interferon induction
Contig41538_RC		-2.5	3.16	0.68	ESTs, Moderately similar to hypothetical protein FLJ20489 [<i>Homo sapiens</i>]	
NM_016816	OAS1	-1.7	3.29	0.75	2',5'-oligoadenylate synthetase 1, 40/46kDa	RNA-binding, Transferase, Nucleotidyltransferase, Interferon induction, Alternative splicing
Contig51660_RC		-2.1	2.65	0.66	28kD interferon responsive protein	Transmembrane
Contig43645_RC		-4.8	1.44	0.63	<i>Homo sapiens</i> , clone IMAGE:4428577, mRNA, partial cds	Hypothetical protein
AF026941		-4.6	2.71	0.63	EST, Weakly similar to 2004399A chromosomal protein [<i>Homo sapiens</i>]	Hypothetical protein
NM_007315	STAT1	-3.5	1.8	0.59	signal transducer and activator of transcription 1, 91kDa	Transcription regulation, DNA-binding, Nuclear protein, Phosphorylation, SH2 domain, Alternative splicing, 3D-structure
NM_002038	G1P3	-4.1	5.64	0.79	interferon, alpha-inducible protein (clone IFI-6-16)	Interferon induction, Transmembrane, Signal, Alternative splicing
NM_005101	ISG15	-5.6	5.34	0.77	interferon-stimulated protein, 15 kDa	Interferon induction, Repeat
NM_002462	MX1	-6.1	0.83	0.56	myxovirus (influenza virus) resistance 1, interferon-inducible protein p78 (mouse)	Hypothetical protein, Interferon induction, GTP-binding, Multigene family, Antiviral
NM_005532	IFI27	-5.8	2.81	0.59	interferon, alpha-inducible protein 27	Interferon induction, Transmembrane
NM_002346	LY6E	-2.1	3.58	0.75	lymphocyte antigen 6 complex, locus E	Signal, Antigen, Multigene family, Membrane, GPI-anchor
NM_016817	OAS2	-3.6	1.89	0.59	2'-5'-oligoadenylate synthetase 2, 69/71kDa	RNA-binding, Transferase, Nucleotidyltransferase, Repeat, Interferon induction, Alternative splicing, Myristate
Contig44909_RC		-2.3	1.13	0.55	hypothetical protein BC012330	Hypothetical protein
NM_017414	USP18	-4.1	3.37	0.72	ubiquitin specific protease 18	Ubl conjugation pathway, Hydrolase, Thiol protease, Multigene family
NM_004029	IRF7	-2.4	3.67	0.66	interferon regulatory	Collagen, Transcription

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Description	Sp_xref_keyword_list
					factor 7	regulation, DNA-binding, Nuclear protein, Activator, Alternative splicing
NM_004335	BST2	-3.2	3.22	0.57	bone marrow stromal cell antigen 2	Transmembrane, Glycoprotein, Signal-anchor, Polymorphism
NM_002759	PRKR	-2.4	1.8	0.58	protein kinase, interferon-inducible double stranded RNA dependent	Transferase, Serine/threonine-protein kinase, ATP-binding, Repeat, Phosphorylation, Interferon induction, RNA-binding, 3D-structure
NM_006332	IFI30	-3.8	2.65	0.64	interferon, gamma-inducible protein 30	Oxidoreductase, Interferon induction, Glycoprotein, Lysosome, Signal, Hypothetical protein
NM_009587	LGALS9	-3.2	2.08	0.6	lectin, galactoside-binding, soluble, 9 (galectin 9)	Galaptin, Lectin, Repeat, Alternative splicing
NM_003641	IFITM1	-2.4	5.54	0.63	interferon induced transmembrane protein 1 (9-27)	Interferon induction, Transmembrane
NM_017523	HSXIAPAF1	-1	2.84	0.7	XIAP associated factor-1	Hypothetical protein
NM_014314	RIG-I	-1.3	3.55	0.62	RNA helicase	ATP-binding, Helicase, Hydrolase, Hypothetical protein
Contig47563_RC		-2.2	3.11	0.56	ESTs	
AI497657_RC		-4.4	5.61	0.74	guanine nucleotide binding protein 4	Transducer, Prenylation, Lipoprotein, Multigene family
NM_000735	CGA	-4.3	2.5	0.58	glycoprotein hormones, alpha polypeptide	Hormone, Glycoprotein, Signal, 3D-structure
NM_004988	MAGEA1	-1.4	6.31	0.64	melanoma antigen, family A, 1 (directs expression of antigen MZ2-E)	Antigen, Multigene family, Polymorphism, Tumor antigen
Contig54242_RC		-1.2	4.1	0.65	chromosome 17 open reading frame 26	Hypothetical protein
NM_004710	SYNGR2	-1.4	3.01	0.54	synaptogyrin 2	Transmembrane
NM_001168	BIRC5	-3.7	3.39	0.64	baculoviral IAP repeat-containing 5 (survivin)	Hypothetical protein, Protease, Receptor, Apoptosis, Thiol protease inhibitor, Alternative splicing, 3D-structure
Contig41413_RC		-4.4	2.61	0.57	ribonucleotide reductase M2 polypeptide	Oxidoreductase, DNA replication, Iron
NM_004203	PKMYT1	-3.4	3.79	0.6	retinoblastoma-like 2 (p130)	ATP-binding, Kinase, Serine/threonine-protein kinase, Transferase, Transcription regulation, DNA-binding, Nuclear

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Description	Sp_xref_keyword_list
						protein, Cell cycle, Phosphorylation, Anti- oncogene
Contig48913_RC		-3.1	1.72	0.55	<i>Homo sapiens</i> , Similar to hypothetical protein PRO1722, clone MGC:15692 IMAGE:3351479, mRNA, complete cds	
NM_005804	DDXL	-2.5	1.42	0.58	DEAD/H (Asp-Glu- Ala-Asp/His) box polypeptide 39	ATP-binding, Helicase, Hydrolase, Hypothetical protein
NM_016359	LOC5120 3	-1.7	3.6	0.57	nucleolar protein ANKT	Hypothetical protein, Nuclear protein
NM_001645	APOC1	-2.9	3.43	0.58	apolipoprotein C-I	Plasma, Lipid transport, VLDL, Signal, 3D- structure, Polymorphism
Contig37895_RC		-2	2.05	0.55	ESTs	
NM_005749	TOB1	-1.3	4.96	0.59	transducer of ERBB2, 1	Phosphorylation
NM_000269	NME1	-1.3	2.98	0.55	non-metastatic cells 1, protein (NM23A) expressed in	Transferase, Kinase, ATP-binding, Nuclear protein, Anti-oncogene, Disease mutation
NM_014462	LSM1	-1	4.5	0.57	Lsm1 protein	Nuclear protein, Ribonucleoprotein, mRNA splicing, mRNA processing, RNA-binding
Contig31221_RC		-1.4	3.83	0.56	HTPAP protein	
NM_005326	HAGH	-1.9	4.29	0.57	hydroxyacyl glutathione hydrolase	Hydrolase, Zinc, 3D- structure
Contig42342_RC		0.78	-3.2	-0.6	<i>Homo sapiens</i> cDNA FLJ39417 fis, clone PLACE6016942	Hypothetical protein
AL137540	NTN4	2.24	-3.9	-0.6	netrin 4	Laminin EGF-like domain, Signal, Hypothetical protein
Contig40434_RC		1.64	-5.6	-0.6	wingless-type MMTV integration site family, member 5A	Developmental protein, Glycoprotein, Signal
Contig1632_RC		1.03	-3.9	-0.6	hypothetical protein MGC17921	Hypothetical protein
NM_014246	CELSR1	0.95	-4.6	-0.6	cadherin, EGF LAG seven-pass G-type receptor 1 (flamingo homolog, <i>Drosophila</i>)	G-protein coupled receptor, Transmembrane, Glycoprotein, EGF-like domain, Calcium-binding, Laminin EGF-like domain, Repeat, Developmental protein, Hydroxylation, Signal, Alternative splicing, Hypothetical protein
NM_005139	ANXA3	1.26	-6.2	-0.6	annexin A3	Annexin, Calcium/phospholipid- binding, Repeat, Phospholipase A2 inhibitor, 3D-structure,

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Description	Sp_xref_keyword_list
						Polymorphism

Table 5. Geneset of 65 markers used to classify ER+, ER/AGE low, LN⁻ individuals.

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_list
M55914	MPB1	-2.82	1.25	0.5	ENO1	enolase 1, (alpha)	DNA-binding, Transcription regulation, Repressor, Nuclear protein, Lyase, Glycolysis, Magnesium, Multigene family, Hypothetical protein
NM_005945	MPB1	-3.06	1.19	0.49	ENO1	Homo sapiens enolase 1, (alpha) (ENO1), mRNA.	Glycolysis, Hypothetical protein, Lyase, Magnesium, DNA-binding, Transcription regulation, Repressor, Nuclear protein, Multigene family
NM_001428	ENO1	-2.53	1.18	0.46	ENO1	enolase 1, (alpha)	DNA-binding, Transcription regulation, Repressor, Nuclear protein, Lyase, Glycolysis, Magnesium, Multigene family, Hypothetical protein
NM_001216	CA9	-4.72	1.49	0.6	CA9	carbonic anhydrase IX	Lyase, Zinc, Transmembrane, Glycoprotein, Antigen, Signal, Nuclear protein, Polymorphism
NM_001124	ADM	-5.68	2.99	0.56	ADM	adrenomedullin	Hormone, Amidation, Cleavage on pair of basic residues, Signal
NM_000584	IL8	-2.45	2.04	0.54	IL8	interleukin 8	Cytokine, Chemotaxis, Inflammatory response, Signal, Alternative splicing, 3D-structure
D25328	PFKP	-4.19	3.29	0.56	PFKP	Phosphofructokinase, platelet	Kinase, Transferase, Glycolysis, Repeat, Allosteric enzyme, Phosphorylation, Magnesium, Multigene family
NM_006096	NDRG1	-5.45	5.97	0.77	NDRG1	N-myc downstream regulated gene 1	Hypothetical protein, Nuclear protein, Repeat
NM_004994	MMP9	-5.53	1.07	0.49	MMP9	matrix	Hydrolase,

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_li st
						metalloproteinase 9 (gelatinase B, 92kDa gelatinase, 92kDa type IV collagenase)	Metalloprotease, Glycoprotein, Zinc, Zymogen, Calcium, Collagen degradation, Extracellular matrix, Repeat, Signal, Polymorphism, 3D- structure
NM_003311	TSSC3	-4.57	5.58	0.68	TSSC3	tumor suppressing subtransferable candidate 3	
NM_006086	TUBB4	-5.19	2.85	0.59	TUBB4	tubulin, beta, 4	G-protein coupled receptor, Transmembrane, Glycoprotein, Phosphorylation, Lipoprotein, Palmitate, Polymorphism, Hypothetical protein, GTP-binding, Receptor, Microtubules, Multigene family
NM_006115	PRAME	-4.48	2.77	0.61	PRAME	preferentially expressed antigen in melanoma	Antigen
NM_004345	CAMP	-2.02	1.37	0.49	CAMP	cathelicidin antimicrobial peptide	Antibiotic, Signal
NM_018455	BM039	-2.34	0.76	0.47	BM039	uncharacterized bone marrow protein BM039	
Contig49169_RC		-1.17	1.5	0.46	SUV39H2	suppressor of variegation 3-9 (Drosophila) homolog 2; hypothetical protein FLJ23414	Hypothetical protein, Nuclear protein
Contig45032_RC		-1.37	0.77	0.45	FLJ14813	hypothetical protein FLJ14813	Hypothetical protein, ATP-binding, Kinase, Serine/threonine- protein kinase, Transferase
NM_000917	P4HA1	-1.54	4.31	0.62	P4HA1	procollagen- proline, 2- oxoglutarate 4- dioxygenase (proline 4- hydroxylase), alpha polypeptide I	Dioxygenase, Collagen, Oxidoreductase, Iron, Vitamin C, Alternative splicing, Glycoprotein, Endoplasmic reticulum, Signal
NM_002046	GAPD	-2.51	3.42	0.6	GAPD	glyceraldehyde-3- phosphate dehydrogenase	Glycolysis, NAD, Oxidoreductase, Hypothetical protein, Multigene family
NM_000365	TPI1	-1.81	2.94	0.56	TPI1	triosephosphate isomerase 1	Fatty acid biosynthesis,

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_ list
							Gluconeogenesis, Glycolysis, Isomerase, Pentose shunt, Disease mutation, Polymorphism, 3D- structure
NM_014364	GAPDS	-1.08	2.88	0.58	GAPDS	glyceraldehyde-3- phosphate dehydrogenase, testis-specific	Glycolysis, Oxidoreductase, NAD
NM_005566	LDHA	-2.01	4.01	0.59	LDHA	lactate dehydrogenase A	Oxidoreductase, NAD, Glycolysis, Multigene family, Disease mutation, Polymorphism
NM_000291	PGK1	-2.28	1.68	0.51	PGK1	phosphoglycerate kinase 1	Kinase, Transferase, Multigene family, Glycolysis, Acetylation, Disease mutation, Polymorphism, Hereditary hemolytic anemia
NM_016185	LOC511 55	-2.33	2.82	0.59	HN1	hematological and neurological expressed 1	
NM_001168	BIRC5	-4.33	2.78	0.55	BIRC5	baculoviral IAP repeat-containing 5 (survivin)	Apoptosis, Thiol protease inhibitor, Alternative splicing, 3D-structure, Hypothetical protein, Protease, Receptor
NM_002266	KPNA2	-3.75	1.34	0.47	KPNA2	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	Transport, Protein transport, Repeat, Nuclear protein, Polymorphism
Contig31288_RC		-2.1	1.27	0.5		ESTs, Weakly similar to hypothetical protein FLJ20489 [Homo sapiens] [H.sapiens]	
NM_000269	NME1	-2.15	3.43	0.55	NME1	non-metastatic cells 1, protein (NM23A) expressed in	Transferase, Kinase, ATP-binding, Nuclear protein, Anti- oncogene, Disease mutation
NM_003158	STK6	-1.23	1.73	0.45	STK6	serine/threonine kinase 6	ATP-binding, Kinase, Serine/threonine- protein kinase, Transferase
NM_007274	HBACH	-1.83	2.73	0.51	BACH	brain acyl-CoA hydrolase	Hydrolase, Serine esterase, Repeat
Contig55188_RC		-2.36	3.28	0.47	FLJ22341	hypothetical protein FLJ22341	Hypothetical protein
NM_002061	GCLM	-1.06	1.76	0.48	GCLM	glutamate-cysteine ligase, modifier subunit	Ligase, Glutathione biosynthesis

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_li st
NM_004207	SLC16A3	-3.11	5.07	0.67	SLC16A3	solute carrier family 16 (monocarboxylic acid transporters), member 3	Transport, Symport, Transmembrane, Multigene family
NM_000582	SPP1	-5.09	5.47	0.53	SPP1	secreted phosphoprotein 1 (osteopontin, bone sialoprotein I, early T-lymphocyte activation 1)	Hypothetical protein, Glycoprotein, Sialic acid, Biomineralization, Cell adhesion, Phosphorylation, Signal, Alternative splicing
NM_001109	ADAM8	-2.5	3.74	0.45	ADAM8	a disintegrin and metalloproteinase domain 8	Hydrolase, Metalloprotease, Zinc, Signal, Glycoprotein, Transmembrane, Antigen
D50402	SLC11A1	-1.05	3.46	0.53	SLC11A1	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 1	Transport, Iron transport, Transmembrane, Glycoprotein, Macrophage, Polymorphism
AL080235	DKFZP586E1621	-1.23	1.96	0.51	RIS1	Ras-induced senescence 1	Hypothetical protein
Contig40552_RC		-1.26	3.96	0.54	FLJ25348	hypothetical protein FLJ25348	Hypothetical protein
Contig52490_RC		-0.64	3.33	0.61	LOC116238	hypothetical protein BC014072	
NM_006461	DEEPEST	-2.1	1.85	0.46	SPAG5	sperm associated antigen 5	Hypothetical protein
Contig56503_RC		-4.3	3.39	0.55	MGC9753	hypothetical gene MGC9753	Hypothetical protein
Contig63525		-1.91	3.34	0.5	FLJ13352	hypothetical protein FLJ13352	Hypothetical protein
NM_001909	CTSD	-0.83	4.6	0.51	CTSD	cathepsin D (lysosomal aspartyl protease)	Hydrolase, Aspartyl protease, Glycoprotein, Lysosome, Signal, Zymogen, Polymorphism, Alzheimer's disease, 3D-structure
NM_005063	SCD	-2.57	5.15	0.48	SCD	stearoyl-CoA desaturase (delta-9-desaturase)	Hypothetical protein, Endoplasmic reticulum, Fatty acid biosynthesis, Iron, Oxidoreductase, Transmembrane
NM_005165	ALDOC	-2.43	5.02	0.48	ALDOC	aldolase C, fructose-bisphosphate	Lyase, Schiff base, Glycolysis, Multigene family
NM_000363	TNNI3	-0.54	3.58	0.48	TNNI3	troponin I, cardiac	Hypothetical protein, Muscle protein, Actin-binding, Acetylation,

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_li st
							Disease mutation, Cardiomyopathy, Receptor, Signal
AF035284		-1.63	3.28	0.47	FADS1	EST	Heme, Hypothetical protein
Contig30875_RC		-0.88	3	0.6		ESTs	
NM_018487	HCA112	-0.7	3.54	0.58	HCA112	hepatocellular carcinoma- associated antigen 112	Hypothetical protein
NM_001323	CST6	-1.63	3.84	0.57	CST6	cystatin E/M	Thiol protease inhibitor, Signal, Glycoprotein
NM_006516	SLC2A1	-1.66	2.22	0.46	SLC2A1	solute carrier family 2 (facilitated glucose transporter), member 1	Transmembrane, Sugar transport, Transport, Glycoprotein, Multigene family, Disease mutation
NM_007267	LAK-4P	-1.04	3.28	0.61	EVIN1	expressed in activated T/LAK lymphocytes	Hypothetical protein
NM_004710	SYNGR 2	-0.84	4.81	0.56	SYNGR2	synaptogyrin 2	Transmembrane
Contig63649_RC		-1.34	6.3	0.75		ESTs, Weakly similar to 2004399A chromosomal protein [Homo sapiens] [H.sapiens]	
NM_003376	VEGF	-2.12	2.42	0.46	VEGF	vascular endothelial growth factor	Hypothetical protein, Mitogen, Angiogenesis, Growth factor, Glycoprotein, Signal, Heparin- binding, Alternative splicing, Multigene family, 3D-structure
NM_000799	EPO	-0.75	4.01	0.69	EPO	erythropoietin	Erythrocyte maturation, Glycoprotein, Hormone, Signal, Pharmaceutical, 3D- structure
NM_006014	DXS987 9E	-1.85	3.44	0.54	DXS9879E	DNA segment on chromosome X (unique) 9879 expressed sequence	
NM_007183	PKP3	-0.91	4.14	0.48	PKP3	plakophilin 3	Cell adhesion, Cytoskeleton, Structural protein, Nuclear protein, Repeat
D13642	SF3B3	-0.65	2.28	0.48	SF3B3	splicing factor 3b, subunit 3, 130kDa	Hypothetical protein, Spliceosome, mRNA processing, mRNA splicing, Nuclear protein
NM_003756	EIF3S3	-1.85	2.19	0.46	EIF3S3	eukaryotic translation initiation factor 3, subunit 3	Initiation factor, Protein biosynthesis

Accession/ Contig No.	Gene	Avg good xdev	Avg poor xdev	Correl- ation	Sequence name	Description	Sp_xref_keyword_li st
						gamma, 40kDa	
Contig47096_RC		-0.41	4.52	0.54	PFKFB4	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 4	Kinase, Multifunctional enzyme, Transferase, Hydrolase, ATP-binding, Phosphorylation, Multigene family
NM_004209	SYNGR3	-0.31	3.67	0.53	SYNGR3	synaptogyrin 3	Transmembrane
Contig3464_RC		0.99	-5.81	-0.52		ESTs	
Contig31646_RC		1.1	-7.76	-0.5	COL14A1	collagen, type XIV, alpha 1 (undulin)	Extracellular matrix, Glycoprotein, Hypothetical protein, Collagen, Signal
Contig49388_RC		1.73	-1.75	-0.51	FLJ13322	hypothetical protein FLJ13322	Hypothetical protein
Contig41887_RC		0.37	-5.74	-0.47	LOC124220	similar to common salivary protein 1	Hypothetical protein

5.4 DIAGNOSTIC AND PROGNOSTIC METHODS

5.4.1 SAMPLE COLLECTION

[0069] In the present invention, markers, such as target polynucleotide molecules or proteins, are extracted from a sample taken from an individual afflicted with a condition such as breast cancer. The sample may be collected in any clinically acceptable manner, but must be collected such that marker-derived polynucleotides (*i.e.*, RNA) are preserved (if gene expression is to be measured) or proteins are preserved (if encoded proteins are to be measured). For example, mRNA or nucleic acids derived therefrom (*i.e.*, cDNA or amplified DNA) are preferably labeled distinguishably from standard or control polynucleotide molecules, and both are simultaneously or independently hybridized to a microarray comprising some or all of the markers or marker sets or subsets described above.

Alternatively, mRNA or nucleic acids derived therefrom may be labeled with the same label as the standard or control polynucleotide molecules, wherein the intensity of hybridization of each at a particular probe is compared. A sample may comprise any clinically relevant tissue sample, such as a tumor biopsy or fine needle aspirate, or a sample of bodily fluid, such as blood, plasma, serum, lymph, ascitic fluid, cystic fluid, urine or nipple exudate. The sample may be taken from a human, or, in a veterinary context, from non-human animals such as ruminants, horses, swine or sheep, or from domestic companion animals such as felines and canines.

[0070] Methods for preparing total and poly(A)+ RNA are well known and are described generally in Sambrook *et al.*, MOLECULAR CLONING - A LABORATORY MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989)) and Ausubel *et al.*, CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, vol. 2, Current Protocols Publishing, New York (1994)).

[0071] RNA may be isolated from eukaryotic cells by procedures that involve lysis of the cells and denaturation of the proteins contained therein. Cells of interest include wild-type cells (*i.e.*, non-cancerous), drug-exposed wild-type cells, tumor- or tumor-derived cells, modified cells, normal or tumor cell line cells, and drug-exposed modified cells. Preferably, the cells are breast cancer tumor cells.

[0072] Additional steps may be employed to remove DNA. Cell lysis may be accomplished with a nonionic detergent, followed by microcentrifugation to remove the nuclei and hence the bulk of the cellular DNA. In one embodiment, RNA is extracted from cells of the various types of interest using guanidinium thiocyanate lysis followed by CsCl centrifugation to separate the RNA from DNA (Chirgwin *et al.*, *Biochemistry* 18:5294-5299 (1979)).

Poly(A)+ RNA is selected by selection with oligo-dT cellulose (*see* Sambrook *et al.*, MOLECULAR CLONING - A LABORATORY MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989)). Alternatively, separation of RNA from DNA can be accomplished by organic extraction, for example, with hot phenol or phenol/chloroform/isoamyl alcohol.

[0073] If desired, RNase inhibitors may be added to the lysis buffer. Likewise, for certain cell types, it may be desirable to add a protein denaturation/digestion step to the protocol.

[0074] For many applications, it is desirable to preferentially enrich mRNA with respect to other cellular RNAs, such as transfer RNA (tRNA) and ribosomal RNA (rRNA). Most mRNAs contain a poly(A) tail at their 3' end. This allows them to be enriched by affinity chromatography, for example, using oligo(dT) or poly(U) coupled to a solid support, such as cellulose or Sephadex™ (*see* Ausubel *et al.*, CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, vol. 2, Current Protocols Publishing, New York (1994)). Once bound, poly(A)+ mRNA is eluted from the affinity column using 2 mM EDTA/0.1% SDS.

[0075] The sample of RNA can comprise a plurality of different mRNA molecules, each different mRNA molecule having a different nucleotide sequence. In a specific embodiment, the mRNA molecules in the RNA sample comprise at least 5, 10, 15, 20, 25, 30, 40 or 50 different nucleotide sequences. More preferably, the mRNA molecules of the RNA sample

comprise mRNA molecules corresponding to each of the marker genes. In another specific embodiment, the RNA sample is a mammalian RNA sample.

[0076] In a specific embodiment, total RNA or mRNA from cells are used in the methods of the invention. The source of the RNA can be cells of a plant or animal, human, mammal, primate, non-human animal, dog, cat, mouse, rat, bird, yeast, eukaryote, prokaryote, etc. In specific embodiments, the method of the invention is used with a sample containing total mRNA or total RNA from 1×10^6 cells or less. In another embodiment, proteins can be isolated from the foregoing sources, by methods known in the art, for use in expression analysis at the protein level.

[0077] Probes to the homologs of the marker sequences disclosed herein can be employed preferably when non-human nucleic acid is being assayed.

[0078] The methods of the invention may employ any molecule suitable as a marker. For example, sets of proteins informative for a particular condition, including a disease, may be determined. As for gene-based markers, levels of variations of different proteins in samples may be determined for phenotypic or genotypic subsets of the condition, and proteins showing significant variation in either level (abundance) or activity, or both, may be identified in order to create a set of proteins informative for one or more of these subsets. Such proteins may be identified, for example, by use of gel electrophoresis, such as one-dimensional polyacrylamide gel electrophoresis, two-dimensional polyacrylamide gel electrophoresis, nondenaturing polyacrylamide gel electrophoresis; isoelectric focusing gels, etc., by use of antibody arrays, etc. Of course, the particular template(s) used to classify the individual depends upon the type(s) of cellular constituents used as markers. For example, where nucleic acids (*e.g.*, genes or nucleic acids derived from expressed genes) are used as markers, the template comprises nucleic acids (or the level of expression or abundance thereof); where proteins are used as markers, the template comprises proteins, for example, the level or abundance of those proteins in a set of individuals; etc.

5.4.2 USE OF PROGNOSTIC GENESETS FOR BREAST CANCER

[0079] According to the present invention, once genesets informative for a plurality of subsets of a condition are identified, an individual is classified into one of these subsets and a prognosis is made based on the expression of the genes, or their encoded proteins, in the geneset for that subset in a breast cancer tumor sample taken from the individual.

[0080] For example, a particular hypothetical condition has four relevant phenotypes, A, B and C. In this example, based on these characteristics, genesets informative for prognosis of

four patient subsets A+, B+; A+, B-, C+; A+, B-, C-; and A- are identified by the method described above. Thus, an individual having the condition would first be classified according to phenotypes A-D into one of the four patient subsets. In one embodiment, therefore, the invention provides for the classification of an individual having a condition into one of a plurality of patient subsets, wherein a set of genes informative for prognosis for the subset has been identified. A sample is then taken from the individual, and the expression of the prognostically-informative genes in the sample is analyzed and compared to a control. In various embodiments, the control is the average expression of informative genes in a pool of samples taken from good prognosis individuals classifiable into that patient subset; the average expression of informative genes in a pool of samples taken from poor prognosis individuals classifiable into that patient subset; a set of mathematical values that represent gene expression levels of good prognosis individuals classifiable into that patient subset; etc. [0081] In a specific embodiment, the condition is breast cancer, and the phenotypic, genotypic and/or clinical classes are: ER⁻, *BRCA1* individuals; ER⁻, sporadic individuals; ER+, ER/AGE high individuals; ER+, ER/AGE low, LN+ individuals; and ER+, ER/AGE low, LN⁻ individuals. In this embodiment, an individual may be classified as ER+ or ER⁻. If the individual is ER⁻, the individual is additionally classified as having a *BRCA1*-type or sporadic tumor. ER⁻ individuals are thus classified as ER⁻, *BRCA1* or ER⁻, sporadic. Alternatively, if the individual is classified as ER+, the individual is additionally classified as having a high or low ratio of the log (ratio) of the level of expression of the gene encoding the estrogen receptor to the individual's age. Individuals having a low ratio are additionally classified as LN+ or LN-. ER+ individuals are thus classified as ER+, ER/AGE high; ER+, ER/AGE low, LN+, or ER+, ER/AGE low, LN⁻. Of course, the individual's ER status, tumor type, age and LN status may be identified in any order, as long as the individual is classified into one of these five subsets.

Thus, in one embodiment, the invention provides a method of classifying an individual with a condition as having a good prognosis or a poor prognosis, comprising: (a) classifying said individual into one of a plurality of patient classes, said patient classes being differentiated by one or more phenotypic, genotypic or clinical characteristics of said condition; (b) determining the level of expression of a plurality of genes or their encoded proteins in a cell sample taken from the individual relative to a control, said plurality of genes or their encoded proteins comprising genes or their encoded proteins in a cell sample taken from the individual relative to a control, said plurality of genes or their encoded proteins comprising genes or their encoded proteins informative for prognosis of the patient class into

which said individual is classified; and (c) classifying said individual as having a good prognosis or a poor prognosis on the basis of said level of expression. In a specific embodiment, said condition is breast cancer, said good prognosis is the non-occurrence of metastases within five years of initial diagnosis, and said poor prognosis is the occurrence of metastases within five years of initial diagnosis. In an more specific embodiment, said classifying said individual with a condition as having a good prognosis or a poor prognosis is carried out by comparing the level expression of each of said plurality of genes or their encoded proteins to said average level of expression of each corresponding gene or its encoded protein in said control, and classifying said individual as having a good prognosis poor prognosis if said level of expression correlates with said average level of expression of each of said genes or their encoded proteins in a good prognosis control or a poor prognosis control, respectively, more strongly than would be expected by chance. In a more specific embodiment of the method, said plurality of patient subsets comprises ER^{-} , *BRCA1* individuals; ER^{-} , sporadic individuals; ER^{+} , ER/AGE high individuals; ER^{+} , ER/AGE low, LN^{+} individuals; and ER^{+} , ER/AGE low, LN^{-} individuals. In another embodiment, said control is the average level of expression of each of said plurality of genes informative for prognosis in a pool of tumor samples from individuals classified into said subset who have a good prognosis or good outcome, or who have a poor prognosis or good outcome. In another specific embodiment, said control is a set of mathematical values representing the average level of expression of genes informative for prognosis in tumor samples of individuals classifiable into said subset who have a good prognosis, or who have a poor prognosis.

[0082] It is evident that the different patient subsets described herein reflect different molecular mechanisms of the initiation of tumor formation and metastasis. Thus, the genesets listed in tables 1-5 are also useful for diagnosing a person as having a particular type of breast cancer in the first instance. Thus, the invention also provides a method of diagnosing an individual as having a particular subtype of breast cancer, comprising determining the level of expression in a sample from said individual of a plurality of the genes for which markers are listed in Tables 1-5; and comparing said expression to a control, where said control is representative of the expression of said plurality of genes in a breast cancer sample of said subtype of cancer, and on the basis of said comparison, diagnosing the individual as having said subtype of breast cancer. In a specific embodiment, said subtype of cancer is selected from the group consisting of ER^{-} , *BRCA1* type; ER^{-} , sporadic type; ER^{+} , ER/AGE high type; ER^{+} , ER/AGE low, LN^{+} type; and ER^{+} , ER/AGE low, LN^{-} type. In another specific embodiment, said control is the average level of expression of a plurality of the genes

for which markers are listed in Table 1, Table 2, Table 3, Table 4 or Table 5. In another specific example, said comparing comprises determining the similarity of the expression of the genes for which markers are listed in each of Tables 1-5 in said sample taken from said individual to a control level of expression of the same genes for each of Tables 1-5, and determining whether the level of expression of said genes in said sample is most similar to said control expression of the genes for which markers are listed in Table 1, Table 2, Table 3, Table 4 or Table 5.

[0083] In another embodiment, the invention provides a method of classifying an individual as having a good prognosis or a poor prognosis, comprising: (a) classifying said individual as ER⁻, *BRCA1*; ER⁻, sporadic; ER⁺, ER/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻; (b) determining the level of expression of a first plurality of genes in a cell sample taken from the individual relative to a control, said first plurality of genes comprising two of the genes corresponding to the markers Table 1 if said individual is classified as ER⁻, *BRCA1*; Table 2 if said individual is classified as ER⁻, sporadic; Table 3 if said individual is classified as ER⁺, ER/AGE high; Table 4 if said individual is classified as ER⁺, ER/AGE low, LN⁺; or Table 5 if said individual is classified as ER⁺, ER/AGE low, LN⁻, wherein said individual is “ER/AGE high” if the ratio of ER expression to age exceeds a predetermined value, and “ER/AGE low” if the ratio of ER expression to age does not exceed said predetermined value. In a specific embodiment of this method, said predetermined value of ER calculated as $ER = 0.1(AGE - 42.5)$, wherein AGE is the age of said individual. In another specific embodiment, said individual is ER⁻, *BRCA1*, and said plurality of genes comprises (*i.e.*, contains at least) 1, 2, 3, 4, 5, 10 or all of the genes for which markers are listed in Table 1. In another specific embodiment, said individual is ER⁻, sporadic, and said plurality of genes comprises (*i.e.*, contains at least) 1, 2, 3, 4, 5, 10 or all of the genes for which markers are listed in Table 2. In another specific embodiment, said individual is ER⁺, ER/AGE high, and said plurality of genes comprises (*i.e.*, contains at least) 1, 2, 3, 4, 5, 10 or all of the genes for which markers are listed in Table 3. In another specific embodiment, said individual is ER⁺, ER/AGE low, LN⁺, and said plurality of genes comprises (*i.e.*, contains at least) 1, 2, 3, 4, 5, 10 or all of the genes for which markers are listed in Table 4. In another specific embodiment, said individual is ER⁺, ER/AGE low, LN⁻, and said plurality of genes comprises (*i.e.*, contains at least) 1, 2, 3, 4, 5, 10 or all of the genes for which markers are listed in Table 5. In another specific embodiment, the method additionally comprises determining in said cell sample the level of expression, relative to a

control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis.

[0084] Where information is available regarding the LN status of a breast cancer patient, the patient may be identified as having a “very good prognosis,” an “intermediate prognosis,” or a poor prognosis, which enables the refinement of treatment. In one embodiment, the invention provides a method of assigning a therapeutic regimen to a breast cancer patient, comprising: (a) classifying said patient as having a “poor prognosis,” “intermediate prognosis,” or “very good prognosis” on the basis of the levels of expression of at least five genes for which markers are listed in Table 1, Table 2, Table 3, Table 4 or Table 5; and (b) assigning said patient a therapeutic regimen, said therapeutic regimen (i) comprising no adjuvant chemotherapy if the patient is lymph node negative and is classified as having a good prognosis or an intermediate prognosis, or (ii) comprising chemotherapy if said patient has any other combination of lymph node status and expression profile.

[0085] In another embodiment, a breast cancer patient is assigned a prognosis by a method comprising (a) determining the breast cancer patient’s age, ER status, LN status and tumor type; (b) classifying said patient as ER⁻, sporadic; ER⁻, *BRCAl*; ER⁺, ER/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻; (c) determining the level of expression of at least five genes in a cell sample taken from said breast cancer patient wherein markers for said at least five genes are listed in Table 1 if said patient is classified as ER⁻, sporadic; Table 2 if said patient is classified as ER⁻, *BRCAl*; Table 3 if said patient is classified as ER⁺, ER/AGE high; Table 4 if said patient is classified as ER⁺, ER/AGE low, LN⁺; or Table 5 if said patient is classified as ER⁺, ER/AGE high, LN⁻; (d) determining the similarity of the level of expression of said at least five genes to control levels of expression of said at least five genes to obtain a patient similarity value; (e) comparing said patient similarity value to selected first and second threshold values of similarity of said level of expression of said genes to said control levels of expression to obtain first and second similarity threshold values, respectively, wherein said second similarity threshold indicates greater similarity to said control levels of expression than does said first similarity threshold; and (f) classifying said breast cancer patient as having a first prognosis if said patient similarity value exceeds said first and said second threshold similarity values, a second prognosis if said patient similarity value exceeds said first threshold similarity value but does not exceed said second threshold similarity value, and a third prognosis if said patient similarity value does not exceed said first threshold similarity value or said second threshold similarity value. In a specific embodiment of the method, said first prognosis is a “very good prognosis,” said

second prognosis is an “intermediate prognosis,” and said third prognosis is a “poor prognosis,” wherein said breast cancer patient is assigned a therapeutic regimen comprising no adjuvant chemotherapy if the patient is lymph node negative and is classified as having a good prognosis or an intermediate prognosis, or comprising chemotherapy if said patient has any other combination of lymph node status and expression profile.

[0086] The invention also provides a method of assigning a therapeutic regimen to a breast cancer patient, comprising: (a) determining the lymph node status for said patient; (b) determining the level of expression of at least five genes for which markers are listed in Table 5 in a cell sample from said patient, thereby generating an expression profile; (c) classifying said patient as having a “poor prognosis,” “intermediate prognosis,” or “very good prognosis” on the basis of said expression profile; and (d) assigning said patient a therapeutic regimen, said therapeutic regimen comprising no adjuvant chemotherapy if the patient is lymph node negative and is classified as having a good prognosis or an intermediate prognosis, or comprising chemotherapy if said patient has any other combination of lymph node status and classification. In a specific embodiment of this method, said therapeutic regimen assigned to lymph node negative patients classified as having an “intermediate prognosis” additionally comprises adjuvant hormonal therapy. In another specific embodiment of this method, said classifying step (c) is carried out by a method comprising: (a) rank ordering in descending order a plurality of breast cancer tumor samples that compose a pool of breast cancer tumor samples by the degree of similarity between the level of expression of said at least five genes in each of said tumor samples and the level of expression of said at least five genes across all remaining tumor samples that compose said pool, said degree of similarity being expressed as a similarity value; (b) determining an acceptable number of false negatives in said classifying step, wherein a false negative is a breast cancer patient for whom the expression levels of said at least five genes in said cell sample predicts that said breast cancer patient will have no distant metastases within the first five years after initial diagnosis, but who has had a distant metastasis within the first five years after initial diagnosis; (c) determining a similarity value above which in said rank ordered list said acceptable number of tumor samples or fewer are false negatives; (d) selecting said similarity value determined in step (c) as a first threshold similarity value; (e) selecting a second similarity value, greater than said first similarity value, as a second threshold similarity value; and (f) determining the similarity between the level of expression of each of said at least five genes in a breast cancer tumor sample from the breast cancer patient and the level of expression of each of said respective at least five genes in said pool, to obtain a patient similarity value, wherein if said patient similarity value

equals or exceeds said second threshold similarity value, said patient is classified as having a “very good prognosis”; if said patient similarity value equals or exceeds said first threshold similarity value, but is less than said second threshold similarity value, said patient is classified as having an “intermediate prognosis”; and if said patient similarity value is less than said first threshold similarity value, said patient is classified as having a “poor prognosis.” Another specific embodiment of this method comprises determining the estrogen receptor (ER) status of said patient, wherein if said patient is ER positive and lymph node negative, said therapeutic regimen assigned to said patient additionally comprises adjuvant hormonal therapy.

5.4.3 IMPROVING SENSITIVITY TO EXPRESSION LEVEL DIFFERENCES

[0087] In using the markers disclosed herein, and, indeed, using any sets of markers to differentiate an individual having one phenotype from another individual having a second phenotype, one can compare the absolute expression of each of the markers in a sample to a control; for example, the control can be the average level of expression of each of the markers, respectively, in a pool of individuals. To increase the sensitivity of the comparison, however, the expression level values are preferably transformed in a number of ways.

[0088] For example, the expression level of each of the markers can be normalized by the average expression level of all markers the expression level of which is determined, or by the average expression level of a set of control genes. Thus, in one embodiment, the markers are represented by probes on a microarray, and the expression level of each of the markers is normalized by the mean or median expression level across all of the genes represented on the microarray, including any non-marker genes. In a specific embodiment, the normalization is carried out by dividing the median or mean level of expression of all of the genes on the microarray. In another embodiment, the expression levels of the markers is normalized by the mean or median level of expression of a set of control markers. In a specific embodiment, the control markers comprise a set of housekeeping genes. In another specific embodiment, the normalization is accomplished by dividing by the median or mean expression level of the control genes.

[0089] The sensitivity of a marker-based assay will also be increased if the expression levels of individual markers are compared to the expression of the same markers in a pool of samples. Preferably, the comparison is to the mean or median expression level of each the marker genes in the pool of samples. Such a comparison may be accomplished, for example, by dividing by the mean or median expression level of the pool for each of the markers from

the expression level each of the markers in the sample. This has the effect of accentuating the relative differences in expression between markers in the sample and markers in the pool as a whole, making comparisons more sensitive and more likely to produce meaningful results than the use of absolute expression levels alone. The expression level data may be transformed in any convenient way; preferably, the expression level data for all is log transformed before means or medians are taken.

[0090] In performing comparisons to a pool, two approaches may be used. First, the expression levels of the markers in the sample may be compared to the expression level of those markers in the pool, where nucleic acid derived from the sample and nucleic acid derived from the pool are hybridized during the course of a single experiment. Such an approach requires that new pool nucleic acid be generated for each comparison or limited numbers of comparisons, and is therefore limited by the amount of nucleic acid available. Alternatively, and preferably, the expression levels in a pool, whether normalized and/or transformed or not, are stored on a computer, or on computer-readable media, to be used in comparisons to the individual expression level data from the sample (*i.e.*, single-channel data).

[0091] Thus, the current invention provides the following method of classifying a first cell or organism as having one of at least two different phenotypes, where the different phenotypes comprise a first phenotype and a second phenotype. The level of expression of each of a plurality of markers in a first sample from the first cell or organism is compared to the level of expression of each of said markers, respectively, in a pooled sample from a plurality of cells or organisms, the plurality of cells or organisms comprising different cells or organisms exhibiting said at least two different phenotypes, respectively, to produce a first compared value. The first compared value is then compared to a second compared value, wherein said second compared value is the product of a method comprising comparing the level of expression of each of said markers in a sample from a cell or organism characterized as having said first phenotype to the level of expression of each of said markers, respectively, in the pooled sample. The first compared value is then compared to a third compared value, wherein said third compared value is the product of a method comprising comparing the level of expression of each of the markers in a sample from a cell or organism characterized as having the second phenotype to the level of expression of each of the markers, respectively, in the pooled sample. In specific embodiments, the marker can be a gene, a protein encoded by the gene, etc. Optionally, the first compared value can be compared to additional compared values, respectively, where each additional compared value is the product of a

method comprising comparing the level of expression of each of said markers in a sample from a cell or organism characterized as having a phenotype different from said first and second phenotypes but included among the at least two different phenotypes, to the level of expression of each of said genes, respectively, in said pooled sample. Finally, a determination is made as to which of said second, third, and, if present, one or more additional compared values, said first compared value is most similar, wherein the first cell or organism is determined to have the phenotype of the cell or organism used to produce said compared value most similar to said first compared value.

[0092] In a specific embodiment of this method, the compared values are each ratios of the levels of expression of each of said genes. In another specific embodiment, each of the levels of expression of each of the genes in the pooled sample are normalized prior to any of the comparing steps. In a more specific embodiment, the normalization of the levels of expression is carried out by dividing by the median or mean level of the expression of each of the genes or dividing by the mean or median level of expression of one or more housekeeping genes in the pooled sample from said cell or organism. In another specific embodiment, the normalized levels of expression are subjected to a log transform, and the comparing steps comprise subtracting the log transform from the log of the levels of expression of each of the genes in the sample. In another specific embodiment, the two or more different phenotypes are different stages of a disease or disorder. In still another specific embodiment, the two or more different phenotypes are different prognoses of a disease or disorder. In yet another specific embodiment, the levels of expression of each of the genes, respectively, in the pooled sample or said levels of expression of each of said genes in a sample from the cell or organism characterized as having the first phenotype, second phenotype, or said phenotype different from said first and second phenotypes, respectively, are stored on a computer or on a computer-readable medium.

[0093] In another specific embodiment, the two phenotypes are good prognosis and poor prognosis. In a more specific embodiment, the two phenotypes are good prognosis and poor prognosis for an individual that is identified as having ER^{-} , *BRCA1* status, ER^{-} , sporadic status, ER^{+} , ER/AGE high status, ER^{+} , ER/AGE low, LN^{+} status, or ER^{+} , ER/AGE low, LN^{+} status.

[0094] In another specific embodiment, the comparison is made between the expression of each of the genes in the sample and the expression of the same genes in a pool representing only one of two or more phenotypes. In the context of prognosis-correlated genes, for example, one can compare the expression levels of prognosis-related genes in a sample to the

average level of the expression of the same genes in a “good prognosis” pool of samples (as opposed to a pool of samples that include samples from patients having poor prognoses and good prognoses). Thus, in this method, a sample is classified as having a good prognosis if the level of expression of prognosis-correlated genes exceeds a chosen coefficient of correlation to the average “good prognosis” expression profile (*i.e.*, the level of expression of prognosis-correlated genes in a pool of samples from patients having a “good prognosis.” Patients whose expression levels correlate more poorly with the “good prognosis” expression profile (*i.e.*, whose correlation coefficient fails to exceed the chosen coefficient) are classified as having a poor prognosis.

[0095] Where individuals are classified on the basis of phenotypic, genotypic, or clinical characteristics into patient subsets, the pool of samples may be a pool of samples for the phenotype that includes samples representing each of the patient subsets. Alternatively, the pool of samples may be a pool of samples for the phenotype representing only the specific patient subset. For example, where an individual is classified as ER+, sporadic, the pool of samples to which the individual’s sample is compared may be a pool of samples from ER+, sporadic individuals having a good prognosis only, or may be a pool of samples of individuals having a good prognosis, without regard to ER status or mutation type.

[0096] The method can be applied to a plurality of patient subsets. For example, in a specific embodiment, the phenotype is good prognosis, and the individual is classified into one of the following patient subsets: ER⁻, *BRCAl* status, ER⁻, sporadic status, ER+, ER/AGE high status, ER+, ER/AGE low, LN+ status, or ER+, ER/AGE low, LN+ status. A set of markers informative for prognosis for the patient subset into which the individual is classified is then used to determine the likely prognosis for the individual. A sample is classified as coming from an individual having a good prognosis if the level of expression of prognosis-correlated genes for the particular subset into which the individual is classified exceeds a chosen coefficient of correlation to the average “good prognosis” expression profile (*i.e.*, the level of expression of prognosis-correlated genes in a pool of samples from patients within the subclass having a “good prognosis”). Patients whose expression levels correlate more poorly with the “good prognosis” expression profile (*i.e.*, whose correlation coefficient fails to exceed the chosen coefficient) are classified as having a poor prognosis.

[0097] Of course, single-channel data may also be used without specific comparison to a mathematical sample pool. For example, a sample may be classified as having a first or a second phenotype, wherein the first and second phenotypes are related, by calculating the similarity between the expression of at least 5 markers in the sample, where the markers are

correlated with the first or second phenotype, to the expression of the same markers in a first phenotype template and a second phenotype template, by (a) labeling nucleic acids derived from a sample with a fluorophore to obtain a pool of fluorophore-labeled nucleic acids; (b) contacting said fluorophore-labeled nucleic acid with a microarray under conditions such that hybridization can occur, detecting at each of a plurality of discrete loci on the microarray a fluorescent emission signal from said fluorophore-labeled nucleic acid that is bound to said microarray under said conditions; and (c) determining the similarity of marker gene expression in the individual sample to the first and second templates, wherein if said expression is more similar to the first template, the sample is classified as having the first phenotype, and if said expression is more similar to the second template, the sample is classified as having the second phenotype.

[0098] In a specific embodiment of the above method, the first phenotype is a good prognosis of breast cancer, the sample is a sample from an individual that has been classified into a patient subset, and the first and second templates are templates for the phenotype for the particular patient subset. In a more specific embodiment, for example, the first phenotype is a good prognosis, the second phenotype is a poor prognosis, the patient is classified into an ER⁻, sporadic patient subset, an ER⁻, *BRCA1* subset, an ER⁺, ER/AGE high subset, an ER⁺, ER/AGE low, LN⁺ subset, or an ER⁺, ER/AGE low, LN⁺ subset, and said first and second templates are templates derived from the expression of the marker genes in individuals having a good prognosis and a poor prognosis, respectively, wherein said individuals are all of the patient subset into which said patient is classified.

5.5 DETERMINATION OF MARKER GENE EXPRESSION LEVELS

5.5.1 METHODS

[0099] The expression levels of the marker genes in a sample may be determined by any means known in the art. The expression level may be determined by isolating and determining the level (*i.e.*, amount) of nucleic acid transcribed from each marker gene. Alternatively, or additionally, the level of specific proteins encoded by a marker gene may be determined.

[00100] The level of expression of specific marker genes can be accomplished by determining the amount of mRNA, or polynucleotides derived therefrom, present in a sample. Any method for determining RNA levels can be used. For example, RNA is isolated from a sample and separated on an agarose gel. The separated RNA is then transferred to a solid support, such as a filter. Nucleic acid probes representing one or more markers are then

hybridized to the filter by northern hybridization, and the amount of marker-derived RNA is determined. Such determination can be visual, or machine-aided, for example, by use of a densitometer. Another method of determining RNA levels is by use of a dot-blot or a slot-blot. In this method, RNA, or nucleic acid derived therefrom, from a sample is labeled. The RNA or nucleic acid derived therefrom is then hybridized to a filter containing oligonucleotides derived from one or more marker genes, wherein the oligonucleotides are placed upon the filter at discrete, easily-identifiable locations. Hybridization, or lack thereof, of the labeled RNA to the filter-bound oligonucleotides is determined visually or by densitometer. Polynucleotides can be labeled using a radiolabel or a fluorescent (*i.e.*, visible) label.

[00101] These examples are not intended to be limiting; other methods of determining RNA abundance are known in the art.

[00102] The level of expression of particular marker genes may also be assessed by determining the level of the specific protein expressed from the marker genes. This can be accomplished, for example, by separation of proteins from a sample on a polyacrylamide gel, followed by identification of specific marker-derived proteins using antibodies in a western blot. Alternatively, proteins can be separated by two-dimensional gel electrophoresis systems. Two-dimensional gel electrophoresis is well-known in the art and typically involves isoelectric focusing along a first dimension followed by SDS-PAGE electrophoresis along a second dimension. *See, e.g.*, Hames *et al*, 1990, GEL ELECTROPHORESIS OF PROTEINS: A PRACTICAL APPROACH, IRL Press, New York; Shevchenko *et al.*, *Proc. Nat'l Acad. Sci. USA* 93:1440-1445 (1996); Sagliocco *et al.*, *Yeast* 12:1519-1533 (1996); Lander, *Science* 274:536-539 (1996). The resulting electropherograms can be analyzed by numerous techniques, including mass spectrometric techniques, western blotting and immunoblot analysis using polyclonal and monoclonal antibodies.

[00103] Alternatively, marker-derived protein levels can be determined by constructing an antibody microarray in which binding sites comprise immobilized, preferably monoclonal, antibodies specific to a plurality of protein species encoded by the cell genome. Preferably, antibodies are present for a substantial fraction of the marker-derived proteins of interest. Methods for making monoclonal antibodies are well known (*see, e.g.*, Harlow and Lane, 1988, ANTIBODIES: A LABORATORY MANUAL, Cold Spring Harbor, New York, which is incorporated in its entirety for all purposes). In one embodiment, monoclonal antibodies are raised against synthetic peptide fragments designed based on genomic sequence of the cell. With such an antibody array, proteins from the cell are contacted to the array, and their

binding is assayed with assays known in the art. Generally, the expression, and the level of expression, of proteins of diagnostic or prognostic interest can be detected through immunohistochemical staining of tissue slices or sections.

[00104] Finally, expression of marker genes in a number of tissue specimens may be characterized using a “tissue array” (Kononen *et al.*, *Nat. Med* 4(7):844-7 (1998)). In a tissue array, multiple tissue samples are assessed on the same microarray. The arrays allow *in situ* detection of RNA and protein levels; consecutive sections allow the analysis of multiple samples simultaneously.

5.5.2 MICROARRAYS

[00105] In preferred embodiments, polynucleotide microarrays are used to measure expression so that the expression status of each of the markers above is assessed simultaneously. In a specific embodiment, the invention provides for oligonucleotide or cDNA arrays comprising probes hybridizable to the genes corresponding to each of the marker sets described above (*i.e.*, markers informative for ER⁻, sporadic individuals, markers informative for ER⁻, *BRCA1* individuals, markers informative for ER⁺, ER/AGE high individuals, markers informative for ER⁺, ER/AGE low, LN⁺ individuals, and markers informative for ER⁺, ER/AGE low, LN⁻ individuals, as shown in Tables 1-5). Any of the microarrays described herein may be provided in a sealed container in a kit.

[00106] The invention provides microarrays containing probes useful for the prognosis of any breast cancer patient, or for breast cancer patients classified into one of a plurality of patient subsets. In particular, the invention provides polynucleotide arrays comprising probes to a subset or subsets of at least 5, 10, 15, 20, 25 or more of the genetic markers, or up to the full set of markers, in any of Tables 1-5, which distinguish between patients with good and poor prognosis. In certain embodiments, therefore, the invention provides microarrays comprising probes for a plurality of the genes for which markers are listed in Tables 1, 2, 3, 4 or 5. In a specific embodiment, the microarray of the invention comprises 1, 2, 3, 4, 5 or 10 of the markers in Table 1, at least five of the markers in Table 2; 1, 2, 3, 4, 5 or 10 of the markers in Table 3; 1, 2, 3, 4, 5 or 10 of the markers in Table 4; or 1, 2, 3, 4, 5 or 10 of the markers in Table 1. In other embodiments, the microarray comprises probes for 1, 2, 3, 4, 5, or 10 of the markers shown in any two, three or four of Tables 1-5, or all of Tables 1-5. In other embodiments, the microarray of the invention contains each of the markers in Table 1, Table 2, Table 3, Table 4, or Table 5. In another embodiment, the microarray contains all of the markers shown in Tables 1-5. In specific embodiments, the array comprises probes

derived only from the markers listed in Table 1, Table 2, Table 3, Table 4, or Table 5; probes derived from any two of Tables 1-5; any three of Tables 1-5; any four of Tables 1-5; or all of Tables 1-5.

[00107] In other embodiments, the array comprises a plurality of probes derived from markers listed in any of Tables 1-5 in combination with a plurality of other probes, derived from markers not listed in any of Tables 1-5, that are identified as informative for the prognosis of breast cancer.

[00108] In specific embodiments, the invention provides polynucleotide arrays in which the breast cancer prognosis markers described herein in Tables 1, 2, 3, 4 and/or 5 comprise at least 50%, 60%, 70%, 80%, 85%, 90%, 95% or 98% of the probes on said array. In another specific embodiment, the microarray comprises a plurality of probes, wherein said plurality of probes comprise probes complementary and hybridizable to 75% of the genes for which markers are listed in Table 1; probes complementary and hybridizable to 75% of the genes for which markers are listed in Table 2; probes complementary and hybridizable to 75% of the genes for which markers are listed in Table 3; probes complementary and hybridizable to 75% of the genes for which markers are listed in Table 4; and probes complementary and hybridizable to 75% of the genes for which markers are listed in Table 5, wherein said probes, in total, comprise 50% of the probes on said microarray.

[00109] In yet another specific embodiment, microarrays that are used in the methods disclosed herein optionally comprise markers additional to at least some of the markers listed in Tables 1-5. For example, in a specific embodiment, the microarray is a screening or scanning array as described in Altschuler *et al.*, International Publication WO 02/18646, published March 7, 2002 and Scherer *et al.*, International Publication WO 02/16650, published February 28, 2002. The scanning and screening arrays comprise regularly-spaced, positionally-addressable probes derived from genomic nucleic acid sequence, both expressed and unexpressed. Such arrays may comprise probes corresponding to a subset of, or all of, the markers listed in Tables 1-5, or a subset thereof as described above, and can be used to monitor marker expression in the same way as a microarray containing only markers listed in Tables 1-5.

[00110] In yet another specific embodiment, the microarray is a commercially-available cDNA microarray that comprises at least five of the markers listed in Tables 1-5. Preferably, a commercially-available cDNA microarray comprises all of the markers listed in Tables 1-5. However, such a microarray may comprise 5, 10, 15, 25 or more of the markers in any of Tables 1-5, up to the maximum number of markers in a Table, and may comprise all

of the markers in any one of Tables 1-5, and a subset of another of Tables 1-5, or subsets of each as described above. In a specific embodiment of the microarrays used in the methods disclosed herein, the markers that are all or a portion of Tables 1-5 make up at least 50%, 60%, 70%, 80%, 90%, 95% or 98% of the probes on the microarray.

[00111] General methods pertaining to the construction of microarrays comprising the marker sets and/or subsets above are described in the following sections.

5.5.2.1 CONSTRUCTION OF MICROARRAYS

[00112] Microarrays are prepared by selecting probes which comprise a polynucleotide sequence, and then immobilizing such probes to a solid support or surface. For example, the probes may comprise DNA sequences, RNA sequences, or copolymer sequences of DNA and RNA. The polynucleotide sequences of the probes may also comprise DNA and/or RNA analogues, or combinations thereof. For example, the polynucleotide sequences of the probes may be full or partial fragments of genomic DNA. The polynucleotide sequences of the probes may also be synthesized nucleotide sequences, such as synthetic oligonucleotide sequences. The probe sequences can be synthesized either enzymatically *in vivo*, enzymatically *in vitro* (e.g., by PCR), or non-enzymatically *in vitro*.

[00113] The probe or probes used in the methods of the invention are preferably immobilized to a solid support which may be either porous or non-porous. For example, the probes of the invention may be polynucleotide sequences which are attached to a nitrocellulose or nylon membrane or filter covalently at either the 3' or the 5' end of the polynucleotide. Such hybridization probes are well known in the art (see, e.g., Sambrook *et al.*, MOLECULAR CLONING - A LABORATORY MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989). Alternatively, the solid support or surface may be a glass or plastic surface. In a particularly preferred embodiment, hybridization levels are measured to microarrays of probes consisting of a solid phase on the surface of which are immobilized a population of polynucleotides, such as a population of DNA or DNA mimics, or, alternatively, a population of RNA or RNA mimics. The solid phase may be a nonporous or, optionally, a porous material such as a gel.

[0100] In preferred embodiments, a microarray comprises a support or surface with an ordered array of binding (e.g., hybridization) sites or "probes" each representing one of the markers described herein. Preferably the microarrays are addressable arrays, and more preferably positionally addressable arrays. More specifically, each probe of the array is preferably located at a known, predetermined position on the solid support such that the

identity (*i.e.*, the sequence) of each probe can be determined from its position in the array (*i.e.*, on the support or surface). In preferred embodiments, each probe is covalently attached to the solid support at a single site.

[0101] Microarrays can be made in a number of ways, of which several are described below. However produced, microarrays share certain characteristics. The arrays are reproducible, allowing multiple copies of a given array to be produced and easily compared with each other. Preferably, microarrays are made from materials that are stable under binding (*e.g.*, nucleic acid hybridization) conditions. The microarrays are preferably small, *e.g.*, between 1 cm² and 25 cm², between 12 cm² and 13 cm², or 3 cm². However, larger arrays are also contemplated and may be preferable, *e.g.*, for use in screening arrays. Preferably, a given binding site or unique set of binding sites in the microarray will specifically bind (*e.g.*, hybridize) to the product of a single gene in a cell (*e.g.*, to a specific mRNA, or to a specific cDNA derived therefrom). However, in general, other related or similar sequences will cross hybridize to a given binding site.

[0102] The microarrays of the present invention include one or more test probes, each of which has a polynucleotide sequence that is complementary to a subsequence of RNA or DNA to be detected. Preferably, the position of each probe on the solid surface is known. Indeed, the microarrays are preferably positionally addressable arrays. Specifically, each probe of the array is preferably located at a known, predetermined position on the solid support such that the identity (*i.e.*, the sequence) of each probe can be determined from its position on the array (*i.e.*, on the support or surface).

[0103] According to the invention, the microarray is an array (*i.e.*, a matrix) in which each position represents one of the markers described herein. For example, each position can contain a DNA or DNA analogue based on genomic DNA to which a particular RNA or cDNA transcribed from that genetic marker can specifically hybridize. The DNA or DNA analogue can be, *e.g.*, a synthetic oligomer or a gene fragment. In one embodiment, probes representing each of the markers is present on the array. In a preferred embodiment, the array comprises probes for each of the markers listed in Tables 1-5.

5.5.2.2 PREPARING PROBES FOR MICROARRAYS

[0104] As noted above, the “probe” to which a particular polynucleotide molecule specifically hybridizes according to the invention contains a complementary genomic polynucleotide sequence. The probes of the microarray preferably consist of nucleotide sequences of no more than 1,000 nucleotides. In some embodiments, the probes of the array

consist of nucleotide sequences of 10 to 1,000 nucleotides. In a preferred embodiment, the nucleotide sequences of the probes are in the range of 10-200 nucleotides in length and are genomic sequences of a species of organism, such that a plurality of different probes is present, with sequences complementary and thus capable of hybridizing to the genome of such a species of organism, sequentially tiled across all or a portion of such genome. In other specific embodiments, the probes are in the range of 10-30 nucleotides in length, in the range of 10-40 nucleotides in length, in the range of 20-50 nucleotides in length, in the range of 40-80 nucleotides in length, in the range of 50-150 nucleotides in length, in the range of 80-120 nucleotides in length, and most preferably are 60 nucleotides in length.

[0105] The probes may comprise DNA or DNA “mimics” (*e.g.*, derivatives and analogues) corresponding to a portion of an organism’s genome. In another embodiment, the probes of the microarray are complementary RNA or RNA mimics. DNA mimics are polymers composed of subunits capable of specific, Watson-Crick-like hybridization with DNA, or of specific hybridization with RNA. The nucleic acids can be modified at the base moiety, at the sugar moiety, or at the phosphate backbone. Exemplary DNA mimics include, *e.g.*, phosphorothioates.

[0106] DNA can be obtained, *e.g.*, by polymerase chain reaction (PCR) amplification of genomic DNA or cloned sequences. PCR primers are preferably chosen based on a known sequence of the genome that will result in amplification of specific fragments of genomic DNA. Computer programs that are well known in the art are useful in the design of primers with the required specificity and optimal amplification properties, such as *Oligo* version 5.0 (National Biosciences). Typically each probe on the microarray will be between 10 bases and 50,000 bases, usually between 300 bases and 1,000 bases in length. PCR methods are well known in the art, and are described, for example, in Innis *et al.*, eds., PCR PROTOCOLS: A GUIDE TO METHODS AND APPLICATIONS, Academic Press Inc., San Diego, CA (1990). It will be apparent to one skilled in the art that controlled robotic systems are useful for isolating and amplifying nucleic acids.

[0107] An alternative, preferred means for generating the polynucleotide probes of the microarray is by synthesis of synthetic polynucleotides or oligonucleotides, *e.g.*, using N-phosphonate or phosphoramidite chemistries (Froehler *et al.*, *Nucleic Acid Res.* 14:5399-5407 (1986); McBride *et al.*, *Tetrahedron Lett.* 24:246-248 (1983)). Synthetic sequences are typically between about 10 and about 500 bases in length, more typically between about 20 and about 100 bases, and most preferably between about 40 and about 70 bases in length. In some embodiments, synthetic nucleic acids include non-natural bases, such as, but by no

means limited to, inosine. As noted above, nucleic acid analogues may be used as binding sites for hybridization. An example of a suitable nucleic acid analogue is peptide nucleic acid (see, e.g., Egholm *et al.*, *Nature* 363:566-568 (1993); U.S. Patent No. 5,539,083).

[0108] Probes are preferably selected using an algorithm that takes into account binding energies, base composition, sequence complexity, cross-hybridization binding energies, and secondary structure. See Friend *et al.*, International Patent Publication WO 01/05935, published January 25, 2001; Hughes *et al.*, *Nat. Biotech.* 19:342-7 (2001).

[0109] A skilled artisan will also appreciate that positive control probes, e.g., probes known to be complementary and hybridizable to sequences in the target polynucleotide molecules, and negative control probes, e.g., probes known to not be complementary and hybridizable to sequences in the target polynucleotide molecules, should be included on the array. In one embodiment, positive controls are synthesized along the perimeter of the array. In another embodiment, positive controls are synthesized in diagonal stripes across the array. In still another embodiment, the reverse complement for each probe is synthesized next to the position of the probe to serve as a negative control. In yet another embodiment, sequences from other species of organism are used as negative controls or as "spike-in" controls.

5.5.2.3 ATTACHING PROBES TO THE SOLID SURFACE

[0110] The probes are attached to a solid support or surface, which may be made, e.g., from glass, plastic (e.g., polypropylene, nylon), polyacrylamide, nitrocellulose, gel, or other porous or nonporous material. A preferred method for attaching the nucleic acids to a surface is by printing on glass plates, as is described generally by Schena *et al.*, *Science* 270:467-470 (1995). This method is especially useful for preparing microarrays of cDNA (See also, DeRisi *et al.*, *Nature Genetics* 14:457-460 (1996); Shalon *et al.*, *Genome Res.* 6 :639-645 (1996); and Schena *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 93:10539-11286 (1995)).

[0111] A second preferred method for making microarrays is by making high-density oligonucleotide arrays. Techniques are known for producing arrays containing thousands of oligonucleotides complementary to defined sequences, at defined locations on a surface using photolithographic techniques for synthesis *in situ* (see, Fodor *et al.*, 1991, *Science* 251:767-773; Pease *et al.*, 1994, *Proc. Natl. Acad. Sci. U.S.A.* 91:5022-5026; Lockhart *et al.*, 1996, *Nature Biotechnology* 14:1675; U.S. Patent Nos. 5,578,832; 5,556,752; and 5,510,270) or other methods for rapid synthesis and deposition of defined oligonucleotides (Blanchard *et al.*, *Biosensors & Bioelectronics* 11:687-690). When these methods are used, oligonucleotides (e.g., 60-mers) of known sequence are synthesized directly on a surface such

as a derivatized glass slide. Usually, the array produced is redundant, with several oligonucleotide molecules per RNA.

[0112] Other methods for making microarrays, *e.g.*, by masking (Maskos and Southern, 1992, *Nuc. Acids. Res.* 20:1679-1684), may also be used. In principle, and as noted *supra*, any type of array, for example, dot blots on a nylon hybridization membrane (see Sambrook *et al.*, MOLECULAR CLONING - A LABORATORY MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989)) could be used. However, as will be recognized by those skilled in the art, very small arrays will frequently be preferred because hybridization volumes will be smaller.

[0113] In one embodiment, the arrays of the present invention are prepared by synthesizing polynucleotide probes on a support. In such an embodiment, polynucleotide probes are attached to the support covalently at either the 3' or the 5' end of the polynucleotide.

[0114] In a particularly preferred embodiment, microarrays of the invention are manufactured by means of an ink jet printing device for oligonucleotide synthesis, *e.g.*, using the methods and systems described by Blanchard in U.S. Pat. No. 6,028,189; Blanchard *et al.*, 1996, *Biosensors and Bioelectronics* 11:687-690; Blanchard, 1998, in *Synthetic DNA Arrays in Genetic Engineering*, Vol. 20, J.K. Setlow, Ed., Plenum Press, New York at pages 111-123. Specifically, the oligonucleotide probes in such microarrays are preferably synthesized in arrays, *e.g.*, on a glass slide, by serially depositing individual nucleotide bases in "microdroplets" of a high surface tension solvent such as propylene carbonate. The microdroplets have small volumes (*e.g.*, 100 pL or less, more preferably 50 pL or less) and are separated from each other on the microarray (*e.g.*, by hydrophobic domains) to form circular surface tension wells which define the locations of the array elements (*i.e.*, the different probes). Microarrays manufactured by this ink-jet method are typically of high density, preferably having a density of at least about 2,500 different probes per 1 cm². The polynucleotide probes are attached to the support covalently at either the 3' or the 5' end of the polynucleotide.

5.5.2.4 TARGET POLYNUCLEOTIDE MOLECULES

[0115] The polynucleotide molecules which may be analyzed by the present invention (the "target polynucleotide molecules") may be from any clinically relevant source, but are expressed RNA or a nucleic acid derived therefrom (*e.g.*, cDNA or amplified RNA derived from cDNA that incorporates an RNA polymerase promoter), including naturally occurring nucleic acid molecules, as well as synthetic nucleic acid molecules. In one embodiment, the

target polynucleotide molecules comprise RNA, including, but by no means limited to, total cellular RNA, poly(A)⁺ messenger RNA (mRNA) or fraction thereof, cytoplasmic mRNA, or RNA transcribed from cDNA (*i.e.*, cRNA; see, *e.g.*, Linsley & Schelter, U.S. Patent Application No. 09/411,074, filed October 4, 1999, or U.S. Patent Nos. 5,545,522, 5,891,636, or 5,716,785). Methods for preparing total and poly(A)⁺ RNA are well known in the art, and are described generally, *e.g.*, in Sambrook *et al.*, MOLECULAR CLONING - A LABORATORY MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989). In one embodiment, RNA is extracted from cells of the various types of interest in this invention using guanidinium thiocyanate lysis followed by CsCl centrifugation (Chirgwin *et al.*, 1979, *Biochemistry* 18:5294-5299). In another embodiment, total RNA is extracted using a silica gel-based column, commercially available examples of which include RNeasy (Qiagen, Valencia, California) and StrataPrep (Stratagene, La Jolla, California). In an alternative embodiment, which is preferred for *S. cerevisiae*, RNA is extracted from cells using phenol and chloroform, as described in Ausubel *et al.*, eds., 1989, CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, Vol. III, Green Publishing Associates, Inc., John Wiley & Sons, Inc., New York, at pp. 13.12.1-13.12.5). Poly(A)⁺ RNA can be selected, *e.g.*, by selection with oligo-dT cellulose or, alternatively, by oligo-dT primed reverse transcription of total cellular RNA. In one embodiment, RNA can be fragmented by methods known in the art, *e.g.*, by incubation with ZnCl₂, to generate fragments of RNA. In another embodiment, the polynucleotide molecules analyzed by the invention comprise cDNA, or PCR products of amplified RNA or cDNA.

[0116] In one embodiment, total RNA, mRNA, or nucleic acids derived therefrom, is isolated from a sample taken from a person afflicted with breast cancer. Target polynucleotide molecules that are poorly expressed in particular cells may be enriched using normalization techniques (Bonaldo *et al.*, 1996, *Genome Res.* 6:791-806).

[0117] As described above, the target polynucleotides are detectably labeled at one or more nucleotides. Any method known in the art may be used to detectably label the target polynucleotides. Preferably, this labeling incorporates the label uniformly along the length of the RNA, and more preferably, the labeling is carried out at a high degree of efficiency. One embodiment for this labeling uses oligo-dT primed reverse transcription to incorporate the label; however, conventional methods of this method are biased toward generating 3' end fragments. Thus, in a preferred embodiment, random primers (*e.g.*, 9-mers) are used in reverse transcription to uniformly incorporate labeled nucleotides over the full length of the

target polynucleotides. Alternatively, random primers may be used in conjunction with PCR methods or T7 promoter-based *in vitro* transcription methods in order to amplify the target polynucleotides.

[0118] In a preferred embodiment, the detectable label is a luminescent label. For example, fluorescent labels, bioluminescent labels, chemiluminescent labels, and colorimetric labels may be used in the present invention. In a highly preferred embodiment, the label is a fluorescent label, such as a fluorescein, a phosphor, a rhodamine, or a polymethine dye derivative. Examples of commercially available fluorescent labels include, for example, fluorescent phosphoramidites such as FluorePrime (Amersham Pharmacia, Piscataway, N.J.), Fluoredate (Millipore, Bedford, Mass.), FAM (ABI, Foster City, Calif.), and Cy3 or Cy5 (Amersham Pharmacia, Piscataway, N.J.). In another embodiment, the detectable label is a radiolabeled nucleotide.

[0119] In a further preferred embodiment, target polynucleotide molecules from a patient sample are labeled differentially from target polynucleotide molecules of a standard. The standard can comprise target polynucleotide molecules from normal individuals (*i.e.*, those not afflicted with breast cancer). In a highly preferred embodiment, the standard comprises target polynucleotide molecules pooled from samples from normal individuals or tumor samples from individuals having sporadic-type breast tumors. In another embodiment, the target polynucleotide molecules are derived from the same individual, but are taken at different time points, and thus indicate the efficacy of a treatment by a change in expression of the markers, or lack thereof, during and after the course of treatment (*i.e.*, chemotherapy, radiation therapy or cryotherapy), wherein a change in the expression of the markers from a poor prognosis pattern to a good prognosis pattern indicates that the treatment is efficacious. In this embodiment, different timepoints are differentially labeled.

5.5.2.5 HYBRIDIZATION TO MICROARRAYS

[0120] Nucleic acid hybridization and wash conditions are chosen so that the target polynucleotide molecules specifically bind or specifically hybridize to the complementary polynucleotide sequences of the array, preferably to a specific array site, wherein its complementary DNA is located.

[0121] Arrays containing double-stranded probe DNA situated thereon are preferably subjected to denaturing conditions to render the DNA single-stranded prior to contacting with the target polynucleotide molecules. Arrays containing single-stranded probe DNA (*e.g.*, synthetic oligodeoxyribonucleic acids) may need to be denatured prior to contacting with the

target polynucleotide molecules, *e.g.*, to remove hairpins or dimers which form due to self complementary sequences.

[0122] Optimal hybridization conditions will depend on the length (*e.g.*, oligomer versus polynucleotide greater than 200 bases) and type (*e.g.*, RNA, or DNA) of probe and target nucleic acids. One of skill in the art will appreciate that as the oligonucleotides become shorter, it may become necessary to adjust their length to achieve a relatively uniform melting temperature for satisfactory hybridization results. General parameters for specific (*i.e.*, stringent) hybridization conditions for nucleic acids are described in Sambrook *et al.*, MOLECULAR CLONING - A LABORATORY MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1989), and in Ausubel *et al.*, CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, vol. 2, Current Protocols Publishing, New York (1994). Typical hybridization conditions for the cDNA microarrays of Schena *et al.* are hybridization in 5 X SSC plus 0.2% SDS at 65°C for four hours, followed by washes at 25°C in low stringency wash buffer (1 X SSC plus 0.2% SDS), followed by 10 minutes at 25°C in higher stringency wash buffer (0.1 X SSC plus 0.2% SDS) (Schena *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 93:10614 (1993)). Useful hybridization conditions are also provided in, *e.g.*, Tijessen, 1993, HYBRIDIZATION WITH NUCLEIC ACID PROBES, Elsevier Science Publishers B.V.; and Kricka, 1992, NONISOTOPIC DNA PROBE TECHNIQUES, Academic Press, San Diego, CA.

[0123] Particularly preferred hybridization conditions include hybridization at a temperature at or near the mean melting temperature of the probes (*e.g.*, within 51°C, more preferably within 21°C) in 1 M NaCl, 50 mM MES buffer (pH 6.5), 0.5% sodium sarcosine and 30% formamide.

5.5.2.6 SIGNAL DETECTION AND DATA ANALYSIS

[0124] When fluorescently labeled probes are used, the fluorescence emissions at each site of a microarray may be, preferably, detected by scanning confocal laser microscopy. In one embodiment, a separate scan, using the appropriate excitation line, is carried out for each of the two fluorophores used. Alternatively, a laser may be used that allows simultaneous specimen illumination at wavelengths specific to the two fluorophores and emissions from the two fluorophores can be analyzed simultaneously (*see* Shalon *et al.*, 1996, "A DNA microarray system for analyzing complex DNA samples using two-color fluorescent probe hybridization," *Genome Research* 6:639-645, which is incorporated by reference in its entirety for all purposes). In a preferred embodiment, the arrays are scanned with a laser

fluorescent scanner with a computer controlled X-Y stage and a microscope objective. Sequential excitation of the two fluorophores is achieved with a multi-line, mixed gas laser and the emitted light is split by wavelength and detected with two photomultiplier tubes. Fluorescence laser scanning devices are described in Schena *et al.*, *Genome Res.* 6:639-645 (1996), and in other references cited herein. Alternatively, the fiber-optic bundle described by Ferguson *et al.*, *Nature Biotech.* 14:1681-1684 (1996), may be used to monitor mRNA abundance levels at a large number of sites simultaneously.

[0125] Signals are recorded and, in a preferred embodiment, analyzed by computer, *e.g.*, using a 12 or 16 bit analog to digital board. In one embodiment the scanned image is despeckled using a graphics program (*e.g.*, Hijaak Graphics Suite) and then analyzed using an image gridding program that creates a spreadsheet of the average hybridization at each wavelength at each site. If necessary, an experimentally determined correction for “cross talk” (or overlap) between the channels for the two fluors may be made. For any particular hybridization site on the transcript array, a ratio of the emission of the two fluorophores can be calculated. The ratio is independent of the absolute expression level of the cognate gene, but is useful for genes whose expression is significantly modulated in association with the different breast cancer-related condition.

5.6 THERAPEUTIC REGIMENS SPECIFIC TO PATIENT SUBSETS

[0126] The benefit of identifying subsets of individuals that have a common condition, followed by identification of sets of genes informative for those particular subsets of individuals, is that such subdivision and identification tends to more accurately identify the subset of genes responsible for, or most closely associated with, a particular form of the condition. For example, breast cancer is a complex condition brought about by several different molecular mechanisms. ER⁺ individuals, particularly ER⁺, ER/AGE high individuals, show an increased level of expression of cell cycle-control genes, and the expression of these genes is highly informative for prognosis in this patient subset (*see* Examples). In ER⁻ individuals, however, the expression of these genes is not informative for prognosis.

[0127] The set of informative markers, therefore, can be used to assign a particular course of therapy to an individual, *e.g.*, an individual having breast cancer, depending upon the condition subset into which the individual is classified. In one embodiment, therefore, the invention provides a method of assigning a course of therapy to an individual having a condition, said method comprising classifying the individual into one of a plurality of subsets

of a condition, wherein a plurality of informative genes has been identified for at least one of said subsets; and assigning a course of therapy known or suspected to be effective for treating the subset of the condition associated with those genes. In a specific embodiment, said condition is breast cancer, said patient subset is ER+, ER/AGE high status, and said course of therapy comprises the administration of one or more compounds known or suspected to be effective at arresting the cell cycle. In a more specific embodiment, said one or more compounds comprises taxol or a vinca alkaloid.

[0128] Of course, any course of therapy selected or assigned on the basis of the above phenotypes and gene expression may be supplemented by other treatments or courses of therapy relevant to or known or suspected to be effective in the treatment of the condition. For example, the treatment of breast cancer may additionally comprise surgery, either tissue-preserving or radical, radiation treatment, chemotherapy other than that suggested by gene expression analysis, or any other therapy or treatment known or suspected to be effective.

5.7 CLINICAL TRIALS

The method of the present invention may also be used to assign individuals to categories within a clinical trial. For example, individuals may be distinguished according to a characteristic of a condition, such as prognosis, and results of the trial correlated with prognosis. In a specific example, the condition is breast cancer, and the characteristic is prognosis, *i.e.*, expected reoccurrence or non-reoccurrence of metastases within a given period, for example, five years, after initial diagnosis. Thus, the invention provides a method for assigning an individual to one of a plurality of categories in a clinical trial, comprising classifying the individual into one of a plurality of condition categories differentiated by at least one genotypic or phenotypic characteristic of the condition; determining the level of expression, in a sample derived from said individual, of a plurality of genes informative for said condition category; determining whether said level of expression of said plurality of genes indicates that the individual has a good prognosis or a poor prognosis; and assigning the individual to a category in a clinical trial on the basis of prognosis. In a specific embodiment, the invention provides a method of assigning an individual to a category in a breast cancer clinical trial, said method comprising: (a) classifying said individual as ER⁻, *BRCA1*, ER⁻, sporadic; ER⁺, ER/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻; (b) determining for said individual the level of expression of at least two genes for which markers are listed in Table 1 if said individual is classified as ER⁻, *BRCA1*; Table 2 if said individual is classified as ER⁻, sporadic; Table 3 if said individual is classified as ER⁺,

ER/AGE high; Table 4 if said individual is classified as ER+, ER/AGE low, LN+; or Table 5 if said individual is classified as ER+, ER/AGE low, LN⁻; (c) determining whether said individual has a pattern of expression of said at least two genes that correlates with a good prognosis or a poor prognosis; and (d) assigning said individual to at least one category in a clinical trial if said individual has a good prognosis, and assigning said individual to a second category in said clinical trial if said individual has a poor prognosis. In a more specific embodiment, said individual is additionally assigned to a category in said clinical trial on the basis of the classification of said individual as determined in step (a). In another more specific embodiment, said individual is additionally assigned to a category in said clinical trial on the basis of any other clinical, phenotypic or genotypic characteristic of breast cancer. In another more specific embodiment, the method additionally comprises determining in said cell sample the level of expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis of breast cancer, and determining from the expression of said second plurality of genes, in addition to said first plurality of genes, whether said individual has a good prognosis or a poor prognosis.

5.8 KITS

[0129] The present invention further provides for kits comprising the marker sets above. In a preferred embodiment, the kit contains a microarray ready for hybridization to target polynucleotide molecules. In specific embodiments, the kit may contain any of the microarrays described in detail in Section 5.5.2. The kit may additionally comprise software for the data analyses described above, as described in detail in Section 5.9.

5.9 COMPUTER-FACILITATED ANALYSIS

[0130] The analytic methods described in the previous sections can be implemented by use of the following computer systems and according to the following programs and methods. A computer system comprises internal components linked to external components. The internal components of a typical computer system include a processor element interconnected with a main memory. For example, the computer system can be based on an Intel 8086-, 80386-, 80486-, Pentium™, or Pentium™-based processor with preferably 32 MB or more of main memory. The computer system may also be a Macintosh or a Macintosh-based system, but may also be a minicomputer or mainframe.

[0131] The external components preferably include mass storage. This mass storage can be one or more hard disks (which are typically packaged together with the processor and

memory). Such hard disks are preferably of 1 GB or greater storage capacity. Other external components include a user interface device, which can be a monitor, together with an inputting device, which can be a “mouse”, or other graphic input devices, and/or a keyboard. A printing device can also be attached to the computer.

[0132] Typically, a computer system is also linked to network link, which can be part of an Ethernet link to other local computer systems, remote computer systems, or wide area communication networks, such as the Internet. This network link allows the computer system to share data and processing tasks with other computer systems.

[0133] Loaded into memory during operation of this system are several software components, which are both standard in the art and special to the instant invention. These software components collectively cause the computer system to function according to the methods of this invention. These software components are typically stored on the mass storage device. A software component comprises the operating system, which is responsible for managing computer system and its network interconnections. This operating system can be, for example, of the Microsoft Windows[®] family, such as Windows 3.1, Windows 95, Windows 98, Windows 2000, or Windows NT, or may be of the Macintosh OS family, or may be UNIX, a UNIX derivative such as LINUX, or an operating system specific to a minicomputer or mainframe. The software component represents common languages and functions conveniently present on this system to assist programs implementing the methods specific to this invention. Many high or low level computer languages can be used to program the analytic methods of this invention. Instructions can be interpreted during run-time or compiled. Preferred languages include C/C++, FORTRAN and JAVA. Most preferably, the methods of this invention are programmed in mathematical software packages that allow symbolic entry of equations and high-level specification of processing, including some or all of the algorithms to be used, thereby freeing a user of the need to procedurally program individual equations or algorithms. Such packages include Mathlab from Mathworks (Natick, MA), Mathematica[®] from Wolfram Research (Champaign, IL), or S-Plus[®] from Math Soft (Cambridge, MA). Specifically, the software component includes the analytic methods of the invention as programmed in a procedural language or symbolic package.

[0134] The software to be included with the kit comprises the data analysis methods of the invention as disclosed herein. In particular, the software may include mathematical routines for marker discovery, including the calculation of similarity values between clinical categories (*e.g.*, prognosis) and marker expression. The software may also include

mathematical routines for calculating the similarity between sample marker expression and control marker expression, using array-generated fluorescence data, to determine the clinical classification of a sample.

[0135] Additionally, the software may also include mathematical routines for determining the prognostic outcome, and recommended therapeutic regimen, for a particular breast cancer patient. Such software would include instructions for the computer system's processor to receive data structures that include the level of expression of five or more of the marker genes listed in any of Tables 1-5 in a breast cancer tumor sample obtained from the breast cancer patient; the mean level of expression of the same genes in a control or template; and the breast cancer patient's clinical information, including age, lymph node status and ER status. The software may additionally include mathematical routines for transforming the hybridization data and for calculating the similarity between the expression levels for the marker genes in the patient's breast cancer tumor sample and a control or template. In a specific embodiment, the software includes mathematical routines for calculating a similarity metric, such as a coefficient of correlation, representing the similarity between the expression levels for the marker genes in the patient's breast cancer tumor sample and the control or template, and expressing the similarity as that similarity metric.

[0136] The software preferably would include decisional routines that integrate the patient's clinical and marker gene expression data, and recommend a course of therapy. In one embodiment, for example, the software causes the processor unit to receive expression data for prognosis-related genes in the patient's tumor sample, calculate a metric of similarity of these expression values to the values for the same genes in a template or control, compare this similarity metric to a pre-selected similarity metric threshold or thresholds that differentiate prognostic groups, assign the patient to the prognostic group, and, on the basis of the prognostic group, assign a recommended therapeutic regimen. In a specific example, the software additionally causes the processor unit to receive data structures comprising clinical information about the breast cancer patient. In a more specific example, such clinical information includes the patient's age, estrogen receptor status, and lymph node status.

[0137] The software preferably causes the processor unit to receive data structures comprising relevant phenotypic and/or genotypic characteristics of the particular condition of interest, and/or of an individual having that condition, and classifies the individual into a condition subset according to those characteristics. The software then causes the processor to receive values for subset-specific markers, to calculate a metric of similarity of the values associated with those markers (*e.g.*, level, abundance, activity, *etc.*) from the individual to a

control, compare this similarity metric to a pre-selected similarity metric threshold or thresholds that differentiate prognostic groups, assign the patient to a prognostic group, and, on the basis of the prognostic group, assign a recommended therapeutic regimen. In the specific example of breast cancer and a breast cancer patient, the software, in one embodiment, causes the processor unit to receive data structures comprising the patient's age, estrogen receptor status, and lymph node status, and on the basis of this data, to classify the patient into one of the following patient subsets: ER⁻, sporadic; ER⁻, *BRCA1*; ER⁺, AR/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻. The software then causes the processor to receive expression values for subset-specific prognosis-informative gene expression in the patient's tumor sample, calculate a metric of similarity of these expression values to the values for the same genes in a patient subset-specific template or control, compare this similarity metric to a pre-selected similarity metric threshold or thresholds that differentiate prognostic groups, assign the patient to the prognostic group, and, on the basis of the prognostic group, assign a recommended therapeutic regimen.

[0138] Where the control is an expression template comprising expression values for marker genes within a group of patients, *e.g.*, breast cancer patients, the control can comprise either hybridization data obtained at the same time (*i.e.*, in the same hybridization experiment) as the patient's individual hybridization data, or can be a set of hybridization or marker expression values stored on a computer, or on computer-readable media. If the latter is used, new patient hybridization data for the selected marker genes, obtained from initial or follow-up tumor samples, or suspected tumor samples, can be compared to the stored values for the same genes without the need for additional control hybridizations. However, the software may additionally comprise routines for updating the control data set, *e.g.*, to add information from additional breast cancer patients or to remove existing members of the control data set, and, consequently, for recalculating the average expression level values that comprise the template. In another specific embodiment, said control comprises a set of single-channel mean hybridization intensity values for each of said at least five of said genes, stored on a computer-readable medium.

[0139] Clinical data relating to a breast cancer patient, or a patient having another type of condition, and used by the computer program products of the invention, can be contained in a database of clinical data in which information on each patient is maintained in a separate record, which record may contain any information relevant to the patient, the patient's medical history, treatment, prognosis, or participation in a clinical trial or study, including

expression profile data generated as part of an initial diagnosis or for tracking the progress of the condition, for example, breast cancer, during treatment.

[0140] Thus, one embodiment of the invention provides a computer program product for classifying a breast cancer patient according to prognosis, the computer program product for use in conjunction with a computer having a memory and a processor, the computer program product comprising a computer readable storage medium having a computer program mechanism encoded thereon, wherein said computer program product can be loaded into the one or more memory units of a computer and causes the one or more processor units of the computer to execute the steps of (a) receiving a first data structure comprising said breast cancer patient's age, ER status, LN status and tumor type; (b) classifying said patient as ER⁻, sporadic; ER⁻, *BRCA1*; ER+, ER/AGE high; ER+, ER/AGE low, LN+; or ER+, ER/AGE low, LN⁻; (c) receiving a first data structure comprising the level of expression of at least two genes in a cell sample taken from said breast cancer patient wherein markers for said at least two genes are listed in Table 1 if said patient is classified as ER⁻, sporadic; Table 2 if said patient is classified as ER⁻, sporadic; Table 3 if said patient is classified as ER+, ER/AGE high; Table 4 if said patient is classified as ER+, ER/AGE low, LN+; or Table 5 if said patient is classified as ER+, ER/AGE high, LN⁻; (d) determining the similarity of the level of expression of said at least two genes to control levels of expression of said at least two genes to obtain a patient similarity value; (e) comparing said patient similarity value to selected first and second threshold values of similarity of said level of expression of said genes to said control levels of expression to obtain first and second similarity threshold values, respectively, wherein said second similarity threshold indicates greater similarity to said control levels of expression than does said first similarity threshold; and (f) classifying said breast cancer patient as having a first prognosis if said patient similarity value exceeds said first and said second threshold similarity values, a second prognosis if said patient similarity value exceeds said first threshold similarity value but does not exceed said second threshold similarity value, and a third prognosis if said patient similarity value does not exceed said first threshold similarity value or said second threshold similarity value. In a specific embodiment of said computer program product, said first threshold value of similarity and said second threshold value of similarity are values stored in said computer. In another more specific embodiment, said first prognosis is a "very good prognosis," said second prognosis is an "intermediate prognosis," and said third prognosis is a "poor prognosis," and wherein said computer program mechanism may be loaded into the memory and further cause said one or more processor units of said computer to execute the step of assigning said breast cancer

patient a therapeutic regimen comprising no adjuvant chemotherapy if the patient is lymph node negative and is classified as having a good prognosis or an intermediate prognosis, or comprising chemotherapy if said patient has any other combination of lymph node status and expression profile. In another specific embodiment, said computer program mechanism may be loaded into the memory and further cause said one or more processor units of the computer to execute the steps of receiving a data structure comprising clinical data specific to said breast cancer patient. In a more specific embodiment, said single-channel hybridization intensity values are log transformed. The computer implementation of the method, however, may use any desired transformation method. In another specific embodiment, the computer program product causes said processing unit to perform said comparing step (e) by calculating the difference between the level of expression of each of said genes in said cell sample taken from said breast cancer patient and the level of expression of the same genes in said control. In another specific embodiment, the computer program product causes said processing unit to perform said comparing step (e) by calculating the mean log level of expression of each of said genes in said control to obtain a control mean log expression level for each gene, calculating the log expression level for each of said genes in a breast cancer sample from said breast cancer patient to obtain a patient log expression level, and calculating the difference between the patient log expression level and the control mean log expression for each of said genes. In another specific embodiment, the computer program product causes said processing unit to perform said comparing step (e) by calculating similarity between the level of expression of each of said genes in said cell sample taken from said breast cancer patient and the level of expression of the same genes in said control, wherein said similarity is expressed as a similarity value. In more specific embodiment, said similarity value is a correlation coefficient. The similarity value may, however, be expressed as any art-known similarity metric.

[0141] In an exemplary implementation, to practice the methods of the present invention, a user first loads experimental data into the computer system. These data can be directly entered by the user from a monitor, keyboard, or from other computer systems linked by a network connection, or on removable storage media such as a CD-ROM, floppy disk (not illustrated), tape drive (not illustrated), ZIP[®] drive (not illustrated) or through the network. Next the user causes execution of expression profile analysis software which performs the methods of the present invention.

[0142] In another exemplary implementation, a user first loads experimental data and/or databases into the computer system. This data is loaded into the memory from the storage

media or from a remote computer, preferably from a dynamic geneset database system, through the network. Next the user causes execution of software that performs the steps of the present invention.

[0143] Additionally, because the data obtained and analyzed in the software and computer system products of the invention are confidential, the software and/or computer system comprises access controls or access control routines, such as

[0144] Alternative computer systems and software for implementing the analytic methods of this invention will be apparent to one of skill in the art and are intended to be comprehended within the accompanying claims. In particular, the accompanying claims are intended to include the alternative program structures for implementing the methods of this invention that will be readily apparent to one of skill in the art.

6. EXAMPLE: IDENTIFICATION OF PHENOTYPIC SUBSETS AND INFORMATIVE GENESETS FOR EACH

Materials and Methods

Tumor Samples:

[0145] 311 cohort samples were collected from breast cancer patients. Selection criteria for sporadic patients (*i.e.*, those not identified as having a *BRCA1*-type tumor; $n = 291$) included: primary invasive breast carcinoma less than 5 cm (T1 or T2); no axillary metastases (N0); age at diagnosis of less than 55 years; calendar year of diagnosis 1983-1996; and no previous malignancies. All patients were treated by modified radical mastectomy or breast-conserving treatment. See van't Veer *et al.*, *Nature* 415:530 (2002). Selection criteria for hereditary (*i.e.*, *BRCA1*-type; $n = 20$) tumors included: carriers of germline mutation in *BRCA1* or *BRCA2*, and primary invasive breast carcinoma. van't Veer, *supra*. Additionally, for development of a classifier for the *BRCA1* group, 14 *BRCA1* samples previously identified (see van't Veer, *supra*) were added to the 20 *BRCA1* type samples to increase sample size. Those 14 samples also satisfy the conditions that they are ER negative and age less than 55 years old.

[0146] Data analysis:

[0147] Sample sub-grouping: As shown in FIG. 1, tumor samples were first divided into ER+ and ER⁻ branches since this is the dominant gene expression pattern. In the ER⁻ branch, the samples were further divided into "BRCA1 mutation like" and "Sporadic like" categories using the expression templates and 100 genes previously identified as optimal for determining *BRCA1* status. See van't Veer *et al.*, *Nature* 415:530 (2002). In the ER+

category, samples were divided by ER vs. age distribution (see below) into two groups, “ER/AGE low” and “ER/AGE high.” Within the “ER/AGE low” group, samples were further divided according to the lymph node status into two sub-groups: lymph node negative (0 lymph nodes; LN-) and positive (> 0 lymph nodes; LN+) group.

[0148] The result of these divisions was five distinctive sub-groups: “ER⁻, sporadic” ($n = 52$), “ER⁻, BRCA1” ($n = 34$), “ER⁺, ER/AGE high” ($n = 83$), “ER⁺, ER/AGE low, LN⁻” ($n = 81$), and “ER⁺, ER/AGE low, LN⁺” ($n = 75$). A few samples with a specific ER vs. age distribution in “ER⁺, ER/AGE low, LN⁺” group were further excluded to develop a classifier, see below for details.

[0149] Estrogen receptor level: Estrogen receptor gene expression level was measured by a 60mer oligo-nucleotide on a microarray. Since every individual sample was compared to a pool of all samples, the ratio to pool was used to measure the relative level. A threshold of -0.65 on $\log_{10}(\text{ratio})$ was used to separate the ER⁺ group from ER⁻ group. See van't Veer *et al.*, *Nature* 415:530 (2002).

[0150] Grouping by ER vs. age distribution: Samples were not uniformly distributed in ER vs. age space among the ER⁺ samples (FIG. 2). First, it appeared that the ER level increases with age, as there were few samples from young individuals having a high ER expression level. For example, in the 35 to 40 years age group, samples having a $\log(\text{ratio})$ of ER > 0.2 are relatively few as compared to the 40 to 45 age group. In the set of samples used, the $40 < \text{age} \leq 45$ group contains 30 samples having $\log(\text{ratio})$ ER values between -0.2 to 0.2 , and 28 samples having values greater than 0.2 , whereas the $35 < \text{age} \leq 40$ group includes 24 samples with values between -0.2 to 0.2 , but only 6 samples with values of greater than 0.2 (Fisher's exact test P-value: 1%). The increasing ER level with age may simply due to the fact that estrogen levels decrease with age, and the estrogen receptor level rises in compensation.

[0151] There also appear to be at least two groups of patients, as indicated by the solid line separating the two in FIG. 2A. A bimodality test of the separation indicated by the solid line yielded P-value $< 10^{-4}$. Each of these two groups has its own trend between the ER level and age. The solid line can be approximated by $\text{ER} = 0.1(\text{age} - 42.5)$. Patients having values above the solid line are referred to as the “ER/AGE high” group, and the patients below the line as the “ER/AGE low” group.

Prognosis in each group:

[0152] Feature selection and performance evaluation: For the prognosis in each group, non-informative genes were filtered in each group of patients. Specifically, only genes with $|\log_{10}(\text{ratio})| > \log_{10}(2)$ and P-value (for $\log(\text{ratio}) \neq 0$) < 0.01 in more than 3 experiments

were kept. This step removed all genes that never had any significant change across all samples. The second step used a leave-one-out cross validation (LOOCV) procedure to optimize the number of reporter genes (features) in the classifier and to estimate the performance of the classifier in each group. The feature selection was included inside the loop of each LOOCV process. The final “optimal” reporter genes were selected using all of the “training samples” as the result of “re-substitution” because one classifier was needed for each group.

[0153] Selection of training samples: Only the samples from patients who had metastases within 5 years of initial diagnosis (3 years for “ER⁻, sporadic” samples; *i.e.*, the “poor outcome” group), or who were metastases-free with more than 5 years of follow-up time (*i.e.*, the “good outcome” group), were used as the training set. Because the average expression levels for informative genes among patients who were metastasis-free, or who had early metastases, were used as expression templates for prediction, the training samples for the ER⁺ samples were further limited to those samples that could also be correctly classified by the first round of LOOCV process. For the “ER⁻, sporadic” samples, no such iteration was done because no improvement was observed. For the “ER⁻, BRCA1” samples, an iteration was done, but the training samples in the second iteration were limited to the correctly predicted good outcome samples from the first round of LOOCV, and all the poor outcome samples with metastases time less than 5 years. Further limitation of the poor outcome samples was not performed because of the small number of poor samples and the absence of improvement by such limitation. In the first round of LOOCV, except for the “ER⁻, sporadic” group, the number of features was fixed at 50 genes. A patient was predicted to have a favorable outcome, that is, no metastases within five years of initial diagnosis, if the expression of the reporter genes in a sample from the individual was more similar to the “average good profile” than the “average poor profile”, and a poor outcome, that is, a metastasis within five years, if the expression of the reporter genes in the sample was more similar to the “average poor profile” than the “average good profile”.

[0154] The justification for such an iteration operation is threefold. First, biologically, there are always a few individuals with specific reasons (different from the vast majority) to stay metastases free or to develop metastases. Second, statistically, most groups of patients include outliers that don’t follow the distribution of the majority of samples. Third, methodologically, the iteration operation is very similar to the idea of “boosting”, but instead of increasing the weights of the samples predicted wrong, emphasis is placed on the well behaved samples for selecting features and training the classifier. Since this process was

used to select “training samples”, and the performance was evaluated using the LOOCV (including the feature selection) after the training sample being fixed, there is no issue of over-fitting involved in our procedures. This method of iteration is thus more likely to reveal the dominant mode to metastases within each group.

[0155] Error rate and odds ratio, threshold in the final LOOCV: Unless otherwise stated, the error rate is the average error rate from two populations: (1) the number of poor outcome samples misclassified as good outcome samples, divided by the total number of poor outcome samples; and (2) the total number of good outcome samples misclassified as poor outcome samples, divided by the total number of good samples. Two odds ratios are reported for a given threshold: (1) the overall odds ratio and (2) the 5 year odds ratio. The 5 year odds ratio was calculated from samples from individuals that were metastases free for more than five years, and who experienced metastasis within 5 years. The threshold was applied to **cor1 – cor2**, where “cor1” stands for the correlation to the “average good profile” in the training set, and “cor2” stands for the correlation to the “average poor profile” in the training set.

[0156] The threshold in the final round of LOOCV was defined using the following steps: (1) For each of the N sample *i* left out for training, features based on the training set were selected. (2) Given a feature set, an incomplete LOOCV with N-1 samples was performed (only the “average poor profile” and “average good profile” is varied depending on whether the left out sample is in the training set or not). (3) The threshold based on the minimum error rate from N-1 samples was determined, and that threshold was assigned to sample *i* in step (1). (4) The median threshold from all N samples was taken, and designated the final threshold. FIGS. 3-7 present detailed information about classifiers for the 5 groups: “ER⁻, sporadic”, “ER⁻, BRCA1”, “ER⁺, ER/age high”, “ER⁺, ER/age low, LN⁻”, “ER⁺, ER/age low, LN⁺”. Tables 1-5 (*see* Section 5.3) list the final optimal reporter genes for each of the 5 classifiers for each of the five patient subsets. Table 6, below, summarizes the performance of each of the five classifiers together with thresholds used in each classifier.

Table 6. Performance of classifiers for each patient subset.

Classifier	Optimal # of Genes	(C1-C2) Threshold	Metastasis Free	# of Samples	TP	FP	FN	TN	Odds Ratio	95% C.I.
ER ⁺ , ER/AGE high	50	1.22	Overall	83	31	14	5	33	14.61	4.71-45.36
			5 year	71	24	11	3	33	24.00	6.03-95.46
ER ⁺ , ER/AGE low, LN ⁻	65	0.38	Overall	81	14	6	6	55	21.39	5.98-76.52

			5 year	73	11	4	5	53	29.15	6.73-126.33
ER+, ER/AGE low, LN+	50	-0.12	Overall	56	7	4	6	39	11.38	2.54-50.94
			5 year	48	5	4	3	36	15.00	2.57-87.64
ER-, sporadic	20	-0.01	Overall	52	18	7	7	29	7.35	2.16-25.04
			5 year	45	16	5	6	18	9.60	2.45-37.58
ER-, BRCA1	10	-0.37	Overall	34	6	3	3	22	14.67	2.34-92.11
			5 year	22	6	1	3	12	24.00	2.04-282.68

TP: True positive

FP: False positive

FN: False negative

TN: True negative

[0157] Classification method: All classifiers described herein, feature selection and optimization were included inside the LOOCV loop. Classifier performance was based on the LOOCV results. The profile based on the selected features from each patient was compared to the “average good profile” and “average poor profile” (by correlation) to determine its predicted outcome.

[0158] Correlation calculation: The correlation between each gene’s expression log(ratio) and the endpoint data (final outcome) was calculated using the Pearson’s correlation coefficient. The correlation between each patient’s profile and the “average good profile” and “average poor profile” is the cosine product (no mean subtraction).

Results:

[0159] We employed the comprehensive prognosis strategy on microarray expression profiles of 311 patients diagnosed before age 55 that were all part of previous studies establishing and validating a 70-gene prognosis profile. See van 't Veer *et al.*, *Nature* 415:530 (2002); van de Vijver *et al.*, *N. Engl. J. Med.* 347:1999 (2002). In addition, 14 known *BRCA1* samples from the *Nature* study were included in defining the prognosis classifier for the *BRCA1* group. The overview of the stratifications is shown in FIG. 1. In each of the patient subsets, prognosis classifiers were developed and performance was evaluated by leave-one-out cross-validation. The biological make up of each of the classifiers was also examined.

[0160] During the process to decide whether a particular clinical parameter should be used for the next stratification, our objectives were twofold: (1) identification of homogeneous prognosis patterns; and/or (2) improved prognosis in the subsets. There is a subtle balance

between these two objectives because smaller groups will likely lead to uniform patterns within the group but have increasingly limited predictive power. With the exception of the *BRCA1* subset, each group in our stratification contained 50 or more samples.

[0161] The first layer of stratification was based on the estrogen receptor level. We and others previously observed that estrogen receptor expression has a dominant effect on overall gene expression in breast cancer as seen in hierarchical clustering. van 't Veer *et al.*, *Nature* 415:530 (2002); Perou *et al.*, *Nature* 406:747 (2000); Gruvberger *et al.*, *Cancer Res.* 61:5979 (2001). In our previous analysis up to 2500 genes are significantly correlated with ER expression levels in tumor. van 't Veer *et al.*, *Nature* 415:530 (2002). According to the threshold defined previously (van de Vijver *et al.*, *N. Engl. J. Med.* 347:1999 (2002)), samples were first divided into two groups according to the estrogen receptor level as measured by the oligo probe (accession number: NM_000125) on the array; samples with $\log(\text{ratio}) > -0.65$ belong to the ER+ group, and the rest belong to ER⁻ group). This resulted in 239 samples in the ER+ group and 72 samples in the ER⁻ group.

[0162] In the ER+ branch we observed that when displaying ER expression level as a function of age, at least two subgroups appear to exist. (In general, any bimodality in the clinical data is useful.) We therefore decided to stratify the tumors according this bimodality (see FIG. 2). The group of ER+ patients having a high ER/AGE ratio was designated the “ER/AGE high” group (83 samples), and the remaining group of patients was designated “ER/AGE low” group (156 samples).

[0163] Within the “ER/age high” group, we identified a group of prognosis reporter genes that highly correlated with the outcome (see Table 3). Moreover, the expression of these genes appeared to be very homogeneous, as indicated by high similarity in expression among those genes. See FIG 2A. Leave-one-out cross validation including reporter selection yielded an odds ratio of 14.6 (95%CI: 4.7-45.4) and 5 year odds ratio of 24.0 (95%CI: 6.0-95.5). Examination of those reporter genes reveals they are mostly the cell cycle genes which are highly expressed in the poor outcome tumors. It is worth noting that even though this group includes LN+ and LN- individuals, and mixed treatment, the incidence of distant metastases is predicted by a biologically uniform set of genes, possibly indicating that proliferation is the prime driving force for disease progression. Also even though variation in these genes is observed in other tumor subgroups this is generally not correlated with outcome in those settings (see below).

[0164] In the “ER/age low” group, no predictive pattern was found in the whole group; thus, the samples were further stratified into LN⁻ (81 samples, referred to as “ER/age low LN⁻”) and LN⁺ (75 samples, referred to as “ER/age low LN⁺”) group.

[0165] Within the “ER/age low LN⁻” group, a group of genes was identified that was uniformly co-regulated, and which correlated with the outcome. Leave-one-out cross-validation (including feature selection) yielded an odds ratio of 21.4 (95% CI: 6.0-76.5) and 5 year odds ratio of 29.2 (95% CI: 6.7-126.3). This group of genes is also enriched for individual biological functions (see below).

[0166] For the “ER/age low LN⁺” subset, an informative set of genes (*see* Table 4) was obtained after exclusion of several samples from older individuals having low ER levels. These samples are indicated in FIG. 2A as those lying below the dashed line (approximated as $ER < 0.1 * (age - 50)$). 56 samples remained after the exclusion. This sample set allowed the identification of a group of genes with a highly homogeneous pattern that is useful for prognosis (overall odds ratio: 11.4 (2.5-50.9), 5 year odds ratio: 15.0 (2.6-87.6)). This suggests again that ER vs. age is an important combination for stratifying breast cancer patients. The reporter genes involved in this classifier also correlated with the clinical measure of the degree of lymphocytic infiltration (data not shown). The prediction in this group is not as strong as other positive groups, which may indicate the primary tumor carries weaker information about the metastases for this group of patients, and the metastases may be started from or influenced by tumors already in lymph nodes.

[0167] In the ER⁻ branch, because a portion of the samples are “BRCA1-like,” it is natural to divide the samples into “BRCA1-like” and “sporadic like”. To perform the classification, the BRCA1/sporadic tumor type classifier described in Roberts *et al.*, “Diagnosis and Prognosis of Breast Cancer Patients,” International Publication No. WO 02/103320, which is hereby incorporated by reference in its entirety, to segregate the ER⁻ cohort samples. 52 out of the 72 ER⁻ samples were found to be “sporadic like” and 20 were found to be “BRCA1-like”. Interestingly, the “sporadic like” group is enriched for erbb2 mutations (data not shown).

[0168] Within the “ER⁻, sporadic” group, no homogeneous prognosis pattern was identified; however, 20 genes were identified that are highly predictive of the tumor outcome (*see* Table 2). Leave-one-out cross-validation including feature selection yielded an odds ratio of 7.4 (95% CI 2.2-25.0) and 5 year odds ratio 9.6 (2.5 – 37.6). This result represents a significant improvement in prognosis compared to the previously-identified 70 gene prognosis classifier (*see* Roberts *et al.*, International Publication No. WO 02/103320; van 't Veer *et al.*, *Nature* 415:530 (2002)) which has no within-group prognostic power for the ER⁻ patient subset.

The fact that 20 genes predict outcome and that there is no homogeneous (and apparent biological) pattern in this group probably indicates multiple mechanisms of metastasis in this group. Gene annotation indicates that genes included may be involved in invasion, energy metabolism and other functions.

[0169] For the “ER⁻, *BRCAl*-like” group, we added 14 BRCA1 mutation carrier samples from our previous study to increase the number of samples. Those 14 extra samples also satisfy our selection criteria: ER negative and age less than 55 years. The leave-one-out cross validation process identified 10 genes that are predictive of final outcomes. The overall odds ratio is 14.7 (95% CI: 2.3-92.1) and the 5 year odds ratio is 24.0 (95% CI: 2.0-282.7).

[0170] Because no homogeneous gene expression patterns were found in ER⁻ branch, the predictive power of those genes was further validated. One means of further validation was to review the different classifier gene sets for biological interpretations and to identify genes within each classifier that gave indications as to the origins of the tumors.

[0171] The “ER⁺, ER/AGE high” group yielded a classifier highly enriched for cell cycle genes with both G1/S and G2/M phases represented. In this group, over-expression of 46 of the 50 genes is associated with disease progression including all the known cell cycle genes. This is consistent with rapid growth being the determinant of metastatic potential. Four genes in this classifier are anti-correlated with outcome and cell cycle. One of these genes encodes follistatin, which binds to and inhibits activin and other members of the TGFβ family (Lin *et al.*, *Reproduction* 126:133 (2003)), the members of which have many functions, including growth stimulation. Tumor grade also accurately predicts metastatic potential in this group (overall odds ratio: 5.9, 95% CI: 2.0-18.0, 5 year odds ratio: 12.5, 95% CI: 2.6-59.3) and is also correlated with the expression level of these genes, which is consistent with rate of growth being the primary determinant of disease progression. This set of genes has a significantly lower correlation with outcome in the other patient subsets, even though coordinate and similarly variable expression is seen. For example, many tumors in the “ER⁻, sporadic” group have high cell cycle and low FST expression, but the expression of these genes in these groups is minimally correlated with outcome, indicating that growth is not the primary determinant of outcome here (*see* FIGS. 8A and 8B).

[0172] The ER⁺, ER/AGE low, LN⁻ group yielded a classifier rich in both genes for glycolytic enzymes (12 of 56) and genes induced by hypoxia and/or angiogenesis (14 of 56) with 5 genes falling into both categories. These genes are positively correlated with poor outcome, implying that energy metabolism (glycolysis), angiogenesis and adaptation to hypoxia are critical pathways in this subgroup of tumors. None of these genes appear in the

classifiers for the other patient subsets, and there is a much reduced predictive value of these genes in the other tumors, even though coordinate and similarly variable expression is seen (see FIG. 8C and 8D).

[0173] The implication of the above analyses is that certain well known functions (growth, angiogenesis, energy metabolism) are important in certain tumor types and not in others, and therefore therapies that target these functions will be likely be similarly effective in some tumor subgroups and not in others. For example therapies that target cell cycle progression, such as taxol or the vinca alkaloids, may be optimally effective in the ER+, ER/AGE high group, where overexpression of cell cycle genes predominates in the classifier. In contrast, tumor subgroups in which variation in cell cycle expression is not correlated with outcome may be less sensitive to taxol or the vinca alkaloids.

[0174] The “comprehensive prognosis” approach significantly improves the prediction error rate when compared with 70 gene classifier (Table 7). To make the comparison fair, we listed two sets of results from the 70 gene classifier. The first results from the use of the same threshold applied to all the patient subsets (threshold previously optimized for false negative rate); the second one results from the use of a threshold optimized for each patient subset (optimized for average error rate). The comprehensive approach lowered the error rate by at least 6%.

Table 7. Average error rate for the patient subset approach compared with the previously-described 70 gene classifier.

Prognosis method	over all error rate	5 year error rate
70 gene, fix thresh	30.90%	25.70%
70 gene, opt thresh	28.60%	27.60%
Comprehensive	21.50%	19.30%

Fix thresh: use of a fixed threshold in the classifier as previously determined.

Opt threshold: use of a threshold optimized for each sub-group. For the “ER/Age low, LN+” subgroup, 56 samples used for developing the classifier were included here, resulted in 306 samples in total.

7. REFERENCES CITED

[0175] All references cited herein are incorporated herein by reference in their entirety and for all purposes to the same extent as if each individual publication or patent or patent application was specifically and individually indicated to be incorporated by reference in its entirety for all purposes.

[0176] Many modifications and variations of the present invention can be made without departing from its spirit and scope, as will be apparent to those skilled in the art. The specific embodiments described herein are offered by way of example only, and the invention is to be limited only by the terms of the appended claims along with the full scope of equivalents to which such claims are entitled.

What is claimed is:

1. A method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising:

- (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics of said condition into a plurality of first classes; and
- (b) identifying within each of said first classes a first set of genes or markers informative for said condition

wherein said first set of genes or markers within each of said first classes is unique to said class relative to other first classes.

2. The method of claim 1, which further comprises additionally classifying into a plurality of second classes said samples or individuals in at least one of said first classes on the basis of a phenotypic or genotypic characteristic different than that used in said classifying step (a); and identifying within at least one of said second classes a second set of informative genes or markers, wherein said second set of informative genes or markers within each of said second classes is unique to said second class relative to other first and second classes.

3. A method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising:

- (a) classifying each of a plurality of samples or individuals on the basis of one or more phenotypic or genotypic characteristics into a plurality of first classes;
- (b) classifying at least one of said first classes into a plurality of second classes on the basis of phenotypic or genotypic characteristic different than that used in said classifying step (a); and
- (c) identifying within at least one of said first classes or said second classes a set of genes or markers informative for said condition,

wherein said second set of genes or markers is unique to said class relative to other first and second classes.

4. A method of identifying a set of informative genes or markers for a condition comprising a plurality of phenotypic or genotypic characteristics, comprising:

- (a) selecting a first characteristic from said plurality of phenotypic or genotypic characteristics;
- (b) identifying at least two first condition classes differentiable by said first characteristic;

(c) selecting a plurality of individuals classifiable into at least one of said first condition classes; and

(d) identifying in samples derived from each of said plurality of individuals a set of genes or markers informative for said condition within said at least one of said first condition classes.

5. A method of classifying an individual with a condition as having a good prognosis or a poor prognosis, comprising:

(a) classifying said individual into one of a plurality of patient classes, said patient classes being differentiated by one or more phenotypic, genotypic or clinical characteristics of said condition;

(b) determining the level of expression of a plurality of genes or their encoded proteins in a cell sample taken from the individual relative to a control, said plurality of genes or their encoded proteins comprising genes or their encoded proteins informative for prognosis of the patient class into which said individual is classified; and

(c) classifying said individual as having a good prognosis or a poor prognosis on the basis of said level of expression.

6. The method of claim 5, wherein said condition is cancer, said good prognosis is the non-occurrence of metastases within five years of initial diagnosis, and said poor prognosis is the occurrence of metastases within five years of initial diagnosis.

7. The method of claim 5, wherein said control is the average level of expression of each of said plurality of genes or their encoded proteins across a plurality of samples derived from individuals identified as having a poor prognosis.

8. The method of claim 7, in which said classifying step (c) is carried out by a method comprising comparing the level of expression of each of said plurality of genes or their encoded proteins to said average level of expression of each corresponding gene or its encoded protein in said control, and classifying said individual as having a poor prognosis if said level of expression correlates with said average level of expression of each of said genes or their encoded proteins in said control more strongly than would be expected by chance.

9. The method of claim 5, wherein said control is the average level of expression of each of said plurality of genes or their encoded proteins across a plurality of samples derived from individuals identified as having a good prognosis.

10. The method of claim 9, in which said classifying in step (c) is carried out by a method comprising comparing the level expression of each of said plurality of genes or their

encoded proteins to said average level of expression of each corresponding gene or its encoded protein in said control, and classifying said individual as having a good prognosis if said level of expression correlates with said average level of expression of each of said genes or their encoded proteins in said control more strongly than would be expected by chance.

11. The method of claim 5, wherein said plurality of patient classes comprises ER⁻, *BRCA1* individuals; ER⁻, sporadic individuals; ER+, ER/AGE high individuals; ER+, ER/AGE low, LN+ individuals; and ER+, ER/AGE low, LN⁻ individuals.

12. A method of classifying a breast cancer patient as having a good prognosis or a poor prognosis comprising:

(a) classifying said breast cancer patient as ER⁻, *BRCA1*; ER⁻, sporadic; ER+, ER/AGE high; ER+, ER/AGE low, LN+; or ER+, ER/AGE low, LN⁻;

(b) determining the level of expression of a first plurality of genes in a cell sample taken from said breast cancer patient relative to a control, said first plurality of genes comprising two of the genes corresponding to the markers in Table 1 if said breast cancer patient is classified as ER⁻, *BRCA1*; in Table 2 if said breast cancer patient is classified as ER⁻ sporadic; in Table 3 if said breast cancer patient is classified as ER+, ER/AGE high; in Table 4 if said breast cancer patient is classified as ER+, ER/AGE low, LN+; or in Table 5 if said breast cancer patient is classified as ER+, ER/AGE low, LN⁻; and

(c) classifying said breast cancer patient as having a good prognosis or a poor prognosis on the basis of the level of expression of said first plurality of genes, wherein said breast cancer patient is “ER/AGE high” if the ratio of the log₁₀(ratio) of ER gene expression to age exceeds a predetermined value, and “ER/AGE low” if the ratio of the log₁₀(ratio) of ER gene expression to age does not exceed said predetermined value.

13. The method of claim 12, wherein said control is the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁻, *BRCA1* individuals, if said breast cancer patient is ER⁻, *BRCA1*; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER⁻, sporadic individuals if said breast cancer patient is ER⁻, sporadic; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER+, ER/AGE high individuals, if said breast cancer patient is ER+, ER/AGE high; the average level of expression of each of said plurality of genes in a plurality of samples derived from ER+, ER/AGE low, LN+ individuals where said breast cancer patient is ER+, ER/AGE low, LN+; or the average level of expression of each of said plurality of genes in a plurality of

samples derived from ER⁺, ER/AGE low, LN⁻ individuals where said breast cancer patient is ER⁺, ER/AGE low, LN⁻.

14. The method of claim 13, wherein each of said individuals has a poor prognosis.

15. The method of claim 13, wherein each of said individuals has a good prognosis.

16. The method of claim 14, wherein said classifying step (c) is carried out by a method comprising comparing the level of expression of each of said plurality of genes or their encoded proteins in a sample from said breast cancer patient to said control, and classifying said breast cancer patient as having a poor prognosis if said level of expression correlates with said average level of expression of the corresponding genes or their encoded proteins in said control more strongly than would be expected by chance.

17. The method of claim 12, wherein said predetermined value of ER is calculated as $ER = 0.1(AGE - 42.5)$, wherein AGE is the age of said individual.

18. The method of claim 12, wherein said individual is ER⁻, *BRCA1*, and said plurality of genes comprises two of the genes for which markers are listed in Table 1.

19. The method of claim 12, wherein said individual is ER⁻, *BRCA1*, and said plurality of genes comprises all of the genes for which markers are listed in Table 1.

20. The method of claim 12, wherein said individual is ER⁻, sporadic, and said plurality of genes comprises two of the genes for which markers are listed in Table 2.

21. The method of claim 12, wherein said individual is ER⁻, sporadic, and said plurality of genes comprises all of the genes for which markers are listed in Table 2.

22. The method of claim 12, wherein said individual is ER⁺, ER/AGE high, and said plurality of genes comprises two of the genes for which markers are listed in Table 3.

23. The method of claim 12, wherein said individual is ER⁺, ER/AGE high, and said plurality of genes comprises all of the genes for which markers are listed in Table 3.

24. The method of claim 12, wherein said individual is ER⁺, ER/AGE low, LN⁺, and said plurality of genes comprises two of the genes for which markers are listed in Table 4.

25. The method of claim 12, wherein said individual is ER⁺, ER/AGE low, LN⁺, and said plurality of genes comprises all of the genes for which markers are listed in Table 4.

26. The method of claim 12, wherein said individual is ER⁺, ER/AGE low, LN⁻, and said plurality of genes comprises two of the genes for which markers are listed in Table 4.

27. The method of claim 12, wherein said individual is ER⁺, ER/AGE low, LN⁻, and said plurality of genes comprises all of the genes for which markers are listed in Table 4.

28. The method of claim 12, further comprising determining in said cell sample the level of expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis.

29. A method for assigning an individual to one of a plurality of categories in a clinical trial, comprising:

(a) classifying said individual as ER⁻, *BRCA1*, ER⁻, sporadic; ER⁺, ER/AGE high; ER⁺, ER/AGE low, LN⁺; or ER⁺, ER/AGE low, LN⁻;

(b) determining for said individual the level of expression of at least two genes for which markers are listed in Table 1 if said individual is classified as ER⁻, *BRCA1*; Table 2 if said individual is classified as ER⁻, sporadic; Table 3 if said individual is classified as ER⁺, ER/AGE high; Table 4 if said individual is classified as ER⁺, ER/AGE low, LN⁺; or Table 5 if said individual is classified as ER⁺, ER/AGE low, LN⁻;

(c) determining whether said individual has a pattern of expression of said at least two genes that correlates with a good prognosis or a poor prognosis; and

(d) assigning said individual to one category in a clinical trial if said individual has a good prognosis, and assigning said individual to a second category in said clinical trial if said individual has a poor prognosis.

30. The method of claim 29, wherein said individual is additionally assigned to a category in said clinical trial on the basis of the classification of said individual as determined in step (a).

31. The method of claim 29, wherein said individual is additionally assigned to a category in said clinical trial on the basis of any other clinical, phenotypic or genotypic characteristic of breast cancer.

32. The method of claim 29, further comprising determining in said cell sample the level of expression, relative to a control, of a second plurality of genes for which markers are not found in Tables 1-5, wherein said second plurality of genes is informative for prognosis of breast cancer, and determining from the expression of said second plurality of genes, in addition to said first plurality of genes, whether said individual has a good prognosis or a poor prognosis.

33. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in any of Tables 1-5.
34. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 1.
35. A microarray comprising probes complementary and hybridizable to each of the genes for which markers are listed in Table 1.
36. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 2.
37. A microarray comprising probes complementary and hybridizable to each of the genes for which markers are listed in Table 2.
38. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 3.
39. A microarray comprising probes complementary and hybridizable to each of the genes for which markers are listed in Table 3.
40. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 4.
41. A microarray comprising probes complementary and hybridizable to each of the genes for which markers are listed in Table 4.
42. A microarray comprising probes complementary and hybridizable to a plurality of the genes for which markers are listed in Table 5.
43. A microarray comprising probes complementary and hybridizable to each of the genes for which markers are listed in Table 5.
44. The microarray of any of claims 33-43, wherein said probes are at least 50% of the probes on said microarray.
45. The microarray of any of claims 33-43, wherein said probes are at least 90% of the probes on said microarray.
46. The microarray of claim 33, wherein said probes are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 1; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 2; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 3; are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 4; and are complementary and hybridizable to at least 75% of the genes for which markers are listed in Table 5, wherein said probes, in total, are at least 50% of the probes on said microarray.

47. A kit comprising the microarray of claim 33 in a sealed container.
48. A kit comprising the microarray of claim 40 in a sealed container.
49. A kit comprising the microarray of claim 42 in a sealed container.
50. A method of identifying a set of genes informative for a condition, said condition having a plurality of phenotypic or genotypic characteristics such that samples may be categorized by at least one of said phenotypic or genotypic characteristics into at least one characteristic class, said method comprising:
- (a) selecting a plurality of samples from individuals having said condition;
 - (b) identifying a first set of genes informative for said characteristic class using said plurality of samples;
 - (c) predicting the characteristic class of each of said plurality of samples;
 - (d) discarding samples for which said characteristic class is incorrectly predicted;
 - (e) repeating steps (c) and (d) at least once; and
 - (f) identifying a second set of genes informative for said characteristic class using samples in said plurality of samples remaining after step (e).
51. The method of claim 6, wherein said cancer is breast cancer.
52. A method for assigning an individual to one of a plurality of categories in a clinical trial, comprising:
- (a) classifying the individual into one of a plurality of condition categories differentiated by at least one genotypic or phenotypic characteristic of the condition;
 - (b) determining the level of expression, in a sample derived from said individual, of a plurality of genes informative for said condition category;
 - (c) determining whether said level of expression of said plurality of genes indicates that the individual has a good prognosis or a poor prognosis; and
 - (d) assigning the individual to a category in a clinical trial on the basis of prognosis.

ABSTRACT

[0177] The present invention provides methods for the prognosis of breast cancer, comprising classifying an individual by a plurality of phenotypic, genotypic or clinical characteristics of breast cancer into a plurality of patient subsets, and analyzing the pattern of expression of prognosis-informative genes identified for that subset in a tumor sample from the individual. The present invention also provides methods for constructing such patient subsets and of identifying prognosis-informative genesets for such subsets. The invention further provides methods of assigning a therapeutic regimen to an individual, microarrays useful for performing prognosis, kits comprising these microarrays, and computer-implementations of the methods of the invention.




FIG. 1







FIG. 2A




FIGS. 2B-D




FIGS. 3A-C




FIGS. 4A-C



FIGS. 5A-C





FIGS. 6A-C



FIGS. 7A-C





Cell cycle subset



FIGS. 8A, 8B

Glycolysis subset



FIGS. 8C, 8D

<110> Dai, Hongyue
 Van't Veer, Laura
 Lamb, John
 Stoughton, Roland
 Friend, Stephen
 Yudong He

<120> Classification of Breast Cancer Patients Using a Combination
 of Clinical Criteria and Informative Gene Sets

<130> 9301-229-888

<160> 366

<210> 1

<211> 4946

<212> DNA

<213> Homo sapiens

<300>

<308> AB032969

<400> 1

cagcctcagc	ccccagatga	agatggggat	cacagtgaca	aagaagatga	acagcctcaa	60
gtggtggttt	taaaaaaggg	agacctgtca	gttgaagaag	tcatgaaaat	taaagcagaa	120
ataaaggctg	ccaaagcaga	tgaagaacca	actccagcgg	atggaagaat	catatatcga	180
aaaccagtca	agcatccctc	agatgaaaaa	tattcaggtt	taacagcaag	ctcaaaaaag	240
aagaagccaa	atgaagatga	agtaaatacag	gactcgggtca	aaaagaactc	acaaaaacaa	300
attaaaaata	gtagcctcct	ttcttttgac	aacgaagatg	aaaatgagta	agtgtaaata	360
ttttgaattt	agtctacttt	gaaagtatat	ggagtgttca	ttaaaatcac	atTTTTTcct	420
attataaaga	tactacaagt	tctttataga	aagtttagga	aatagagaaa	aaaattttaat	480
aaactacatc	tattcatcaa	tacccctctg	acttaaaatg	ccaactctat	agaaatttagc	540
tagtattaac	atTTTgttat	ttcccttggtg	tggttgata	tatatgtaaa	ttatatTTTT	600
aagcaaaata	cattTTTTgt	gtgtaaacaa	aattttataa	atacaactgt	attgcaaattg	660
ttctttgtcc	tgctttctcac	ttgacattgc	attatgagta	ttcttccagg	tcagtaaatt	720
tcaaaaacct	gacattaata	gctacagata	atttcataaa	catctcattg	tatctTTTTc	780
attagcaata	gctccacttt	gggtggggga	gatgataatg	tgcttggtta	aaaatacctc	840
cccaactcct	gctaaggggtg	gccatgagac	tcagctctgg	caagttaaga	aatacagggtg	900
gaattctgct	tgataaagct	gctgggtttt	ttgttacaaa	aggacagact	tggtcaaact	960
gagcctttgc	tcttatcttt	tcctctact	tggagtgcag	agataaaacc	tgagtaccag	1020
agccactttt	aggcataagg	aaggcagcca	tgtgcttttg	gtcatgttag	taaaaagact	1080
cagagcttgg	ctccttgctg	acatgcctgg	aggagctgct	acaccagctt	ggatttgctga	1140
cctctgactt	cttggtagtg	agaagaataa	acactgtgct	taattaggcc	ttggtcagggt	1200
ttcttttata	tgcagccaaa	tgcagtctca	agtaatacaa	taaataactg	gtcaaactgt	1260
tactggtgga	gggtgtccag	gttcttggtg	ttttggacaa	ataattgaac	aaaacgcaca	1320
aagcaatgaa	tatcctctag	aggtttgcca	ttggttactt	ggcgtacacc	ctgtgtaaat	1380
gaagtagtgg	cccgtagcct	gtctgattgg	tgcaaaaagt	gaccaatcag	aggctgaagt	1440
gaagttacaa	agttatactc	ctgtgtaaat	gaggacttgg	cctatgacca	gtctgattgg	1500
ttgcaggagg	ggaccaatca	gaggcacttt	catttttcat	ctgcaatgca	gaaaaggcaa	1560
ggggattgca	aaggagtag	cctctgatcc	ttttgttact	taggtatgga	gagggtgggt	1620
tttctttttg	attcagttct	aggaagtcaa	tgtgaatcag	ccttaggttc	cctgtctcca	1680
gaccctattc	tcctgcctca	ttttccccct	gagagacgtg	atcctcgtaa	atctttatgg	1740
gaggctgaga	gactgagggt	ctttcttctg	taactgcttc	atgctaactt	gggacacagt	1800
ccctacctat	tggagatcac	gtaactctca	ccctgctttg	tctaggggag	acagggtagc	1860
ttcttgatgg	ccggtggtgt	cttctcctga	aactggctag	aaatcttgct	acatgatcat	1920
ctaacttggt	ggtctctagg	caaaaggaaa	tggatttggt	taaaagattt	aacagatatg	1980
gtccaaaaac	caaggcaaat	ataatcatta	ataatgggct	ggccaaggga	gggagccatg	2040
aaaccctaact	tagtgccctt	taggtgcccc	agctgttgct	atatttttaga	ggcccagtc	2100

gctagttttc	agggtggtgtc	ccttactaat	cctgattggg	tgacatcaaa	acagcattct	2160
tcttctagga	aaatacataa	gccacctgtt	tcagcagtta	ggagatctag	tccccttcga	2220
ttttgcaaag	cgaccactgc	caaggagcct	atccgaattt	gtaagggtgac	aatactttga	2280
gcaatgttat	ccaggctttc	cataaaatcc	ttggacaagc	gttggttaata	ggatagggaa	2340
gttgcaatcc	cgctaactcc	cattcoatacc	tctgctgtta	ttcctagccg	ttgtgtctgg	2400
tggttgagc	taaaggtata	atgagggatt	ggttgttggg	agctatatta	atttagggac	2460
atacaatatt	tctgtctcca	gtctaccact	tccaccaaag	acaaatcaca	gcagaaccga	2520
cctaacttca	aaataaactg	cagtcccata	tactgggcct	gattaccac	acaaagtgc	2580
acaagaatca	ttgtccatat	agactctcct	agattggcct	tgctagaaca	tttcacaagg	2640
ccatttcagt	caaagtccctg	agaaagtaac	cggtttcaat	tgtgccctat	tacaaaagaa	2700
aacgtggtta	ttaactttat	acagacaaat	gccatgaatt	aagaatattc	ataaatagtt	2760
tacaaattct	ggagaaatta	gaatactcaa	tacacttaaa	gtgtatttca	aggctataaa	2820
tagctcaaaa	taaaaagatt	attcagactc	tgaaaaaaca	aaaagaagta	gcaatatattc	2880
aaacaacaaa	agccatacaa	attattttcag	tcttccatta	gttcatttca	gtccatgtaa	2940
tcaactcctg	ctctacttca	tattcatctt	tatgaacaca	tcagccttcc	aattagtgcc	3000
ttggaagttt	tctgtctaat	ccaatggcac	actctccaaa	gttaccagaa	acctgcattc	3060
aagagtctct	ttcatgaact	ccaaagaagt	aagccttgga	ctgtagctga	ttataagtca	3120
cttttttttt	ttgagaagga	tcaaagcaaa	acatcaatta	tggatgacaa	aagtcttaag	3180
acagccataa	agacacagtt	gacaaatgtg	gctattttctg	tggcttacia	caatttaaca	3240
taatcattac	aacataatatt	aagacataatc	agaatttttag	aactctcata	caatcctgga	3300
acacatatta	acaacaaatc	tctatcagta	taacccaaag	gaagctaaac	accacctcac	3360
acttgacaat	gtttcctgta	taattcaaac	attacaaata	agcctaatat	aagcctaata	3420
tgtcactctt	gaacttcagg	aagcctaata	tccaaaaagt	tagtttaagg	tcaaaagttt	3480
ttgaattaac	ttttttccat	tagtatggtc	atatctttct	tactaatttg	taagttatgt	3540
aatttatcaa	tttttttttg	ttgttctgtt	tcccaacctc	tatgtcagat	aaagaatcac	3600
ccaggccaga	cacagtggct	catgcttgtg	gtcccagcac	tttgggaagc	caagggtgga	3660
gaattgcttg	aagccaggaa	tctgagccca	gcctgggcga	caaagcaata	cccctatctc	3720
tacaaaaaat	aaaaaatagc	cagggtgtggc	gacacacacc	tgtggtccca	gctgctcggg	3780
aggctgagcg	ggaggatggc	ttgggcccag	gggttcaacg	ctgcagttag	ctgtgattgc	3840
gccactgcac	tccagcctgg	gcaacagagt	aagaactgtc	tcaaaaaaaa	taaaaaatag	3900
aaataaattt	taaaaaaga	attaccata	ttctctttgt	ttttgtttat	tcacattaac	3960
ctttatttcta	tctggaattt	atttgagtat	acttttttct	caaataatca	attgtcctag	4020
aaccatgtgt	ttctcattta	tttgaaaggc	catctagtga	gagatttctc	caaagtgttg	4080
ggtaggggaag	ggaggggaag	cacttttaaag	tctgagcctt	tagagggtgat	tcctcaagac	4140
cctgcttaat	cctaacaatt	ttcctcatta	gtaaaagtca	gcccaaactg	ggggttgtt	4200
aagatcctta	ccagccacat	ccatctgaaa	ttatgaattt	caaagtatct	tacaaatttg	4260
gtgccacatt	atctttttta	agtttgtttt	gttttgtttt	tttgagacag	agtctcgtc	4320
tgtcacccgg	gctggagtgc	agtggcgcca	tctcagctca	ctgcaagctc	cgcctcctgg	4380
gttcacacca	ttctcttgcc	tccgctctcc	aagtatctgg	gactgcagtc	gcccgccacc	4440
acgcccggct	aatttttttg	tatttttaat	agagacgggg	tttcactttg	ttagccagga	4500
tggtctcaat	ctcctgacct	catgatccac	ctgcctcggc	ctcccaaagt	gctgggatta	4560
caggcaggag	ccaccgcgcc	tgggcctttt	tttaagtttt	aagtacctat	aaagaacact	4620
gaaagggtgat	gtgtgtggat	gagctaggaa	gacctgaaat	aggctctctc	taaattaatc	4680
aaattaatcc	tgaagccatt	ctgcaatact	gtctttaatg	tatactcact	tgttatagaa	4740
gccagggttt	tttcccctaa	tttgtatcat	tgtatatgt	gttattgtac	caaactacac	4800
tgttttaatt	gctgtaaat	ttaatatgtc	ttagtatctg	ggtgtgggaa	tcttgaaagc	4860
atggagtttg	tgttattcac	cactgtattc	tcaaatatca	gaagagtatc	tggcctacta	4920
agtgcacaat	aaacatagtt	aaaatg	4946			

<210> 2
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AB032969

<400> 2
 taatcctgaa gccattctgc aatactgtct ttaatgtata ctacttgtt atagaagcca 60

<210> 3

<211> 1007
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF005487

<400> 3
 gaatacagaa tgtgggcaaa ctcgcttctg tgccggccgc cagaagggtt gctgagggca 60
 atcactccct ggtgccgggc tccttgaggt tatgcaactg gacatctaga gcctattgtt 120
 tgaggaatgc agtcttgcaa gcctgctctg gatcaagcca cagactgaaa ccccccgaa 180
 gagcaagcac gtttcttgga gcaggctaag tgtgagtgtc atatcttcaa tgggatgaag 240
 cgggtgcagt acctgaacag atacatccat aaacgggagg agaacctgcg cttcgacagc 300
 aacgtggagg agttccaggc agttacggaa ctggggcggc ctgtcgcaga gaactggaac 360
 agccagaagg gcatcccga ggagaagcgg gacaagatgg acgactactg cagatacaat 420
 tacggggttt tttgagagct tcacagtgcg gccgcgagtc catcctaagg tgactgtgta 480
 tcttgcaaaag acccagcccc tgcatacccg caacccccctg gtcggctctg tgagtgggtt 540
 ctatccaggc agcattaaaag tcaggtgggt ccagaatggt caggaagaga aggctgcggg 600
 ggtctccata ggctgatcc agaattggaga ttggaccttc cagaccctgg tgatgctgga 660
 aacagttcct cggagtggag aggtttacac ctgccaaagt gagcatccaa gcgtgacgag 720
 cctctcacca gtggaatgga gtacacggac tgaatctgca cagagcaaga tgctgagtgg 780
 agtcgggggc tttgtgctgg gcctgctctt ccttggggaca gggctgttca tctacttcag 840
 gaatcagaaa ggacactctg gacttcagcc aacaggactc ctgcgctgga ctctgagct 900
 gaagtgcaca tgaccacatt caaggaagaa ccttctgcca cagctttgca ggatgaaaag 960
 ctttcccact tggctcttat tcttcacaaa gagctctctc aggacca 1007

<210> 4
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF005487

<400> 4
 tttgcaggat gaaaagcttt cccacttggc tcttattctt ccacaagagc tctctcagga 60

<210> 5
 <211> 3200
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF026941

<400> 5
 caggaaggc catgaagatt aataaagatt tggactcagg gcaaataatt acttagtagc 60
 aataactcaa agaattactg ttgaataaat aagccaatta agcagccaat cacgtactat 120
 gcggatgcac acaaatgaaa cctcacttc aacctgaaga cattcgcaca tgagttacgt 180
 agagggacct gcaggaagcg gtagagaaaa cataaggctt atgcgtttaa tttccacacc 240
 aatttcagga tctttgtcac tgacagcagc actaagactt gttaacttta tatagttaag 300
 aagaacaagg ctgagcgcgga tgactcacgc ctgtaagcct agaactttgg gaggccaaag 360
 caggcagact gcttgagccc aggagttcca gaccagcctg ggcaacatgg caacacccca 420
 tctctacaaa aaaatacaag aatcagctgg gcgtggtgat gtgttcctgt aatctcagct 480
 actcgggagg cagaggcagg aggattgctt gaaccggga ggcagagggt tagtttagcc 540
 gagatctcgc cactgcactc cagtctggac gacagagtga gactcagctt caaataaata 600
 aataaataca taaatataag gaaaaaata aagctgcttt ctctcttcc tctcttttg 660
 tctcatctgg ctctgctcca ggcattctgcc acaatgtggg tgcttacacc tgctgctttt 720
 gctgggaagt tcttgagtgt gttcaggcaa cctctgagct ctctgtggag gagcctggtc 780
 ccgctgttct gctggctgag ggcaaccttc tggctgctag ctaccaagag gagaaagcag 840
 cagctggtcc tgagagggcc agatgagacc aaagaggagg aagaggaccc tctctgccc 900

accaccccaa	ccagcgtcaa	ctatcacttc	actcgccagt	gcaactacaa	atgcggtctc	960
tgtttccaca	cagccaaaac	atcctttgtg	ctgccccttg	aggaagcaaa	gagaggattg	1020
cttttgctta	aggaagctgg	tatggagaag	atcaactttt	caggtggaga	gccatttctt	1080
caagaccggg	gagaatacct	gggcaagttg	gtgaggttct	gcaaagtaga	gttgcggctg	1140
cccagcgtga	gcatcgtgag	caatggaagc	ctgatccggg	agaggtggtt	ccagaattat	1200
ggtgagtatt	tggacattct	cgctatctcc	tgtgacagct	ttgacgagga	agtcaatgtc	1260
cttattggcc	gtggccaagg	aaagaagaac	catgtggaaa	accttcaaaa	gctgaggagg	1320
tgggtgtagg	attatagaat	ccctttcaag	ataaattctg	tcattaatcg	tttcaacgtg	1380
gaagaggaca	tgacggaaca	gatcaaagca	ctaaaccctg	tccgctggaa	agtgttccag	1440
tgccctctta	ttgaagggtga	gaattgtgga	gaagatgctc	taagagaagc	agaaagattt	1500
gttattgggtg	atgaagaatt	tgaaagattc	ttggagcgcc	acaaagaagt	gtcctgcttg	1560
gtgcctgaat	ctaaccagaa	gatgaaagac	tcctacctta	ttctggatga	atatatgcgc	1620
tttctgaact	gtagaaaggg	acggaaggac	ccttccaagt	ccatcctgga	tgttggtgta	1680
gaagaagcta	taaaattcag	tggatttgat	gaaaagatgt	ttctgaagcg	aggaggaaaa	1740
tacatatgga	gtaaggctga	tctgaagctg	gattggtaga	gcggaagtg	gaacgagact	1800
tcaacacacc	agtgggaaaa	ctcctagagt	aactgccatt	gtctgcaata	ctatcccgtt	1860
ggtatttccc	agtggctgaa	aacctgattt	tctgctgcac	gtggcatctg	attacctgtg	1920
gtcactgaac	acacgaataa	cttgatagc	aaatcctgag	acaatggaaa	accattaact	1980
ttacttcatt	ggcttataac	cttggtgtta	ttgaaacagc	acttctgttt	ttgagtttgt	2040
tttagctaaa	agaaggaat	acacacagga	ataatgacct	caaaaatgct	tagataaggc	2100
ccctatacac	aggacctgac	atttagctca	atgatgcgtt	tgtaagaaat	aagctctagt	2160
gatatctgtg	ggggcaatat	ttaattttgga	tttgattttt	taaaacaatg	tttactgcga	2220
tttctatatt	tccattttga	aactatttct	tgttccaggt	ttgttcattt	gacagagtca	2280
gtattttttg	ccaaatatcc	agataaccag	ttttcacatc	tgagacatta	caaagtatct	2340
gcctcaatta	tttctgctgg	ttataatgct	tttttttttt	tttgctttta	tgccattgca	2400
gtcttgtagt	ttttactgtg	atgtacagaa	atagtcaaca	gatgtttcca	agaacatatg	2460
atatgataat	cctaccaatt	ttcaagaagt	ctctagaaaag	agataacaca	tggaaagacg	2520
gcgtggtgca	gcccagccca	cggtgcctgt	tccatgaatg	ctggctacct	atgtgtgtgg	2580
tacctgttgt	gtccctttct	cttcaaagat	ccctgagcaa	aacaaagata	cgctttccat	2640
ttgatgatgg	agttgacatg	gaggcagtg	ttgcattgct	ttgttcgcct	atcatctggc	2700
cacatgaggc	tgtcaagcaa	aagaatagga	gtgtagttga	gtagctgggt	ggccctacat	2760
ttctgagaag	tgacgttaca	ctgggttggc	ataagatatc	ctaaaatcac	gctggaacct	2820
tgggcaagga	agaatgtgag	caagagtaga	gagagtgcct	ggatttcag	tcagtgaagc	2880
catgtcacca	tatcatattt	ttgaatgaac	tctgagtcag	ttgaaatagg	gtaccatcta	2940
ggtcagttta	agaagagtca	gctcagagaa	agcaagcata	agggaaaatg	tcacgtaaac	3000
tagatcaggg	aacaaaatcc	tctccttgtg	gaaatatccc	atgcagtttg	ttgatacaac	3060
ttagtatctt	attgcctaaa	aaaaaatttc	ttatcattgt	ttcaaaaaag	caaaatcatg	3120
gaaaattttt	gttgtccagg	caaataaaaag	gtcattttta	tttaaaaaaa	aaaaaaaaaa	3180
aaaaaaaaaa	aaaaaggcca	3200				

<210> 6
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF026941

<400> 6
 atttttgaat gaactctgag tcagttgaaa tagggtacca tctaggtcag ttttaagaaga 60

<210> 7
 <211> 1799
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF035284

<400> 7
 gcttgaaccg gggagggtgga gggtgcagtg agctgagatc acgccattgt actccagcct 60

gggcgacaga	gcaagactcc	atttcacaaa	aaaaaaaaaa	aaaaaaaaatc	cactcatata	120
aaaggtgagc	tcagctcact	ggtcacattc	tcagtggtct	ctccatcctc	atttgcaaac	180
ctcagaggga	taaggcagtt	gaacctgatg	agcaagaatt	ataacagcaa	ggaaacatta	240
atgcttagaa	ttctgagatc	cagcacaact	cagtctgtgg	gagctcagct	cgctgccag	300
ggataggtat	gacctatgtc	tgccttaggc	tgctgggaga	tgccattctc	cagtttcaga	360
agcaggcagg	gcaaaggtca	agactgtggt	attggggtct	tttggctctg	aaggatcctg	420
gaaccactga	ttttggttta	ttccctccag	ggctctaaaga	gaacaagagg	tgctagctct	480
tacaaaaaca	gatggtagag	agagttgctg	gctattttaa	aagctctttc	atcttttaat	540
tcacctcttc	ttttcacctc	tttaaccact	cctcaggaac	agaacacttc	taggactggg	600
ggtcttttag	ctccataagc	aagtgagcag	atgggacaag	ttagtctttt	ctccctagaa	660
acaaagggga	tgcccagtg	tttccctttg	cttcccaacc	taaaatttca	agtttaataa	720
aatagcaatt	agcagaagt	accaaattgg	gagataatta	tcagtcatga	ggaaagacac	780
agatttcggt	cataaagaat	gtaagggtta	taagtagaaa	ctttctataa	cctaaatgat	840
gttatagaat	tatttttgag	caggagcaga	aagattaaat	atgatcactt	catacttcta	900
aatcagaaat	aggaagatta	aaaccacaga	acagtttgtg	atttctattg	ctggtagcta	960
ggtatcttac	tctgtccact	cttggtcaag	tatctaactc	ttctggaaac	caaataaggct	1020
ttagaagaga	ttatcctata	ttcctatcag	tataatacta	aaatgtaact	ttttaatcat	1080
ctggttttta	aaagataaac	agtttagccc	atctctccag	agagcaaac	taggaatatg	1140
actcaggagc	ctcctagggc	ttatcatcag	ccctcacacc	cgcttcccc	tccaaccac	1200
agcctttgct	tccaggtggc	aggattacta	ctttgcctct	tcagcagcat	ctactctagg	1260
catattgatc	atttttagaca	ctgggagaag	agaacctcaa	actaggagga	aaagacagag	1320
cctccactta	gttttgggag	gggatggcag	acagtcaagg	agatgagcgt	cctaaggcat	1380
gttgggatag	ggtcagatgc	accacccatg	gagaggtttg	tcaacacaaa	gacatggaag	1440
gttagagggt	tgtcaacaaa	aagacatgga	aggttagggt	tgtcaacaca	aagacatgga	1500
agattagagg	tttgtcaaca	caaagataca	ggaagaatgg	gctgcagaag	atttagatgt	1560
tttccatttg	ggcacatttt	acttagctgg	agaactagg	ttaaaacagc	ctgggtagga	1620
aaattagaag	caagctggat	gcagtggctc	atgcctgtaa	tcccaacact	tttgggaggt	1680
ccaggcagga	ggatcacttg	ggcccaggag	gtcaagcctg	cagcgagctg	agatcacacc	1740
actgcactcc	agcctggggt	gatagaacaa	gaccctgtct	caaaaaaaaa	aaaaaaaaaa	1799

<210> 8
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF035284

caaaaagaca	tggaaggtta	ggttttgtcaa	cacaaagaca	tggaagatta	gaggtttgtc	60
------------	------------	-------------	------------	------------	------------	----

<210> 9
 <211> 1380
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF052162

gtcaaaggat	atatttttat	aggccttttt	ttttttaata	tagaatctga	ggctgtttgg	60
gctttgactt	aaattttccat	caggcctctc	tccagcaggt	aatccctctc	cttccgctgg	120
gtcccctggg	gaggtgtgaa	ctcaagggcc	tagccccaaa	acactttttc	tgcttttctt	180
aatccctttc	cagtcctctc	tttttttata	aacgttggca	gtttgatgtt	tctgtttcgg	240
cataacgtaa	tccatttcac	tgtagcctaa	actccagtc	gaggttgat	attgttcaaa	300
tgagcagggc	ccgagctgga	agcgcaaggc	agccgcccgc	gtgccgctcc	tcccttgccc	360
tcaggccagg	tccctgctgg	aagcggtctg	atcttctctg	cagccctggt	ttccatggtg	420
actggcgtca	cgcagccacc	cgagtatggc	tgaccttctc	gcagagagag	gagccgcagt	480
cttttgcttg	tggaaggaga	cgctgggctg	tgcggtgcgg	aggggtgatga	ggatgtctgg	540
tgacagccgt	gcggacacca	ctcctctctg	cagcactgcc	tcccagcgcc	aggggtcgcg	600
gcacatccca	ctgagagcgg	gggtcctgcc	ccatcttaga	gtcaaaggca	gaggggcttc	660

caggccctgg	atggggtatt	ttggtgtcac	ctgaagtccc	tctgacatca	ccttgtttca	720
tcatttttta	tgacagaatt	agaaacccat	ccttcaagca	caataatcat	cacagacttg	780
agtttgcttc	ctaaagcaaa	ggctccgggt	ttgtttgga	aatttttttg	atttctgaaa	840
tgaattgatt	tttatatttg	ggcatctct	atagaaagtg	accaccaagg	ccagtaagta	900
cgggaaaaaa	tgtttactaa	cttcctcaga	gattcgtgat	acgcgtttct	ccactgacag	960
acatttaaaa	acaaccttca	gctccgtttc	aatcaatcac	ctcgacttgt	tttttagcat	1020
ggacactgcc	agcaggacag	acagggatgg	agtaaaccga	agtcaatttc	agggtctctg	1080
gcgtgttgga	cacagaagaa	atcctagtgc	agcctttggg	agctaacagt	cactgatttt	1140
ataattggag	aatgcgtaaa	gattcatttt	tcaaggagaa	gagcctgcaa	atggccaatg	1200
aaggaggtaa	ataaactaag	atattccgag	ggaagggacc	caggccacct	cccttcgcga	1260
ggtctgcaga	tgaagggttt	tttgaatgaa	atgccactgt	gcattttcag	aaaaaaaaat	1320
ctctgataaa	cagactttga	atggaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	1380

<210> 10
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF052162

<400> 10	cagtaagtac	gggaaaaaat	gtttactaac	ttcctcagag	attcgtgata	cgcgtttctc	60
----------	------------	------------	------------	------------	------------	------------	----

<210> 11
 <211> 1722
 <212> DNA
 <213> Homo sapiens

<300>

<308> AF055033

<400> 11	ggggaaaaga	gctaggaaa	agctgcaaag	cagtgtgggc	tttttccctt	tttttgctcc	60
	ttttcattac	ccctcctccg	ttttcaccc	tctccggact	tcgcgtagaa	cctgcgaatt	120
	tcgaagagga	ggtggcaaag	tgggagaaaa	gaggtgttag	ggtttggggt	ttttttgttt	180
	ttgtttttgt	tttttaattt	cttgatttca	acattttctc	ccaccctctc	ggctgcagcc	240
	aacgcctctt	acctgttctg	cggcgccgcg	caccgctggc	agctgagggt	tagaaagcgg	300
	ggtgtatttt	agatttttaag	caaaaaat	aaagataaat	ccatttttct	ctcccccccc	360
	caacgccatc	tccactgcat	ccgatctcat	tatttcgggtg	gttgcttggg	ggtgaacaat	420
	tttggtggtt	tttttccctt	ataattctga	ccgctcagg	cttgagggtt	tctccggcct	480
	ccgctcactg	cgtgcacctg	gcgtgcctt	gcttccccca	acctgttgca	aggctttaat	540
	tcttgcaact	gggacctgct	cgcaggcacc	ccagccctcc	acctctctct	acatttttgc	600
	aagtgtctgg	gggagggcac	ctgctctacc	tgccagaaat	tttaaaacaa	aaacaaaaac	660
	aaaaaaatct	ccggggggcc	tcttgggccc	tttatccctg	cactctcgct	ctcctgcccc	720
	accccgaggt	aaagggggcg	actaagagaa	gatggtgttg	ctcaccgcgg	tcctcctgct	780
	gctggccgcc	tatgcggggc	cggcccagag	cctgggctcc	ttcgtgcact	gcgagccctg	840
	cgacgagaaa	gccctctcca	tgtgcccccc	cagccccctg	ggctgcgagc	tgggtcaagga	900
	gccgggctgc	ggtgtgtgca	tgacctgcgc	cctggccgag	gggcagtcgt	gcggcgctca	960
	caccgagcgc	tgcgcccagg	ggctgcgctg	cctcccccg	caggacgagg	agaagccgct	1020
	gcacgccctg	ctgcacggcc	gcgggggttt	cctcaacgaa	aagagctacc	gcgagcaagt	1080
	caagatcgag	agagactccc	gtgagcacga	ggagcccacc	acctctgaga	tggccgagga	1140
	gacctactcc	cccaagatct	tccggcccaa	acacacccgc	atctccgagc	tgaaggctga	1200
	agcagtgaag	aaggaccgca	gaaagaagct	gacccagtc	aagtttgtcg	ggggagccga	1260
	gaacactgcc	cacccccgga	tcattctctg	acctgagatg	agacaggagt	ctgagcagg	1320
	cccctgccgc	agacacatgg	aggcttccct	gcaggagctc	aaagccagcc	cacgcatgg	1380
	gccccgtgct	gtgtacctgc	ccaattgtga	ccgcaaagga	ttctacaaga	gaaagcagtg	1440
	caaaccttcc	cgtggccgca	agcgtggcat	ctgctggtgc	gtggacaagt	acgggatgaa	1500
	gctgccaggc	atggagtacg	ttgacgggga	ctttcagtcg	cacaccttcg	acagcagcaa	1560
	cgttgagtga	tgcgtcccc	cccaaccttt	ccctcacc	ctcccccccc	cagccccgac	1620

tccagccagc gcctccctcc accccaggac gccactcatt tcatctcatt taagggaaaa 1680
 atatatatct atctatttga ggaaaaaaaa aaaaaaaaaa aa 1722

<210> 12
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AF055033

<400> 12
 tccaccccag gacgccactc atttcatctc atttaaggga aaaatatata tctatctatt 60

<210> 13
 <211> 1411
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AK001166

<400> 13
 aaacaaagag atgccacccc tgtgtgatgg ctttggtacc cgaacactga tggttcagac 60
 attttcccg tgcattctgt gttccaagga tgaagtggac ttggatgagt tattagctgc 120
 tagattggta acgtttctga tggacaatta ccaggaaatt ctgaaagtcc ctttggcctt 180
 gcagacctct atagaggagc gtgtggctca tctacgaaga gtccagataa aatacccagg 240
 agctgatatg gatatcactt tatctgctcc atcattttgc cgtcaaatta gtccagagga 300
 atttgaatat caaagatcat atggctctca ggaacctctg gcagccttgt tggagggaag 360
 cataacagat gccaaactct ccaacaaaga gaaaaagaag aaactgaagc agtttcagaa 420
 atcctatcct gaagtctatc aagaacgatt tcctacacca gaaagtgcag cacttctgtt 480
 tcctgaaaaa cccaaaccga aaccacagct gctaattgtg gcactaaaga agcctttcca 540
 accatttcaa agaactagaa gttttogaat gtaataatac ttccacagca acaggtgcta 600
 gagaccactg ttgttgtttt gagtgaatgg tggttaggag aaagactttg gtggtggaag 660
 aaagaaaagc ataaaaacaa gactactgaa atatagataa agattgcctt agttttttaa 720
 aatgtttggc cattagtatt tttataaaac tcaatgctag ttttaagtgt ataaattgg 780
 taaaatttat gagtcaaata tatagtata atgttaacat gtttgaatt gctacagaat 840
 ttaagggtat ttttatctct gtgctttctt tttcatggg tttattaaat aattgtgtat 900
 atacatccta gctactgata tctttattat agccttaaga cttaatttta agtcttaaaa 960
 atagcgtgta tacttgaata agaaagacac tgggtactgt tactgtgat ctattgactt 1020
 agtagccaat tatcatttct cctgtataaa ttccagtttt tattgctgca cataaatttt 1080
 ttaatgtctt atattgtgat agctatgtct tttattgcag atttattgga tgttatgaca 1140
 gattttacta aagctagtgt ttttataaca tatatattag ttgatgttta cctataagtg 1200
 gagtagattt tcatctgcct gcaatgggat aatttcagtc ttagctaaaa atggaaagtt 1260
 gaactggata aattcttttg gtacccttag acctctgatt ctaagtcaaa tgcaaatggg 1320
 ttaataaaaa tgagactact tcctttataa atatattttc atccttttga aagtaagtga 1380
 aatgtaaata aacttatttt ttttaaaaat g 1411

<210> 14
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AK001166

<400> 14
 acccttagac ctctgattct aagtcaaag caaatgggtt aaataaaatg agactacttc 60

<210> 15
 <211> 2352

<212> DNA
<213> Homo sapiens

<300>
<308> AL049367

<400> 15
ggcaaacccc ttttaaaatc taatgtctgg gctttgagta ttagctcatt taggggtggac 60
aaatgcatta ctgttttcaa actgctcaca tttattcagt atttctccaa gttgctatct 120
actcagcctt atgaatgccc ctgcgttttc taaggccatg tgaaaatcac ggcactgccc 180
ttagccttgt gtcactgctt ttttcgttct gcgatatgcc cagttcccaa atcaattata 240
ggtagcctgt taggagagag gaagatttta cctctcaaag ggtgagattt gaaatttaca 300
ctaaaaagac aactttacat ttaatgcttc acttaatgag acattctttt ttttataagt 360
ctatttttct actcagtttc agaacactaa tctgattttc actctgattt ttaacgtttc 420
tttaaatatt tataatgtag cttctttcaa aatattttca tgaaaaatta cttttattat 480
accattatgt gcatgttatt ggtagcaggc atagttttatt atttagtact gaaacatgct 540
cttttaccta acagtaaaca agtatgtttt gatatatatc tgttaatatg cttatagtgg 600
taagaaatgg acttgaggtc ccaggagatt tcatttttatt caccctggtc agatacaata 660
aaggctatga gtataaatac ataacttcct aaccagggtg agggcatgtt catgaatata 720
aaatcttttg atgctggacc caagagagga aaagttgtag ctaaatgttg atttacttat 780
aactagacgt ctatgtgaga aaatatatgt atacatatat atgatatgca gaagtcactt 840
tttttatcag gctttattct ccttacaag ccacagttta actgtctgca acagttgggt 900
tatgttaatg atagacaaat acccagtgtt tgttactttt tccaaactacc actgtaatga 960
taatctttct cacgtatata catgcaactt cttggcttca tttccatgaa gctgtttcaa 1020
tatattcagt atactttgtc cttaatgctg cttctgttaa cagtgatctc tttctttttt 1080
tcattcttat atcttcatta gtccatcata aatctgtcca gttgaggcct caggaccacg 1140
gcatgatttc atgactccga agtatttttac agaaacattt tttaaataag ggaaatattt 1200
tatataccag atggttcaca agtgatggct catagctagt tttttttttt tcttctaaaa 1260
aatgtcagggt ttttaaaatc atttacctta ttaaaatgaa aagtgccata cttaactttt 1320
aaaggaaaga cctgacttgc tttttctcta tttagactgt tttgtactt tactaatctt 1380
taaaactatca ggaaaaaac caaaacttta taccaatgat ttagtaattt tgaggcatag 1440
ggtagcttac gtagtggagg atgtgccaaa tattctcttc aaatgccacc ttctcaattt 1500
ataactaaaa tagtgttatc tgactaattc ctctgaattt tgatgtaaga tctatatagg 1560
cccccaaat gatcgtagta catgccagtc atttctcagt gaaataaata caataccaga 1620
gtacattatg ggttttattg ctttctttta tggtagacct gttaatgggg aaaaaatata 1680
tcaaatcaaa tagaatctta tatctgtatg ttaaaataga gcacttacct gaagtcagt 1740
gcctggatca tagccctgga tcattttcca gtctgtcctg tgctgtgtga ccttgacaa 1800
ggcgcttcac ctctctgggc ctctatttct ccatttgtaa aacaagtggc tgcagtagat 1860
gatggctgag agcccttctt gttcccagat gccttgggtc aaagaccca cccctctgct 1920
ggtcctgcca acgtgttggt gctataagct gcttcagata taaaattggt ttatctataa 1980
tgtttgttca tttaatagct tctaaaaggc ctttttgtaa tacagtgtt tttttctagt 2040
tttatggact tgattactgt aataatgtct tgttttttagc catgtaacta caaacagata 2100
ttctcttgat gtcttagtaa atttgcattt gatatatcat tgatgagatt ttgttggtat 2160
gtaatattct ttggctacgc atctgtccag catcttatta accataatac tgtgatcatt 2220
atttggaat atgtcctatg gaaagaataa aagcatgtac ttcacagcta gcatgttcac 2280
agatttgaaa gaagtttcat taaaagcacc attgctttct gtaaaaaaaa aaaaaaaaaa 2340
aaaaaaaaaa aa 2352

<210> 16
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> AL049367

<400> 16
atttggaat atgtcctatg gaaagaataa aagcatgtac ttcacagcta gcatgttcac 60

<210> 17
<211> 1130

<212> DNA
 <213> Homo sapiens

<300>
 <308> AL080235

<400> 17

ggtcgcccga	ccggcccgct	ccggcccgcc	gccgccccca	gcgcccgcgc	cgccaccgcc	60
ggggcgccca	ccgcgctgcc	agcctacccc	gcggccgagc	cgcccgggcc	gctgtggctg	120
cagggcgagc	cgctgcattt	ctgctgccta	gaattcagcc	tggaggagct	gcagggcgag	180
ccgggctggc	ggctgaaccg	taagcccatt	gagtccaagc	tggtggcctg	cttcatgacc	240
ctgggtcatcg	tggtgtggag	cgtggccgcc	ctcatctggc	cggtgcccat	catcgccggc	300
ttcctgcccc	acggcatgga	acagcgccgg	accaccgcca	gcaccaccgc	agccaccccc	360
gccgcagtgc	ccgcagggac	caccgcagcc	gccgcgcgcg	ccgccgctgc	cgccgcccgc	420
gcggccgtca	cttcgggggt	ggcgaccaag	tgaccgcctc	cgctcctccc	tgtgtccgtc	480
ctgtgtccgc	gcgcgcgggt	gcctttcccg	ccggggactc	ggccggtgtg	cttcgtgctg	540
tagttatcgt	tagttcctct	tcccagatg	gggcccgcga	gagaccccag	cgcctttgaa	600
aagcaagggt	tgtgctgcgc	ttccagttcc	gaaaagcaga	tgtttaagcc	cttggaactga	660
gggtggggtc	gcagctccga	agacggagag	gagggaaatg	gggcccttcc	ccctctattg	720
catccccctg	cccgaactct	tccccgcacc	cacgtgcctt	agattcatgg	cagaaaatga	780
ccaaatcctg	tgtatttggt	ttatatattt	aataactggt	ttaaatgaaa	gttttagtaa	840
aaaaaataca	aaacaaaaag	attaaattgc	tattgctgta	gtaagagaag	ctctttgtat	900
ctgaacatag	ttgtatttga	aatttggtgt	tttttaattt	atttaaaatt	ggggggaggg	960
catgggaagg	atttaacacc	gatataattg	taccgctgaa	aatgaacttt	atgaaccttt	1020
tccaagttga	tctatccagt	gacgtggcct	ggtgggcgtt	tcttcttgta	cttatgtggt	1080
tttttggtct	ttaatacaga	cattttcctc	caaaaaaaaa	aaaaaaaaag		1130

<210> 18
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AL080235

<400> 18

ctttgaaaag	caaggtttgt	gctgcgcttc	cagttccgaa	aagcagatgt	ttaagccctt	60
------------	------------	------------	------------	------------	------------	----

<210> 19
 <211> 2498
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AL137540

<400> 19

gctgaaacga	cagtcttgto	cctgtcagag	aatgacctg	aacgaagagc	ctcaacattt	60
tacacactat	gcaatctatg	atttcattgt	caagggcagc	tgcttctgca	atggccacgc	120
tgatcaatgc	atacctgttc	atggcttcag	acctgtcaag	gccccaggaa	cattccacat	180
ggtccatggg	aagtgtatgt	gtaagcacia	cacagcaggc	agccactgcc	agcactgtgc	240
cccgttatac	aatgaccggc	catgggaggc	agctgatggc	aaaacggggg	ctcccaacga	300
gtgcagaacc	tgcaagtgtg	atgggcatgc	tgatacctgt	cacttcgacg	ttaatgtgtg	360
ggaggcatca	gggaatcgta	gtgggtgggt	ctgtgatgac	tgtcagcaca	acacagaagg	420
acagtattgc	cagagggtgca	agccaggcct	ctatcgtgac	ctgcggagac	ccttctcagc	480
tccagatgct	tgcaaacctg	gttcctgcca	tccagtagga	tcagctgtcc	ttcctgcca	540
ctcagtgaac	ttctgcgacc	ccagcaatgg	tgactgccct	tgcaagcctg	gggtggcagg	600
gcgacgttgt	gacaggtgca	tggtgggata	ctggggcttc	ggagactatg	gctgtcgacc	660
atgtgactgt	gcggggagct	gtgaccctat	caccggagac	tgcatcagca	gccacacaga	720
catagactgg	tatcatgaag	ttcctgactt	ccgtcccgtg	cacaataaga	gcgaaccagc	780
ctgggagtg	gaggatgcgc	aggggttttc	tgcacttcta	cactcaggta	aatgcgaatg	840

taaggaacag	acattaggaa	atgccaaaggc	attctgtgga	atgaaatatt	catatgtgct	900
aaaaataaag	attttatcag	ctcatgataa	aggctactcat	gttgagggtca	atgtgaagat	960
taaaaagggtc	ttaaaatcta	ccaaactgaa	gattttccga	ggaaagcgaa	cattatatcc	1020
agaatcatgg	acggacagag	gatgcacttg	tccaatcctc	aatcctgggt	tggaatacct	1080
tgtagcagga	catgaggata	taagaacagg	caaactaatt	gtgaatatga	aaagctttgt	1140
ccagcactgg	aaaccttctc	ttggaagaaa	agtcattggat	attttaaaaa	gagagtgcga	1200
gtagcattaa	gatggatagc	acataatggc	acttgtctat	gtacaaaaca	caaactttag	1260
agcaagaaga	cctcagacag	gaaactggaa	ttttttaaag	tgccaaaaca	tatagaaatg	1320
tttgaatgca	tgggtcttat	ctaacttate	tcttctggac	ccatgtttta	atacagtttt	1380
atttcatgaa	gagaaatgaa	aacccctaca	ctgatatctg	ttttctatgg	gactgattct	1440
gaaattctta	actattaaga	atattttta	agcagcatga	catttagcag	taatccatta	1500
agggcagtag	ctctaacaag	gacgccttcc	agcttcagcg	atgttactta	cgtttgatgc	1560
tacttaaaagt	aatgaatgac	gttttaagga	atccctaacc	ctactatcag	aaaagggtgt	1620
tgttaaagag	ccttctcttg	tgtgttacgc	atgaactttg	gtctgtaggt	gttaaagtga	1680
acctctccat	gtgtatatag	tatttccttg	tataaagcac	tttactacct	accacttgtg	1740
ttgtgaacgt	ttgggtgactg	ctgttgaaag	aaggaaaagg	gtgtgtgaga	aagcctactg	1800
aagcagcagc	actgccacta	catgtggaca	aaagtgacca	tataaaagaa	gttgtgctat	1860
ttaactctga	atacttggag	aaactagggtg	aagatgcaac	cagaaaggag	aatatgtatg	1920
cgtgaagtct	cagctttgag	ctggaggcta	gattccaaga	tgacagccat	gatgaaactt	1980
tttaaaaaaac	taaaccagaa	gagactttta	aataagagaa	agaaatcata	aatgtagaca	2040
tatgcttggc	taaaggggaa	atggacttta	aatttttaag	agctcatttg	caatgcactt	2100
gtatacactt	caaaaattat	tgtagacaca	gaatttgtaa	tatttttgtg	cttagtattt	2160
aaacctgaac	attgaaacag	ttttcctcct	tgtctttctt	aacagtaata	gtcattatat	2220
ttacctgttt	tttaacacaa	tgtatgtgat	agtcaaaaaa	tcacagtttt	tcattattat	2280
tcactttctg	taccacgcga	taaccactat	acatagtttc	ttttgtactt	gaatatacaa	2340
aacatgaaca	cagtgccata	tgaataattt	cacatacaga	accttttttt	ctctgaagtc	2400
ctgtggactt	gcaaatatat	atatatatattg	ctttgttaat	ttgtttttat	atttcatata	2460
tgtaataaag	gaatatgac	tgaaaaaaaaa	aaaaaaaa	2498		

<210> 20
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AL137540

<400> 20
 tggaggctag attccaagat gacagccatg atgaaacttt ttaaaaaact aaaccagaag 60

<210> 21
 <211> 914
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AL160131

<400> 21
 cgcaccgcag gagcaacggt tggctcctgcg gctgtgatgt cgggtgttgag gcccttgagc 60
 aagctgcccg gcctgaacac ggccaccatc ttgctggtgg gcacggagga tgctcttctg 120
 cagcagctgg cggactcgat gctcaaagag gactgcgcct ccgagctgaa ggtccacttg 180
 gcaaagtccc tccctttgccc ctccagtgtg aatcgccccc gaattgacct gatcgtgttt 240
 gtggttaate ttcacagcaa atacagtctc cagaacacag aggagtccct gcgccatgtg 300
 gatgccagct tcttcttggg gaagggtgtgt ttctctgcca cagggtgctgg gcgggagagc 360
 cactgcagca ttcaccggca caccgtggtg aagctggccc acacctatca aagccccctg 420
 ctctactgtg acctggagggt ggaaggcttt agggccacca tggcgcagcg cctgggtgcg 480
 gtgctgcaga tctgtgctgg ccacgtgccc ggtgtctcag ctctgaacct gctgtccctg 540
 ctgagaagct ctgagggccc ctccctggag gacctgtgag ggtggctggc ccctgggctg 600
 ccccttctca tggcttcgtg ctgactccat aaacattctc tgttgaggat gtccagtcag 660
 ggcttgacag gccaggctc agcccgccgt ggctgggaag gttccctgca gtgccagtcg 720

tgcagcaggg	agagctgggc	agaagcagcg	agggggccca	gctggcgaga	ctgtagcccc	780
ctcccactcc	cacactcact	cttgccagagc	ctgtgtcttt	aagcagctgg	cggtgttacat	840
ctccatttaa	ggtttccttt	gaacaaaagg	tctgtggcta	aaaaaagttt	aaaaatcact	900
ggtctcatc	acca	914				

<210> 22
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AL160131

<400> 22	agctggcgtg	ttacatctcc	atttaaggtt	tcctttgaac	aaaaggtctg	tggctaaaaa	60
----------	------------	------------	------------	------------	------------	------------	----

<210> 23
 <211> 4753
 <212> DNA
 <213> Homo sapiens

<300>
 <308> D13642

<400> 23	cttcaatcaa	gtagccttcc	cactgcagta	cacacccagg	aaattttgtca	tccaccctga	60
	gagtaacaac	cttattatca	ttgaaacgga	ccacaatgcc	tacactgagg	ccacgaaagc	120
	tcagagaaaag	cagcagatgg	cagaggaaat	ggtggaagca	gcaggggagg	atgagcggga	180
	gctggccgca	gagatggcag	cagcattcct	caatgaaaac	ctccctgaat	ccatctttgg	240
	agctcccaag	gctggcaatg	ggcagtgggc	ctctgtgatc	cgagtgatga	atccattca	300
	agggaacaca	ctggaccttg	tccagctgga	acagaatgag	gcagctttta	gtgtggctgt	360
	gtgcaggttt	tccaacactg	gtgaagactg	gtatgtgctg	gtgggtgtgg	ccaaggacct	420
	gatactaaac	ccccgatctg	tggcaggggg	cttcgtctat	acttacaagc	ttgtgaacaa	480
	tggggaaaaa	ctggagtttt	tgcacaagac	tcctgtggaa	gaggtccctg	ctgctattgc	540
	cccattccag	gggagggtgt	tgattgggtg	ggggaagctg	ttgcgtgtct	atgacctggg	600
	aaagaagaag	ttactccgaa	aatgtgagaa	taagcatatt	gccaattata	tctctgggat	660
	ccagactatt	ggacataggg	taattgtatc	tgatgtccaa	gaaagtttca	tctgggttcg	720
	ctacaagcgt	aatgaaaacc	agcttatcat	ctttgctgat	gatacctacc	cccgatgggt	780
	cactacagcc	agcctcctgg	actatgacac	tgtggctggg	gcagacaagt	ttggcaacat	840
	atgtgtggtg	aggctcccac	ctaacaccaa	tgatgaagta	gatgaggatc	ctacaggaaa	900
	caaagccctg	tgggaccgtg	gcttgctcaa	tggggcctcc	cagaaggcag	aggtgatcat	960
	gaactaccat	gtcggggaga	cggtgctgtc	cttgccagaag	accacgctga	tccttgagg	1020
	ctcagaatca	cttgtctata	ccaccttgct	tggagggaat	ggcatccttg	tgccattcac	1080
	gtcccatgag	gaccatgact	tcttccagca	tgtggaaatg	cacctgcggt	ctgaacatcc	1140
	ccctctctgt	gggcgggacc	acctcagctt	tcgtctctac	tacttccctg	tgaagaatgt	1200
	gattgatgga	gacctctgtg	agcagttcaa	ttccatggaa	cccaacaaac	aaaagaacgt	1260
	ctctgaagaa	ctggaccgaa	ccccaccgga	agtgtccaa	aaactcgagg	atatccggac	1320
	ccgctacgcc	ttctgagccc	tcctttcccg	gtggggcctg	ccagagactg	tgtgttttgt	1380
	ttccccacc	accatcactg	ccacctggct	tctgccatgt	ggcaggaggg	tgactggata	1440
	attaagactg	cattatgaaa	gtcaacagct	ctttcccttc	agctcttctc	ctggaatgac	1500
	tggcttcccc	tcaaattggc	actgagattt	gctacacttc	tccccacctg	gtacatgata	1560
	catgaccca	ggttccagtg	tagaacctga	gtcccccat	ccccaaagcc	atccctgcat	1620
	tgatatgtct	tgactctcct	gtctactttt	gcacacaccc	ttaattttta	attggttttc	1680
	ttgtaaatac	agttttgtac	aatgttatct	ctgtgggagg	aaggaggcag	gctgtgggtg	1740
	gactgggtag	ggtatagtat	cactcctgag	ttccactgct	ctagaatcta	accagaaata	1800
	gaaacctagt	ttttaaggtg	actggcatcc	atgtgtcttg	ttctggagat	gaggatgtag	1860
	gtgggaggtt	tgaacccaag	ttagagcagg	aagaactgag	tagactcctt	ccttccagat	1920
	accgacttgg	acttgcgga	ctctgtggct	ccccaccccc	aggtctgtgg	tggtttcttt	1980
	gttttttctt	ggttcttttt	gctgtgctga	tgaacatga	cctcaataac	catgtgtata	2040
	cccacccctc	ttcccactgg	gtattgagga	aggggtggctg	attcttcctc	ctcttctact	2100
	ctgaggatgt	tagtatgggg	attttagcat	gaattccagc	tggggagtct	taacagatgc	2160

cccttttact	gatagagcac	ctaaagcgat	ctttggctcc	ataggacccat	aggaagggtc	2220
agctacagaag	aacctagata	ctgccctgcc	cctgagaact	gtgtatatgt	ggggcctgtc	2280
tgcagcacccc	atctcaggtg	ggttccagag	ggccttttagg	gtataatgag	agcctgttag	2340
gtggaagagg	cccagttcca	gaaatgttcc	agcccccccc	tgagaattcc	tcctgttttag	2400
ttgtgtggga	agccctcgtc	ttccaggctg	tccttgcgcc	ttgaacctgg	agaagtgagc	2460
tcactgttct	caatacttca	caaatgtaaa	actttctttc	gtctgcatgt	gctcagccat	2520
ctaaattgag	caaatgatct	ggtgagcact	gggttagaat	caggaatggt	ggaatacaat	2580
ctgaacctct	cagagccag	aacagagggt	tcctgacact	gtgacactgt	ctcctggaac	2640
taagtatctc	ttgaatcatg	acttggtttt	agatcagtca	agagagaccc	aggttttgcc	2700
aggaatcgaa	tccctaaata	acatgttttt	ttctcactta	gctcatgaat	ttgcatagta	2760
gacagtagtt	ctgaattaga	ttttgaaaac	ctaatttcag	ggctcatttt	ttcctgtggc	2820
cctaaatcca	ttctatcaaa	ttgtgtgata	ctgacatgca	gtcatctgag	gaactcagcg	2880
tagatacttg	agcagctcct	cgcctctttt	ctaactcaag	tttgactaaa	atacatacac	2940
tccgtacaga	aggtaggggg	ttatgtaaga	aaggaaaacc	taatctatgg	aatcaggagt	3000
tgtcaccacc	gagcttcctc	tggaagtctg	cccatcagct	tgcttgttct	ctgttaagag	3060
gaagggttag	gacaaggatt	tgggcttgaa	tatgtggaaa	ggaattttca	tagttgttgc	3120
tgcaggacct	acaaaagttt	aaaattagat	tggatgtgac	tcaatgacaa	gtcccatctg	3180
tgtaattggt	aaggggacct	gattgactcc	tgtggtttga	ttgagcaacc	aggtaaatag	3240
agacctctct	ccagcttttg	caaaacccat	cagaggctgc	tgcagaactc	agacagaggg	3300
atctgccctt	gggtttgctt	ccatcctggt	ccattgctaa	gcccttgtga	cttggtacct	3360
aggactgaaa	agtttttagc	tgccctcagct	ttcccttgac	cttactggca	gaggttctgc	3420
agatgtttcc	tttggaagat	ctcttgccaa	gaatagcatt	ccttttgagg	aggggggttc	3480
tagttggaat	gttgcttttc	ttggttagtg	taaatgtatt	gctagtgaga	cagctgccgg	3540
cgctggaaaa	ggctcgtctc	acagggagag	tgctgggtccc	cagaatgtgt	gctgttccca	3600
cgctgctgcc	tttcttgagc	ttgttagagg	aaagccagaa	aggcattcag	atgggatcag	3660
tctggctttc	aaattttttt	taattcctaa	gttctgtttt	attttttaat	tttttaaaaa	3720
aaatttttatt	agagacagtc	tctctctctt	gcctagctgg	gagtgcagtg	gagtgatcat	3780
agctcactga	ggcttgaact	cctgggctcg	agcaatccac	ctcagcctcc	agagttaggg	3840
agactacaga	tgtgtgccac	catactcagc	tagtttttaa	actttcgtag	agacagggtc	3900
tccctgtgtt	gccaggctg	gcctcgaact	cctgacctca	aaaaatcttc	ctgccttggc	3960
ctcccagcgc	tttgagaggc	tgaggcagga	ggatcccttg	agcccaggag	tttgagacca	4020
gcctgggcaa	catgacaaaa	ccccatctct	ccaaaaatac	aaaaattggc	caggcatggt	4080
ggtgcacact	tgtagtccca	gtaattaggg	ggctgagaca	ggaggatcac	ttcagcctat	4140
gagtttgagg	ctgcagttag	ctgtgattgc	gccactacac	tccagcctgg	atgacaggac	4200
gaaacctgtc	tcaaaaacac	caaaaaacaa	aaaccggctc	cctgggggtca	tggtagcaca	4260
aacgcacatg	actgagtgtc	caggggttct	gaggtctgtc	cgctgacctg	gggctctggc	4320
cctgggagat	ctgggggacc	tgctgtccta	tatgtgatgc	tttgaaagaa	aggggcatca	4380
ttccaagcca	agaggcccca	gagagggcac	cgtggggtgt	tcaggcttct	gtgaggcccc	4440
agttagatcc	tgtggctgtg	cccccatcac	ctccaccac	tctgccctcc	cactagctgc	4500
ccaacggatg	aatcaacgcc	ttggcagagt	tttccagcag	ggccttgacg	agagtgtgtg	4560
tgacctgtgt	ggccactgcc	ttggggacgg	gtgaggagtt	agcctggaac	attccagcgt	4620
gggcattatt	gtcctgttgc	aagttcaggg	caaaaccagg	aatccagttt	tgtcgatcca	4680
attgagaaaa	catttcatga	acaactactt	gtggcatgca	ttggcactcg	gaataaagcg	4740
cactattgtc	act	4753				

<210> 24
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> D13642

<400> 24
 aaaccaggaa tccagttttg tcgatccaat tgagaaaaca tttcatgaac aactacttgt 60

<210> 25
 <211> 2591
 <212> DNA
 <213> Homo sapiens

<300>

<308> D25328

<400> 25

```
cccggacgtg  cggctcccct  cggcctcctc  gccatggacg  cggacgactc  cggggcccc  60
aagggctcct  tgcggaagtt  cctggagcac  ctctccgggg  ccggcaaggc  catcggcgtg  120
ctgaccagcg  gcgggggatgc  tcaaggtatg  aacgctgccg  tccgtgccgt  ggtgcgcatg  180
ggtatctacg  tgggggccaa  ggtgtacttc  atctacgagg  gctaccaggg  catggtggac  240
ggaggctcaa  acatcgacga  ggccgactgg  gagagtgtct  ccagcatcct  gcaagtgggc  300
gggacgatca  ttggcagtgc  gcggtgccag  gccttccgca  cgcgggaagg  ccgcctgaag  360
gctgcttgca  acctgctgca  gcgcggcatc  accaacctgt  gtgtgatcgg  cggggacggg  420
agcctcaccg  gggccaacct  ctcccggaag  gagtggagtg  ggctgctgga  ggagctggcc  480
aggaaaggcc  agatcgataa  ggaggccgtg  cagaagtacg  cctacctcaa  cgtggtgggc  540
atggtgggct  ccatcgacaa  tgattttctg  ggcaaccgaca  tgaccatcgg  cacggactcc  600
gccctgcaca  ggatcatcga  ggtcgtcgac  gccatcatga  ccacggccca  gagccaccag  660
aggaccttcg  ttctggaggt  gatgggacga  cactgtgggt  acctggccct  ggtgagtgcc  720
ttggcctgcg  gtgcggactg  ggtgttcctt  ccagaatctc  caccagagga  aggctgggag  780
gagcagatgt  gtgtcaaact  ctcggaagaa  cgtgcccgga  aaaaaaggct  gaatattatt  840
attgtggctg  aaggagcaat  tgatacccaa  aataaaccca  tcacctctga  gaaaatcaaa  900
gagcttgctg  tcacgcagct  gggctatgac  acacgtgtga  ccacctcggg  gcacgtgcag  960
agaggaggga  ccccttcggc  attcgacagg  atcttggcca  gccgcatggg  agtggaggca  1020
gtcatcgccct  tgctagaggc  caccocggac  accccagctt  gcgtcgtgtc  actgaacggg  1080
aaccacgccc  tgcgcctgcc  gctgatggag  tgcgtgcaga  tgactcagga  tgtgcagaag  1140
gcgatggacg  agaggagatt  tcaagatgcg  gttcgactcc  gagggaggag  ctttgcgggc  1200
aacctgaaca  cctacaagcg  acttgccatc  aagctgccgg  atgatcagat  cccaaagacc  1260
aattgcaacg  tagctgtcat  caacgtgggg  gcacccgcgg  ctgggatgaa  cgcggccgta  1320
cgctcagctg  tgcgcgtggg  cattgccgac  ggccacagga  tgctcgccat  ctatgatggc  1380
tttgacggct  tcgccaaggg  ccagatcaaa  gaaatcggct  ggacagatgt  cgggggctgg  1440
accggccaag  gaggtccat  tcttgggaca  aaacgcgttc  tcccggggaa  gtacttgaa  1500
gagatcgcca  cacagatgcg  cagcacagc  atcaacgcgc  tgctgatcat  cggtgatttc  1560
gaggcctacc  tgggactcct  ggagctgtca  gccgcccggg  agaagcacga  ggagttctgt  1620
gtccccatgg  tcatggttcc  cgctactgtg  tccaacaatg  tgccgggttc  cgatttcagc  1680
atcggggcag  acaccgccct  gaacactatc  accgacacct  gcgaccgcat  caagcagtc  1740
gccagcgga  ccaagcggcg  cgtgttcac  atcgagacca  tgggcggcta  ctgtggctac  1800
ctggccaaca  tgggggggct  cgcggccgga  gctgatgccg  catactttt  cgaagagccc  1860
ttcgacatca  gggatctgca  gtccaacgtg  gagcacctga  cggagaaaat  gaagaccacc  1920
atccagagag  gccttgtgct  cagaaatgag  agctgcagtg  aaaactacac  caccgacttc  1980
atttaccagc  tgtattcaga  agagggcaaa  ggcgtgtttg  actgcaggaa  gaacgtgctg  2040
ggtcacatgc  agcagggtgg  ggcacctct  ccatttgata  gaaactttgg  aaccaaatac  2100
tctgccagag  ctatggagtg  gatcaactga  aaactcaagg  aggcccgggg  cagaggaaaa  2160
aaatttacca  ccgatgattc  catttgtgtg  ctgggaataa  gcaaaaagaa  cgttattttt  2220
caacctgtgg  cagagctgaa  gaagcaaacg  gattttgagc  acaggattcc  caaagaacag  2280
tggtggctca  agctacggcc  cctcatgaaa  atcctggcca  agtacaaggc  cagctatgac  2340
gtgtcggact  caggccagct  ggaacatgtg  cagccctgga  gtgtctgacc  cagtcgccgc  2400
tgcagtgtcc  tgcagccacc  gtggactgtc  tgtttttgta  acacttaagt  tattttatca  2460
gcactttatg  cacgtattat  tgacattaat  acctaatcgg  cgagtgccca  tctgcccac  2520
cagctccagt  gcgtgctgtc  tgtggagtgt  gtctcatgct  ttcagatgtg  catatgagca  2580
gaattaatta  a  2591
```

<210> 26

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> D25328

<400> 26

```
tattttatca  gcactttatg  cacgtattat  tgacattaat  acctaatcgg  cgagtgccca  60
```

<210> 27

<211> 2573
 <212> DNA
 <213> Homo sapiens

<300>
 <308> D50402

<400> 27

gaatcggccg	atgtgaaccg	aatgtttgatg	taagaggcag	ggcactcggc	tgcggatggg	60
taacaggggc	tgggctggca	cacttacttg	caccagtgcc	cagagagggg	gtgcaggctg	120
aggagctgcc	cagagcaccg	ctcacactcc	cagagtacct	gaagtcggca	tttcaatgac	180
aggtgacaag	ggtcccaaaa	ggctaagcgg	gtccagctat	ggttccatct	ccagcccgac	240
cagcccgacc	agcccagggc	cacggcaagc	acctcccaga	gagacctacc	tgagtgagaa	300
gatccccatc	ccagacacaa	aaccggggac	cttcagcctg	cggaagctat	gggccttcac	360
ggggcctggc	ttcctcatga	gcattgcttt	cctggaccca	ggaaacatcg	agtcagatct	420
tcaggctggc	gccgtggcgg	gattcaaaact	tctctgggtg	ctgctctggg	ccaccgtgtt	480
gggcttgctc	tgccagcgac	tggtgcacg	tctgggcgtg	gtgacaggca	aggacttggg	540
cgaggctctg	catctctact	accctaaggt	gccccgcacc	gtcctctggc	tgaccatcga	600
gctagccatt	gtgggctccg	acatgcagga	agtcatcggc	acggccattg	cattcaatct	660
gctctcagct	ggacgaatcc	cactctgggg	tggcgctctc	atcaccatcg	tggacacctt	720
cttcttcctc	ttcctcgata	actacgggct	gcggaagctg	gaagcttttt	ttggactcct	780
tataaccatt	atggccttga	cctttggcta	tgagtatgtg	gtggcgcgctc	ctgagcaggg	840
agcgcttctt	cggggcctgt	tcctgcccctc	gtgcccgggc	tgcggccacc	ccgagctgct	900
gcaggcggtg	ggcattgttg	gcgccatcat	catgccccac	aacatctacc	tgcactcggc	960
cctggtcaag	tctcgagaga	tagaccgggc	ccgccgagcg	gacatcagag	aagccaacat	1020
gtacttcctg	attgaggcca	ccatcgccct	gtccgtctcc	tttatcatca	acctctttgt	1080
catggctgtc	tttgggcagg	ccttctacca	gaaaaccaac	caggctgcgt	tcaacatctg	1140
tgccaacagc	agcctccacg	actacgccaa	gatcttcccc	atgaacaacg	ccaccgtggc	1200
cgtggacatt	taccaggggg	gcgtgatctc	gggctgcctg	ttcggccccg	cggccctcta	1260
catctggggc	ataggtctcc	tggcggtctg	gcagagctcc	accatgacgg	gcacctacgc	1320
gggacagttc	gtgatggagg	gcttctctgag	gctgcggtgg	tcacgcttcg	cccgtgtcct	1380
cctcaccggc	tcctgcgccca	tcctgcccac	cgtgctcgtg	gctgtcttcc	gggacctgag	1440
ggacttgctg	ggcctcaatg	atctgtctcaa	cgtgctgcag	agcctgctgc	tcccgttcgc	1500
cgtgctgccc	atcctcacgt	tcaccagcat	gcccaccctc	atgcaggagt	ttgccaatgg	1560
cctgctgaac	aaggctcgta	cctcttccat	catggtgcta	gtctgcgccca	tcaacctcta	1620
cttcgtggtc	agctatctgc	ccagcctgcc	ccaccctgcc	tacttcggcc	ttgcagcctt	1680
gctggccgca	gcctacctgg	gcctcagcac	ctacctggtc	tggacctgtt	gccttgccca	1740
cggagccacc	tttctggccc	acagctccca	ccaccacttc	ctgtatgggc	tccttgaaga	1800
ggaccagaaa	ggggagacct	ctggctaggc	ccacaccagg	gcctggctgg	gagtggcatg	1860
tatgacgtga	ctggcctgct	ggatgtggag	ggggcgcgctg	caggcagcag	gatggagtgg	1920
gacagttcct	gagaccagcc	aacctggggg	ctttaggggac	ctgctgtttc	ctagcgcagc	1980
catgtgatta	ccctctgggt	ctcagtgtcc	tcactctgtaa	aatggagacg	ccaccaccct	2040
tgccatggag	gttaagcact	ttaacacagt	gtctggcact	tgggacaaaa	acaaacaaac	2100
aaacaaaaaa	cattttcaaaa	ggtatattt	gagcacctgc	aggcgtgacc	tgacagccca	2160
agggtgggtg	gggtgagggc	ttgaggactt	gggcgggaca	caggctccaa	actggagctt	2220
gaaatagtgt	ctgatgaatg	ttaaattatc	tatctatcta	tttattttatt	tatttgagac	2280
agggaaaagg	tctccctctg	ttgccaaagg	tggagtgcag	tggcgcaatc	ttaaactcatt	2340
gcaacctcca	ccttctgggt	tcaagcgatt	ctctttattc	agccccggga	gtggcgcgcg	2400
ccaccacgcc	cagctaattt	gtgtattttc	agcagagacg	gggtttgccca	tgctggccag	2460
gctggtctcg	aactgctgga	ttcaagtgat	ccgcccatct	ccgtctccca	aagtgtctggg	2520
aattacaggc	gtgagccacc	aaaaccgggc	ctgattaaag	ttaaataaat	acg	2573

<210> 28
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> D50402

<400> 28

tggaggttaa gcactttaac acagtgtctg gcacttggga caaaaacaaa caaacaaaca 60

<210> 29

<211> 3672

<212> DNA

<213> Homo sapiens

<300>

<308> L27560

<400> 29

acatgtgcat	atttcattcc	ccaggcagac	atTTTTtaga	aatcaatata	tgccccaata	60
ttggaaaagac	ttgttcttcc	acggtgacta	cagtacatgc	tgaagcgtgc	cgtttcagcc	120
ctcattttaat	tcaatttgta	agtagcgcac	gagcctctgt	gggggaggat	aggctgaaaa	180
aaaaaagtgg	gctcgtatTT	atctacagga	ctccatatag	tcatatatag	gcatataaat	240
ctatgctttt	tctttgTTTT	tttctttctt	cctttctttc	aaaggtttgc	attaactttt	300
caaagttagtt	cctatagggg	cattgaggag	cttcctcatt	ctgggaaaac	tgagaaaacc	360
catatttctcc	taatacaacc	cgtaatagca	tttttgcttg	cctcgaggca	gagtttcccg	420
tgagcaataa	actcagcttt	tttgtggggc	acagtactgg	atTTgacagt	gattccccac	480
gtgtgttcac	ctgcaccac	cgagccaggc	agaggccagc	cctccgtggt	gcacacagca	540
cgcgcctcag	tccatcccat	tttagtcttt	aaacctcag	gaagtacag	tctccggaca	600
ccacaccaca	ttgagcccaa	caggTccacg	atggatccac	ctagtcccac	cccagccttt	660
ttcttttcac	tgaacagaat	gtgcattttt	ggaagcctcc	ctcactctcc	atgctggcag	720
agcaggaggg	agactgaagt	aagagatggc	agagggagat	ggtggcaaaa	aggttttagat	780
gcaggagaac	agtaagatgg	atggttccgg	ccagagtcca	tgtggggagg	aacagagggc	840
tgaagggaga	gggggctgac	tgttccattc	tagctttggc	acaaagcagc	agaaaggggg	900
aaaagccaat	agaaatttcc	ttagcttccc	caccatatgt	atTTtcatgg	atTTgagagg	960
aaagagagga	aaatggggga	atgggttgca	aaatagaaat	gagcttaatc	caggccgcag	1020
agccaggga	ggtgagtaac	cttaggaggg	tgctagactt	tagaagccag	atagaaagaa	1080
tcagtctaaa	ctggccatgc	tttggaaggg	acaagactat	gtgctccgct	gcccaccttc	1140
agcctgcaat	gagggactga	ggcccaagag	tctttccagc	tcttctctca	ttctggccag	1200
tccctgcatc	ctccctgggg	tggaggatgg	aaggaaagct	gggacaagca	gggaacgcac	1260
gattcaggga	tgctgtcact	cggcagccag	attccgaaac	tcccattctc	caatgacttc	1320
ctcaaccaat	gggtggcctt	gtgactgttc	tttaaggctg	aagatatcca	ggaaaggggg	1380
cttggaact	ggccaaggag	accccttctg	gctgtggaca	cagctctctt	cactctttgc	1440
tcatggcatg	acacagcgga	gaccgcctcc	aacaacgaat	ttggggctac	gaagaggaat	1500
agcgaaaaag	caaactctgt	tcaactgatg	ggaacctat	agctatagaa	cttgggggct	1560
atctcctatg	cccctggaca	ggacagttgg	ctggggacag	gagaagtgct	caatcttcac	1620
gagacaaaag	ggccccatca	aggcagccac	aaggccttga	cctgccgagt	cagcatgccc	1680
catctctctc	gacagctgtc	ccctaaaccc	aactcacgtt	tctgtatgtc	ttaggccagt	1740
atcccaaacc	tcttccacgt	cactgttctt	tccacccatt	ctccctttgc	atcttgagca	1800
gttatccaac	taggatctgc	caagtggata	ctgggggtgc	actcccctga	gaaaagactg	1860
agccagggaac	tacaagctcc	ccccacattc	ctcccagcct	ggacctaat	cttgagaggg	1920
gctctctctt	cacggactgt	gtctggactt	tgagcaggct	tctgcccctt	gcgttggttc	1980
tttgtgcca	gccatcaggt	gggggattag	agcctggtgt	aagtgcgcca	gactcttccg	2040
gtttccaaa	ttcgtgctg	cgaacccaaa	cctgtgagtc	tcttctgcat	gcaggagttt	2100
ctcctgggca	gctggtcact	ccccagagaa	gctgggcctt	catggacaca	tggaaactaag	2160
cctcccaaat	gggagttctg	gctgagccca	gggtggggag	atcctgggaa	gggaggcact	2220
ggaggaagac	ggcacctctt	cccccatggc	agggtgtgag	ggaggcaggt	ttggaatggt	2280
gcgagtatgg	caatctaagc	aggggtctgg	tctctttgac	tccaggctcg	ctttggccga	2340
ctgtctgctc	acccagagac	cttggaactc	ggactatcca	tggctccgaa	tctaagtgtc	2400
gccactccc	atgctcacac	ccacagaagg	tcttcccatc	cccttttagat	tctgtccctca	2460
ctccaccagt	gaggaagatg	cctctgtctt	tcccacgact	gccaggagat	agggaagccc	2520
agccaggact	gacctctctt	cctccagcct	gccctgaccc	acctggcaaa	gcagggcaca	2580
tggggaggaa	gagactggaa	cctttctttg	acagccaggc	ctagacagac	aggcctgggg	2640
acactggccc	atgaggggag	gaaggcaggc	gcacgaggtc	cagggaggcc	cttttctgat	2700
catgcccctt	ctctcccacc	ccatctcccc	accaccaact	ctgtggcctc	catggtaccc	2760
ccacagggct	ggcctcccct	agaggggtgg	cctcaaccac	ctcgtcccgc	cacgcaccgg	2820
ttagttagac	agggttgcca	cgaaccgcc	aagccccctt	caaggtggga	cagtaccccg	2880
gacccatcca	ctcactcctg	agaggctccg	gcccagaatg	ggaacctcag	agaagagctc	2940
taaggagaag	aaaccccata	gcgtcagaga	ggatatgtct	ggcttccaag	agaaaggagg	3000

ctccgttttg	caaagtggag	gagggacgag	ggacaggggt	ttcaccagcc	agcaacctgg	3060
gccttgtact	gtctgtgttt	ttaaaaccac	taaagtgcaa	gaattacatt	gcactgtttc	3120
tccacttttt	attttctctt	aggettttgt	ttctatttca	aacatacttt	cttgggtttc	3180
taatggagta	tatagtttag	tcatttcaca	gactctggcc	tcctctcctg	aaatcctttt	3240
ggatggggaa	aggaaggtg	gggaggggtc	gaggggaagg	ggaccccagc	ttccctgtgc	3300
ccgctcacc	cactccacca	gtccccggtc	gccagccgga	gtctcctctc	taccgccact	3360
gtcacaccgt	agcccacatg	gatagcacag	ttgtcagaca	agattccttc	agattccgag	3420
ttgctaccgg	ttgttttcgt	tgttggtgtt	gttggttttc	tttttctttt	tttttttgaa	3480
gacagcaata	accacagtac	atattaactgt	agttctctat	agttttacat	acattcatac	3540
cataactctg	ttctctcctc	ttttttgttt	tcaactttaa	aaacaaaaat	aaacgatgat	3600
aatctttact	ggtgaaaagg	atggaaaaat	aatcaacaa	atgcaaccag	tttgtgagaa	3660
aaaaaaaaaa	aa	3672				

<210> 30
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> L27560

<400> 30	
agcaacctgg	gccttgtact gtctgtgttt ttaaaaccac taaagtgcaa gaattacatt 60

<210> 31
 <211> 1416
 <212> DNA
 <213> Homo sapiens

<220>
 <221> Modified_base
 <222> 1 ... 1416
 <223> n = a,c,g, or t

<300>
 <308> M55914

<400> 31	
aggaattccg	gaattccgga attccgatgg atggaacaga aaataaatct aagtttggtg 60
cgaacgccat	tctgggggtg tcccttgccg tctgcaaagc tgggtgccgtt gagaaggggg 120
tcccctgtac	cgccacatcg cgtacttggc tggcaacttc gaagtcatcc tgccagtccc 180
ggcgttcaag	tgatcatcatc aatggcggtt ctcatgctgg caacaagctg gccatgcaga 240
gtctgtcctc	ccagtcgggtg cagcaaactc aggggaagcca tgccgcattg gagcagaggt 300
ttaccacaac	ctgaagaatg tcatcaagga gaaatatggg aaagatgccca ccaatgtggg 360
gatttgccgc	ggtttgctcc caacatcctg gagaataaag aaggcctgga gctgctgaag 420
actgctattg	gaaagcctgg cctacactgt aaaggtgggtc atggcatgga cgtagcggcc 480
tccgagttct	tcaggtcagg gaactatgac ctggacttca agtctcccga tgaccccagc 540
agggtacatc	cgctgacca gctggctgac ctgtacaagt ccttcatcaa ggactacca 600
gtgggtgtct	tcgaagatcc ctttgaccag gatgactggg gagcttcaga agttcacagc 660
cagtgcagga	atccaggtag tgggggggatg actcacagtg accaacccaa agaggatcgc 720
caaggcgtga	acgagaagtc ctgcaactgc ctctgctca aagtcaacca gattggctcc 780
gtgaccgagt	ctcttcaggc gtgcaagctg gccaggcca atggttgggg cgtcatggtg 840
tctcatcggt	cgggggagac tgaagatacc ttcacgctg acctggttgt ggggctgtgc 900
actggggcag	atcaagactg gtgccccttg ccgatcacgc gcttgggcaa gtacaaccag 960
ctcctcagaa	ttgaagagga gctgggcagg aaggctaagt ttgcccggcag gaacttcaga 1020
aaccccttgg	ccaagtaagc tgtgggcagg caagccttcg gtcacctgtt ggctacagac 1080
ccctcccctg	gtgtcagctc aggcagctcg agggccccga ccaacacttg caggggtccc 1140
tgctagttag	cgcccaccgc cgtggagttc gtaccgcttc cttagaactc tacagaagcc 1200
aagctccctg	gaagccctgt tggcagctct agctttgcag ttgtgttaatt ggcccaagtc 1260
attgtttttc	tcgccttact ttccaccaag tgtctagagt catgtgagcc tngtgcctac 1320
tccgggggtg	ccacaggcta gatccccggg ggttttgtgc tcaaaaataaa aagcctcagt 1380

gacccatgaa aaaaaaaaaag gaattccgga attccg 1416

<210> 32

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> M55914

<400> 32

gtaccgcttc cttagaactc tacagaagcc aagctccctg gaagccctgt tggcagctct 60

<210> 33

<211> 2517

<212> DNA

<213> Homo sapiens

<300>

<308> M96577

<400> 33

ggaattccgt	ggccgggact	ttgcaggcag	cgccggccgg	ggcgggagcg	ggatcgagcc	60
ctcgccgagg	cctgccgcca	tgggcccgcg	ccgccgccgc	cgcctgtcac	ccgggccgcg	120
cgggccgtga	gcgtcatggc	cttggccggg	gcccctgcgg	gcggcccatg	cgcgcggcg	180
ctggaggccc	tgctcggggc	cggcgcgctg	cggtctctcg	actcctcgca	gatcgtcatc	240
atctccgcgc	cgcaggacgc	cagcgcgccg	ccggctccca	ccggccccgc	ggcggccgcc	300
gccggcccc	gcgaccctga	cctgctgctc	ttcgccacac	cgcaggcgcc	ccggcccaca	360
cccagtgcgc	cgcggcccgc	gctcggccgc	ccgccgggtga	agcggaggct	ggacctggaa	420
actgaccatc	agtacctggc	cgagagcagt	gggccagctc	ggggcagagg	ccgccatcca	480
ggaaaagggtg	tgaatcccc	gggggagaag	tcacgctatg	agacctcact	gaatctgacc	540
accaagcgct	tcttgagct	gctgagccac	tcggctgacg	gtgtcgtcga	cctgaactgg	600
gctgccgagg	tgctgaagg	gcagaagcgg	cgcactctatg	acatcaccaa	cgtccttgag	660
ggcatccagc	tcattgccaa	gaagtccaag	aaccacatcc	agtggctggg	cagccacacc	720
acagtgggcg	tcggcggacg	gcttgagggg	ttgacccagg	acctccgaca	gctgcaggag	780
agcagcagc	agctggacca	cctgatgaat	atctgtacta	cgcagctgcg	cctgctctcc	840
gaggacactg	acagccagcg	cctggcctac	gtgacgtgtc	aggaccttcg	tagcattgca	900
gacctgcag	agcagatgg	tatgggtgatc	aaagcccctc	ctgagaccca	gctccaagcc	960
gtggactctt	cggagaactt	tcagatctcc	cttaagagca	aacaaggccc	gatcgaatgt	1020
ttcctgtgcc	ctgaggagac	cgtagggtgg	atcagccctg	ggaagacccc	atcccaggag	1080
gtcacttctg	aggaggagaa	cagggccact	gactctgcca	ccatagtgtc	accaccacca	1140
tcactctccc	cctcatccct	caccacagat	cccagccagt	ctctactcag	cctggagcaa	1200
gaaccgctgt	tgccccggat	gggcagccctg	cgggctcccc	tggacgagga	ccgctgtctc	1260
ccgctgggtg	cgcccgactc	gctcctggag	catgtgcggg	aggacttctc	cggcctcctc	1320
cctgaggagt	tcatcagcct	ttccccaccc	cacgaggccc	tcgactacca	cttcggcctc	1380
gaggaggcg	agggcatcag	agacctcttc	gactgtgact	ttggggacct	cacccccctg	1440
gatttctgac	agggttgga	gggaccagg	tttccagagt	agctcacctt	gtctctgcag	1500
ccctggagcc	ccctgtccct	ggccgtccctc	ccagcctgtt	tggaaacatt	taattttatac	1560
ccctctctctc	tgtctccaga	agcttctagc	tctgggtctt	ggctaccgct	aggaggctga	1620
gcaagccagg	aagggaagga	gtctgtgtgg	tgtgtatgtg	catgcagcct	acaccacac	1680
gtgtgtaccg	ggggtgaatg	tgtgtgagca	tgtgtgtgtg	catgtaccgg	ggaatgaagg	1740
tgaacataca	cctctgtgtg	tgcactgcag	acacgcccc	gtgtgtccac	atgtgtgtgc	1800
atgagtcctat	ctctgcgcgt	gggggggctc	taactgcact	ttcggccctt	ttgctcgtgg	1860
ggtcccacaa	ggcccagggc	agtgcctgct	cccagaatct	ggtgctctga	ccaggccagg	1920
tggggaggct	ttggctggct	gggcgtgtag	gcagggtgaga	gcacttctgt	cttaaagggtt	1980
ttttctgatt	gaagctttaa	tggagcggtta	tttattttatc	gaggcctctt	tgggtgagcct	2040
ggggaatcag	caaaagggga	ggaggggtgt	ggggttgata	ccccaaactcc	ctctaccctt	2100
gagcaagggc	aggggtccct	gagctgttct	tctgccccat	actgaaggaa	ctgaggcctg	2160
ggtgatttat	ttattgggaa	agtgagggg	ggagacagac	tgactgacag	ccatgggtgg	2220
tcagatggtg	gggtgggccc	tctccagggg	gccagttcag	ggcccagctg	ccccccagga	2280

tggatatgag	atgggagagg	tgagtggggg	accttcactg	atgtgggcag	gaggggtggt	2340
gaaggcctcc	cccagcccag	accctgtggt	ccctcctgca	gtgtctgaag	cgctgcctc	2400
cccactgctc	tgccccaccc	tccaatctgc	actttgattt	gcttcctaac	agctctgttc	2460
cctcctgctt	tggttttaat	aaatattttg	atgacgttaa	aaaaaggaat	tcgatat	2517

<210> 34
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> M96577

<400> 34	gtaggacggt	gagagcactt	ctgtcttaaa	ggttttttct	gattgaagct	ttaatggagc	60
----------	------------	------------	------------	------------	------------	------------	----

<210> 35
 <211> 4437
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000057

<400> 35	gcgcggcggc	cgtggttgcg	gcgcgggaag	tttggatcct	ggttccgtcc	gctaggagtc	60
	tgcgtgcgag	gattatggct	gctgttcctc	aaaataatct	acaggagcaa	ctagaacgtc	120
	actcagccag	aacacttaat	aataaattaa	gtctttcaaa	accaaaattt	tcagggttca	180
	cttttaaaaa	gaaaacatct	tcagataaca	atgtatctgt	aactaatgtg	tcagtagcaa	240
	aaacacctgt	attaagaaat	aaagatgtta	atgttaccga	agacttttcc	ttcagtgaac	300
	ctctacccaa	caccacaaat	cagcaaaggg	tcaaggactt	ctttaaaaaat	gctccagcag	360
	gacaggaaac	acagagaggt	ggatcaaaat	cattattgcc	agattttctg	cagactccga	420
	aggaagtgtg	atgcactacc	caaaacacac	caactgtaaa	gaaatcccgg	gatactgctc	480
	tcaagaaatt	agaatttagt	tcttcaccag	attctttaag	taccatcaat	gattgggatg	540
	atatggatga	ctttgatact	tctgagactt	caaaatcatt	tgttacacca	ccccaagtc	600
	actttgtaag	agtaagcact	gctcagaaat	caaaaaaggg	taagagaaac	ttttttaaag	660
	cacagcttta	tacaacaac	acagtaaaga	ctgatttgcc	tccaccctcc	tctgaaagcg	720
	agcaaataga	tttgactgag	gaacagaagg	atgactcaga	atggttaagc	agcgatgtga	780
	tttgcacatga	tgatggcccc	attgctgaag	tgcatataaa	tgaagatgct	caggaaagtg	840
	actctctgaa	aactcatttg	gaagatgaaa	gagataatag	cgaaaagaag	aagaatttgg	900
	aagaagctga	attacattca	actgagaaag	ttccatgtat	tgaatttgat	gatgatgatt	960
	atgatacgga	ttttgttcca	ccttctccag	aagaaattat	ttctgcttct	tcttcctctt	1020
	caaaatgcct	tagtacgtta	aaggaccttg	acacatctga	cagaaaagag	gatgttctta	1080
	gcacatcaaa	agatcttttg	tcaaaacctg	agaaaatgag	tatgcaggag	ctgaatccag	1140
	aaaccagcac	agactgtgac	gctagacaga	taagtttaca	gcagcagctt	attcatgtga	1200
	tgagcacat	ctgtaaatta	attgatacta	ttcctgatga	taaaactgaaa	cttttgatt	1260
	gtgggaacga	actgcttcag	cagcggaaaca	taagaaggaa	acttctaacg	gaagtagatt	1320
	ttaataaaaag	tgatgccagt	cttcttggtt	cattgtggag	atacaggcct	gattcacttg	1380
	atggccctat	ggagggtgat	tcctgcccta	cagggaattc	tatgaaggag	ttaaattttt	1440
	cacaccttcc	ctcaaattct	gtttctcctg	gggactgttt	actgactacc	accctaggaa	1500
	agacaggatt	ctctgccacc	aggaagaatc	tttttgaaag	gcctttattc	aataccatt	1560
	tacagaaagtc	ctttgtaagt	agcaactggg	ctgaaacacc	aagactagga	aaaaaaaaatg	1620
	aaagctctta	tttcccagga	aatgtttctca	caagcactgc	tgtgaaagat	cagaataaac	1680
	atactgcttc	aataaatgac	ttagaaagag	aaacccaacc	ttcctatgat	attgataatt	1740
	ttgacataga	tgactttgat	gatgatgatg	actgggaaga	cataatgcat	aatttagcag	1800
	ccagcaaatc	ttccacagct	gcctatcaag	ccatcaagga	aggctcgcca	attaaatcag	1860
	tatcagaaag	actttcctca	gccaagacag	actgtcttcc	agtgtcatct	actgctcaaa	1920
	atataaactt	ctcagagtca	attcagaatt	atactgacaa	gtcagcacia	aatttagcat	1980
	ccagaaatct	gaaacatgag	cgtttccaaa	gtcttagttt	tcctcataca	aaggaaatga	2040
	tgaagatttt	tcataaaaaa	tttggcctgc	ataattttag	aactaatcag	ctagaggcga	2100
	tcaatgctgc	actgcttggt	gaagactgtt	ttatcctgat	gccgactgga	ggtggtgaaga	2160

gtttgtgtta	ccagctccct	gcctgtgttt	ctcctggggt	cactgttgtc	atttctccct	2220
tgagatcact	tatcgtagat	caagtcctaa	agctgacttc	cttgatatt	ccagctacat	2280
atctgacagg	tgataagact	gactcagaag	ctacaaatat	ttacctccag	ttatcaaaaa	2340
aagacccaat	cataaaactt	ctatatgtca	ctccagaaaa	gatctgtgca	agtaacagac	2400
tcattttctac	tctggagaat	ctctatgaga	ggaagctctt	ggcacgtttt	gttattgatg	2460
aagcacattg	tgtcagtcag	tggggacatg	attttcgtca	agattacaaa	agaatgaata	2520
tgcttcgcca	gaagtttcc	tctgttccgg	tgatggctct	tacggccaca	gctaattcca	2580
gggtacagaa	ggacatccct	actcagctga	agattctcag	acctcagggt	tttagcatga	2640
gctttaacag	acataatctg	aaatactatg	tattaccgaa	aaagcctaaa	aagggtggcat	2700
ttgattgcct	agaatggatc	agaaagcacc	acccatatga	ttcagggtata	atttactgcc	2760
tctccaggcg	agaatgtgac	accatggctg	acacgttaca	gagagatggg	ctcgtctgct	2820
ttgtcttacca	tgctggcctc	agtgtattctg	ccagagatga	agtgcagcag	aagtggatta	2880
atcaggatgg	ctgtcagggt	atctgtgcta	caattgcatt	tggaatgggg	attgacaaac	2940
cggacgtgcy	atttgtgatt	catgcatctc	tccctaaatc	tgtggagggt	tactaccaag	3000
aatctggcag	agctggaaga	gatggggaaa	tatctcactg	cctgcttttc	tataacctatc	3060
atgatgtgac	cagactgaaa	agacttataa	tgatggaaaa	agatggaaac	catcatacaa	3120
gagaaactca	cttcaataat	ttgtatagca	tggtacatta	ctgtgaaaat	ataacggaat	3180
gcaggagaat	acagcttttg	gcctactttg	gtgaaaatgg	atttaatcct	gattttttgta	3240
agaaacaccc	agatgtttct	tgtgataaatt	gctgtaaaac	aaaggattat	aaaacaagag	3300
atgtgactga	cgatgtgaaa	agtattgttaa	gatttgttca	agaacatagt	tcatcacaag	3360
gaatgagaaa	tataaaacat	gtaggtcctt	ctggaagatt	tactatgaat	atgtggtctg	3420
acatttttctt	ggggagtaag	agtgcacaaa	tccagtcagg	tatatttgga	aaaggatctg	3480
cttatttcacg	acacaatgcc	gaaagacttt	ttaaaaagct	gatacttgac	aagatttttg	3540
atgaagactt	atatatcaat	gccaatgacc	aggcgatcgc	ttatgtgatg	ctcggaaata	3600
aagcccaaac	tgtactaaat	ggcaatttaa	aggtagactt	tatggaaaca	gaaaattcca	3660
gcagtgtgaa	aaaacaaaaa	gcgttagtag	caaaagtgtc	tcagagggaa	gagatggtta	3720
aaaaatgtct	tggagaactt	acagaagtct	gcaaatctct	ggggaaaagt	tttgggtgtcc	3780
attacttcaa	tattttttaat	accgtcactc	tcaagaagct	tgcagaatct	ttatcttctg	3840
atcctgaggt	tttgcttcaa	attgatgggtg	ttactgaaga	caaactggaa	aaatatggtg	3900
cggaaagtgt	ttcagtatta	cagaaatact	ctgaatggac	atcgccagct	gaagacagtt	3960
ccccagggtat	aagcctgtcc	agcagcagag	gccccggaag	aagtgccgct	gaggagcttg	4020
acgaggaaat	accgctatct	tcccactact	ttgcaagtaa	aaccagaaat	gaaaggaaga	4080
ggaaaaagat	gccagcctcc	caaaggtcta	agaggagaaa	aactgcttcc	agtggttcca	4140
aggcaaagg	ggggtctgcc	acatgtagaa	agatatcttc	caaaacgaaa	tcctccagca	4200
tcattggatc	cagttcagcc	tcacatactt	ctcaagcgac	atcaggagcc	aatagcaaatt	4260
tggggattat	ggctccaccg	aagcctataa	atagaccggt	tcttaagcct	tcatatgcat	4320
tctcataaca	accgaatctc	aatgtacata	gacctctttt	cttgtttgtc	agcatctgac	4380
catctgtgac	tataaagctg	ttattcttgt	tataccaaaa	aaaaaaaaaa	aaaaaaa	4437

<210> 36
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000057

<400> 36	taagccttca	tatgcattct	cataacaacc	gaatctcaat	gtacatagac	cctcttttctt	60
----------	------------	------------	------------	------------	------------	-------------	----

<210> 37
 <211> 2016
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000060

<400> 37	gccagctgga	gcgttttccg	ggctgttaaag	ggagaatggc	gcatgcgcat	attcagggcg	60
	gaaggcgcg	taagagcaga	tttgtgggtct	gcattatgtc	tggagccaga	agtaagcttg	120

ctcttttccct	ctgcggtgt	tacgtggttg	ccctgggagc	ccacaccggg	gaggagagcg	180
tggctgacca	tcacgaggct	gaatattatg	tggctgccgt	gtatgagcat	ccatccatcc	240
tgagtctgaa	ccctctggct	ctcatcagcc	gccaaagggc	cttgagagctc	atgaaccaga	300
accttgacat	ctatgaacag	caagtgatga	ctgcagccca	aaaggatgta	cagattatag	360
tgtttccaga	agatggcatt	catggattca	actttacaag	aacatccatt	tatccatttt	420
tggacttcat	gccgtctccc	caggtggtea	ggtggaaccc	atgcctggag	cctcaccgct	480
tcaatgacac	agaggtgctc	cagcgccctga	gttgatggc	catcagggga	gatatgttct	540
tggtggccaa	tcttgggaca	aaggagcctt	gtcatagcag	tgacccaagg	tgcccaaaag	600
atgggagata	ccagttcaac	acaaatgtcg	tgttcagcaa	taatggaacc	cttggtgacc	660
gctaccgtaa	acacaacctc	tactttgagg	cagcattcga	tgttcctctt	aaagtggatc	720
tcatcacctt	tgataccccc	tttgctggca	ggtttggcat	cttcacatgc	tttgatatat	780
tgttctttga	ccctgccatc	agagtcctca	gagactacaa	ggtgaagcat	gttggtgacc	840
caactgcctg	gatgaaccag	ctccactct	tggcagcaat	tgagattcag	aaagcttttg	900
ctggtgcctt	tgcatcaac	gttctggcag	ctaattgtcca	ccaccagtt	ctggggatga	960
caggaagtgg	catacacacc	cctctggagt	ccttttggtg	ccatgacatg	gaaaatccca	1020
aaagtcacct	tataattgcc	caggtggcca	aaaatccagt	gggtctcatt	ggtgcagaga	1080
atgcaacagg	tgaaacggac	ccatcccata	gtaagttttt	aaaaattttg	tcaggcgatc	1140
cgtactgtga	gaaggatgct	caggaagtcc	actgtgatga	ggccaccaag	tggaacgtga	1200
atgctcctcc	cacatttcac	tctgagatga	tgatgacaa	tttcaccctg	gtccctgtct	1260
ggggaaagga	aggctatctc	cacgtctgtt	ccaatggcct	ctgctgttat	ttactttacg	1320
agaggcccac	cttatccaaa	gagctgtatg	ccctgggggt	ctttgatggg	cttcacacag	1380
tacatggcac	ttactacatc	caagtgtgtg	ccctggtcag	gtgtgggggt	cttggtctcg	1440
acacctgcgg	acaggaaatc	acagaggcca	cggggatatt	tgagtttcac	ctgtggggca	1500
acttcagtac	ttcctatatc	tttcctttgt	ttctgacctc	agggatgacc	ctagaagtcc	1560
ctgaccagct	tggctgggag	aatgaccact	atttcctgag	gaaaagtagg	ctgtcctctg	1620
ggctggtgac	ggcggctctc	tatgggcgct	tgtatgagag	ggactaggaa	aagtgtgtgg	1680
tctgtggggc	ggactctggc	catcatgttg	acagccttgc	acttccacag	gctacaagcc	1740
ctgggaccat	ctttctgcct	taagggcagg	agcccacttc	tgtggcacca	gattccacc	1800
tggaactgtg	ggaaaaagta	ggagaggcag	attccctcag	tgtcttcctc	ttaaacctca	1860
atcatcgaga	cattaggggg	tattttctgt	tcacatttat	ctttttcaag	ccacatcttc	1920
ctctaacaaa	tctctcagta	tgcgattggg	ctcaagctaa	aacaaaaata	aatgtcagtt	1980
tatattttac	acatccaaaa	aaaaaaaaaa	aaaaaa	2016		

<210> 38
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000060

<400> 38	tcctctaaca	aatctctcag	tatgcgattg	gtctcaagct	aaaacaaaaa	taaattgtcag	60
----------	------------	------------	------------	------------	------------	-------------	----

<210> 39
 <211> 811
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000269

<400> 39	gcagaagcgt	tccgtgcgtg	caagtgtctg	gaaccacgtg	ggtcccgggc	gcgttttcggg	60
	tgctggcggc	tgacgccgga	gttcaaacct	aagcagctgg	aaggaaccat	ggccaactgt	120
	gagcgtacct	tcattgcgat	caaaccagat	gggggtccagc	gggggtcttgt	gggagagatt	180
	atcaagcgtt	ttgagcagaa	aggattccgc	cttggttggtc	tgaaattcat	gcaagcttcc	240
	gaagatcttc	tcaaggaaaca	ctacgttgac	ctgaaggacc	gtccattctt	tgccggcctg	300
	gtgaaataca	tgactcagg	gccggtagtt	gccatggtct	gggaggggct	gaatgtgggtg	360
	aagacggggc	gagtcatgct	cggggagacc	aacctgcag	actccaagcc	tgggaccatc	420

cgtggagact	tctgcataca	agttggcagg	aacattatac	atggcagtga	ttctgtggag	480
agtgcagaga	aggagatcgg	cttgtggttt	cacctgagg	aactggtaga	ttacacgagc	540
tgtgctcaga	actggatcta	tgaatgacag	gagggcagac	cacattgctt	ttcacatcca	600
tttcccctcc	ttcccatggg	cagaggacca	ggctgtagga	aatctagtta	tttacaggaa	660
cttcatcata	atttgagggg	aagctcttgg	agctgtgagt	tctccctgta	cagtgttacc	720
atccccgacc	atctgattaa	aatgcttcct	cccagcatag	gattcattga	gttggttact	780
tcatatgtgt	gcattgcttt	tttttccttc	t	811		

<210> 40
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000269

<400> 40	
gtctgaaatt	catgcaagct tccgaagatc ttctcaagga acactacgtt gacctgaagg 60

<210> 41
 <211> 2338
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000291

<400> 41	
agcgcacgtc	ggcagtcggc tccctcggtg accgaatcac cgacctctct cccagctgt 60
atttccaaaa	tgtcgctttc taacaagctg acgctggaca agctggacgt taaagggaag 120
cgggtcggtt	tgagagtcga cttcaatgtt cctatgaaga acaaccagat aacaaacaac 180
cagaggatta	aggctgctgt cccaagcatc aaattctgct tggacaatgg agccaagtcg 240
gtagtcctta	tgagccacct aggcggcct gatggtgtgc ccatgcctga caagtactcc 300
ttagagccag	ttgctgtaga actcaaactc ctgctgggca aggatgttct gttcttgaag 360
gactgtgtag	gcccagaagt ggagaaagcc tgtgccaaacc cagctgctgg gtctgtcatc 420
ctgctggaga	acctccgctt tcatgtggag gaagaaggga agggaaaaga tgcttctggg 480
aacaaggtta	aagccgagcc agccaaaata gaagctttcc gagcttcaact ttccaagcta 540
ggggatgtct	atgtcaatga tgcttttggc actgctcaca gagcccacag ctccatggta 600
ggagtcaatc	tgccacagaa ggctggtggg tttttgatga agaaggagct gaactacttt 660
gcaaaggcct	tggagagccc agagcgaccc ttcttgccca tcctgggcgg agctaaagtt 720
gcagacaaga	tccagctcat caataatatg ctggacaaag tcaatgagat gattattggg 780
ggtggaatgg	cttttacctt ccttaagggt ctcaacaaca tggagattgg cacttctctg 840
tttgatgaag	agggagccaa gattgtcaaa gacctaatgt ccaaagctga gaagaatggg 900
gtgaagatta	ccttgccctg tgactttgtc actgctgaca agtttgatga gaatgccaag 960
actggccaag	ccactgtggc ttctggcata cctgctggct ggatgggctt ggactgtggg 1020
cctgaaagca	gcaagaagta tgctgaggct gtcactcggg ctaagcagat tgtgtggaat 1080
ggctctgtgg	gggtatttga atgggaagct tttgcccggt gaaccaaagc tctcatggat 1140
gaggtggtga	aagccacttc taggggctgc atcaccatca taggtggtgg agacactgcc 1200
acttgctgtg	ccaaatggaa cacggaggat aaagtcagcc atgtgagcac tgggggtggg 1260
gccagtttgg	agctcctgga aggtaaagtc cttcctgggg tggatgctct cagcaatatt 1320
tagtactttc	ctgcctttta gttcctgtgc acagccccta agtcaactta gcattttctg 1380
catctccact	tggcattagc taaaaccttc catgtcaaga ttcagctagt ggccaagaga 1440
tgcagtgcc	ggaaccctta aacagttgca cagcatctca gctcatcttc actgcaccct 1500
ggatttgc	acattcttca agatcccat tgaatttttt agtgactaaa ccattgtgca 1560
ttctagagt	catatattta tatcttgcct gttaaaaaga aagtgagcag tgttagctta 1620
gtctctcttt	gatgtagggt attatgatta gctttgtcac tgtttcacta ctcagcatgg 1680
aaacaagatg	aaattccatt tgtaggtagt gagacaaaat tgatgatcca ttaagtaaac 1740
aataaaaagt	tgccattgaaa ccgtgatttt tttttttttc ctgtcatact ttgttaggaa 1800
gggtgagaat	agaatcttga ggaacggatc agatgtctat attgctgaat gcaagaagtg 1860
gggcagcagc	agtggagaga tgggacaatt agataaatgt ccattcttta tcaagggcct 1920

acttttatggc	agacattgtg	ctagtgcctt	tattctaaact	tttatttttta	tcagttacac	1980
atgatcataa	tttaaaaaagt	caaggcttat	aacaaaaaag	ccccagccca	ttcctcccat	2040
tcaagattcc	cactccccag	aggtgaccac	tttcaactct	tgagtttttc	aggtatatac	2100
ctccatgttt	ctaagtaata	tgcttatatt	gttcacttcc	ttttttttta	tttttttaaag	2160
aaatctat	cataccatgg	aggaaggctc	tggtccacat	atatttccac	ttcttcattc	2220
tctcgggtata	gttttgtcac	aattatagat	tagatcaaaa	gtctacataa	ctaatacagc	2280
tgagctatgt	agtatgctat	gattaaat	acttatgtaa	aaaaaaaaaa	aaaaaaaa	2338

<210> 42
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000291

<400> 42
 acttagcatt ttctgcatct ccacttggca ttagctaaaa ccttccatgt caagattcag 60

<210> 43
 <211> 787
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000363

<400> 43
 ctgaagggtca cccggggcggc cccctcactg accctccaaa cgcccctgtc ctgcgccctgc 60
 ctcttgccat tcccggcctg agtctcagca tggcggatgg gagcagcgat gcggctaggg 120
 aacctcgccc tgcaccagcc ccaatcagac gccgctcctc caactaccgc gcttatgcca 180
 cggagccgca cgccaagaaa aaatctaaga tctccgcctc gagaaaaattg cagctgaaga 240
 ctctgctgct gcagattgca aagcaagagc tggagcgaga ggcggaggag cggcgcgagg 300
 agaaggggcg cgctctgagc acccgctgcc agccgctgga gttgaccggg ctgggcttcg 360
 cggagctgca ggacttgtgc cgacagctcc acgcccgtgt ggacaagggtg gatgaagaga 420
 gatacgacat agaggcaaaa gtcaccaaga acatcacgga gattgcagat ctgactcaga 480
 agatctttga ccttcgaggc aagtttaagc ggccccacct gcggagagtg aggatctctg 540
 cagatgccat gatgcaggcg ctgctggggg cccgggctaa ggagtccctg gacctgcggg 600
 cccacctcaa gcagggtgaag aaggaggaca ccgagaagga aaaccgggag gtgggagact 660
 ggcggaagaa catcgatgca ctgagtggaa tggaggggccg caagaaaaag tttgagagct 720
 gagccttcct gcctactgcc cctgccctga ggaggggccac tgaggaataa agcttctctc 780
 tgagctg 787

<210> 44
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000363

<400> 44
 tgtggacaag gtggatgaag agagatacga catagaggca aaagtcacca agaacatcac 60

<210> 45
 <211> 1263
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000365

```

<400> 45
ggcacgagac cttcagcgcc tcgggtccag cgccatggcg ccctccagga agttcttcgt 60
tgggggaaac tggaagatga acgggcgga gacagagtctg ggggagctca tcggcactct 120
gaacgcggcc aaggtgccgg ccgacaccga ggtggtttgt gctcccccta ctgcctatat 180
cgacttcgcc cggcagaagc tagatcccaa gattgctgtg gctgcgcaga actgctacaa 240
agtgactaat ggggctttta ctggggagat cagccctggc atgatcaaag actgcggagc 300
cacgtgggtg gtcctggggc actcagagag aaggcatgtc tttggggagt cagatgagct 360
gattgggcag aaagtggccc atgctctggc agagggactc ggagtaatcg cctgcattgg 420
ggagaagcta gatgaaaggg aagctggcat cactgagaag gttgttttcg agcagacaaa 480
ggtcatcgca gataacgtga aggactggag caaggctcgc ctggcctatg agcctgtgtg 540
ggccattggt actggcaaga ctgcaacacc ccaacaggcc caggaagtac acgagaagct 600
ccgaggatgg ctgaagtcca acgtctctga tgcggtggct cagagcaccg gtatcattta 660
tgagggtctt gtgactgggg caacctgcaa ggagctggcc agccagcctg atgtggatgg 720
cttccttgtg ggtggtgctt cctcaagcc cgaattcgtg gacatcatca atgccaaaca 780
atgagcccca tccatcttcc ctacccttcc tgccaagcca gggactaagc agcccagaag 840
cccagtaact gccctttccc tgcataatgct tctgatgggtg tcatctgctc cttcctgtgg 900
cctcatccaa actgtatctt cctttactgt ttatatcttc accctgtaat ggttgggacc 960
aggccaatcc cttctccact tactataatg gttggaacta aacgtcacca aggtggcttc 1020
tccttggctg agagatggaa ggcgtgggtg gatttgcctc tgggttcctt aggcctagt 1080
gagggcagaa gaaaaacat cctctccctt cttacaccgt gaggccaaaga tcccctcaga 1140
aggcaggagt gctgccctct cccatgggtg ccgtgcctct gtgctgtgta tgtgaaccac 1200
ccatgtgagg gaataaacct ggcactagga aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1260
aaa 1263

```

```

<210> 46
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_000365

```

```

<400> 46
tatcttcacc ctgtaatggt tgggaccagg ccaatccctt ctccacttac tataatggtt 60

```

```

<210> 47
<211> 1616
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_000582

```

```

<400> 47
ctccctgtgt tgggtggagga tgtctgcagc agcattttaa ttctgggagg gcttgggtgt 60
cagcagcagc aggaggaggc agagcacagc atcgctcgga ccagactcgt ctcaggccag 120
ttgcagcctt ctcagccaaa cgccgaccaa ggaaaactca ctaccatgag aattgcagtg 180
atttgccttt gcctcctagg catcacctgt gccataccag ttaaacaggc tgattctgga 240
agttctgagg aaaagcagct ttacaacaaa taccagatg ctgtggccac atggctaaac 300
cctgacccat ctcagaagca gaatctccta gcccacaga cccttccaag taagtccaac 360
gaaagccatg accacatgga tgatatggat gatgaagatg atgatgacca tgtggacagc 420
caggactcca ttgactcgaa cgactctgat gatgtagatg aactgatga ttctcaccag 480
tctgatgagt ctcaccattc tgatgaatct gatgaactgg tcaactgattt tcccacggac 540
ctgccagcaa ccgaagtttt cactccagtt gtccccacag tagacacata tgatggccga 600
ggtgatagtg tggtttatgg actgaggtca aaatctaaga agtttcgcag acctgacatc 660
cagtaccctg atgctacaga cgaggacatc acctcacaca tggaaaagcga ggagttgaat 720
ggtgcataca aggccatccc cgttgcccag gacctgaacg cgccttctga ttgggacagc 780
cgtgggaagg acagtatatg aacgagtcag ctggatgacc agagtgtctg aaccacagc 840
cacaagcagt ccagattata taagcggaaa gccaatgatg agagcaatga gcattccgat 900
gtgattgata gtcaggaact ttccaaagtc agccgtgaat tccacagcca tgaatttcac 960

```

```

agccatgaag atatgctggg tgtagacccc aaaagtaagg aagaagataa acacctgaaa 1020
tttcgtattt ctcatgaatt agatagtgca tcttctgagg tcaattaaaa ggagaaaaaa 1080
tacaattttct cactttgcat ttagtcaaaa gaaaaaatgc tttatagcaa atgaaaagag 1140
aacatgaaat gcttctttct cagttttattg gttgaatgtg tatctatttg agtctggaaa 1200
taactaatgt gtttgataat tagtttagtt tgtggcttca tggaaactcc ctgtaaacta 1260
aaagcttcag ggttatgtct atgttcattc tatagaagaa atgcaaacta tcactgtatt 1320
ttaatatattg ttattctctc atgaatagaa atttatgtag aagcaaacia aatactttta 1380
cccacttaaa aagagaatat aacattttat gtcactataa tcttttggtt ttttaagttag 1440
tgtatatattt gttgtgatta tctttttgtg gtgtgaataa atcttttatc ttgaatgtaa 1500
taagaatttg gtggtgtcaa ttgcttattt gttttccac gggtgtccag caattaataa 1560
aacataacct tttttactgc ctaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 1616

```

```

<210> 48
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_000582

```

```

<400> 48
gggtgtgtca attgcttatt tgttttccca cggttgtcca gcaattaata aaacataacc 60

```

```

<210> 49
<211> 1666
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_000584

```

```

<400> 49
ctccataagg cacaaacttt cagagacagc agagcacaca agcttctagg acaagagcca 60
ggaagaaacc accggaagga accatctcac tgtgtgtaaa catgacttcc aagctggccg 120
tggtctctct ggcagccttc ctgatttctg cagctctgtg tgaagggtgca gttttgccaa 180
ggagtgtctaa agaacttaga tgtcagtgc taaagacata ctccaaacct ttccacccca 240
aatttatcaa agaactgaga gtgattgaga gtggaccaca ctgcgccaac acagaaatta 300
ttgtaaagct ttctgatgga agagagctct gtctggacc caaggaaaac tgggtgcaga 360
gggttgtgga gaagtttttg aagagggtcg agaattcata aaaaaattca ttctctgtgg 420
tatccaagaa tcagtgaaga tgccagtga acttcaagca aatctacttc aacacttcat 480
gtattgtgtg ggtctgttgt agggttgcca gatgcaatac aagattcctg gttaaatttg 540
aatctcagta aacaatgaat agtttttcat tgtacatga aatatccaga acatacttat 600
atgtaaaagta ttatttattt gaatctacaa aaaacaacaa ataattttta aatataagga 660
ttttcctaga tattgcacgg gagaatatac aaatagcaaa attgaggcca agggccaaga 720
gaatatccga actttaattt cagggaattga atgggtttgc tagaatgtga tatttgaaagc 780
atcacataaa aatgatggga caataaattt tgccataaag tcaaatttag ctggaaatcc 840
tggtattttt tctgttaaat ctggcaacc tagtctgcta gccaggatcc acaagtcctt 900
gttccactgt gccttggttt ctcctttatt tctaagtgga aaaagtatta gccaccatct 960
tacctcacag tgatgttgtg aggacatgtg gaagcacttt aagttttttc atcataacat 1020
aaattatttt caagtgtaac ttattaacct atttattatt tatgtattta tttaagcatc 1080
aaatatttgt gcaagaattt ggaaaaatag aagatgaatc attgattgaa tagttataaa 1140
gatgttatag taaatttatt ttattttaga tattaaatga tgttttatta gataaatttc 1200
aatcagggtt tttagattaa acaaaacaa aattgggtac ccagttaaat ttctatttca 1260
gataaacaac aataaatttt ttagtataag tacattattg tttatctgaa attttaattg 1320
aactaacaat cctagtttga tactoccagt ctgtcattg ccagctgtgt tggtagtgct 1380
gtgttgaatt acggaataat gagttagaac tattaaaaca gccaaaactc cacagtcaat 1440
attagtaatt tcttgctggg tgaacttgt ttattatgta caaatagatt cttataatat 1500
tatttaaatg actgcatttt taaatacaag gctttatatt tttaacttta agatgttttt 1560
atgtgctctc caaatttttt ttactgtttc tgattgtatg gaaatataaa agtaaatatg 1620
aaacatttaa aatataattt gttgtcaaa taaaaaaaa aaaaaa 1666

```


<210> 50
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_000584

<400> 50
tggtagtgtc gtgttgaatt acggaataat gagttagaac tattaaaaca gccaaaactc 60

<210> 51
<211> 1722
<212> DNA
<213> Homo sapiens

<300>
<308> NM_000599

<400> 51
ggggaaaaaga gctaggaaaag agctgcaaaag cagtgtgggc tttttccctt tttttgctcc 60
ttttcattac cctcctccg ttttcaccct tctcggact tcgcgtagaa cctgcgaatt 120
tcgaagagga ggtggcaaaag tgggagaaaa gaggtgttag ggtttggggg ttttttgttt 180
ttgtttttgt tttttaattt cttgatttca acattttctc ccacctctc ggctgcagcc 240
aacgcctctt acctgttctg cggcgccgcg caccgctggc agctgagggg tagaaagcgg 300
ggtgtatttt agattttaag caaaaatttt aaagataaat ccatttttct cttccacccc 360
caacgccatc tccactgcat ccgatctcat tatttcgggtg gttgcttggg ggtgaacaat 420
tttgtggcct ttttccctt ataattctga cccgctcagg cttgaggggt tctccggcct 480
ccgctcactg cgtgcacctg gcgctgccct gcttccccca acctgttgca aggccttaat 540
tcttgcaact gggacctgct cgcaggcacc ccagccctcc acctctctct acatttttgc 600
aagtgtctgg gggagggcac ctgctctacc tgccagaaat tttaaaacaa aaacaaaaac 660
aaaaaaatct ccggggggccc tcttgggccc tttatccctg cactctcgct ctctgcccc 720
accccgaggt aaagggggcg actaagagaa gatggtgttg ctaccgcgg tcctcctgct 780
gctggccgcc tatgcggggc cggcccagag cctgggctcc ttcgtgcaact gcgagccctg 840
cgacgagaaa gccctctcca tgtgcccccc cagccccctg ggctgcgagc tgggtcaagga 900
gccgggctgc ggctgctgca tgacctgccc cctggccgag gggcagtcgt gcggcgctca 960
caccgagcgc tgcgccaggg ggctgcgctg cctcccccgg caggacgagg agaagccgct 1020
gcacgcccctg ctgcacggcc gcgggggttg cctcaacgaa aagagctacc gcgagcaagt 1080
caagatcgag agagactccc gtgagcacga ggagcccacc acctctgaga tggccgagga 1140
gacctactcc cccaagatct tccggcccaa acacacccgc atctccgagc tgaaggctga 1200
agcagtgaag aaggaccgca gaaagaagct gaccagtcct aagtttgcg ggggagccga 1260
gaacactgcc ccccccgga tcatctctgc acctgagatg agacaggagt ctgagcaggg 1320
cccctgccgc agacacatgg aggttccct gcaggagctc aaagccagcc cacgcatggg 1380
gccccgtgct gtgtacctgc ccaattgtga ccgcaaagga ttctacaaga gaaagcagtg 1440
caaaccttcc cgtggccgca agcgtggcat ctgtgggtgc gtggacaagt acgggatgaa 1500
gctgccaggc atggagtacg ttgacgggga ctttcagtgc cacaccttcg acagcagcaa 1560
cgttgagtga tgcgtcccc cccaaccttt ccttcacccc ctcccacccc cagccccgac 1620
tccagccagc gcctccctcc accccaggac gccactcatt tcatctcatt taagggaata 1680
atatatatct atctatttga ggaaaaaaaa aaaaaaaaaa aa 1722

<210> 52
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_000599

<400> 52
ccaggacgcc actcatttca tctcatttaa gggaaaaata tatatctatc tatttgagga 60

<210> 53
 <211> 704
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000735

<400> 53
 gcagttactg agaactcata agacgaagct aaaatccctc ttcggatcca cagtcaaccg 60
 ccctgaacac atcctgcaaa aagcccagag aaaggagcgc catggattac tacagaaaat 120
 atgcagctat ctttctggtc acattgtcgg tgtttctgca tgttctccat tccgctcctg 180
 atgtgcagga ttgccagaa tgcacgctac agggaaaacc attcttctcc cagccgggtg 240
 cccaataact tcagtgcacg ggctgctgct tctctagagc atatccact ccactaagg 300
 ccaagaagac gatgttggtc caaaagaacg tcacctcaga gtccacttgc tgtgtagcta 360
 aatcatataa cagggtcaca gtaatggggg gtttcaaagt ggagaaccac acggcgtgcc 420
 actgcagtac ttgttattat cacaaatctt aaatgtttta ccaagtgtct tcttgatgac 480
 tgctgatttt ctggaatgga aaattaagtt gtttagtggt tatggctttg tgagataaaa 540
 ctctcctttt ccttaccata ccactttgac acgcttcaag gatatactgc agctttactg 600
 ccttcctcct tctcctacag tacaatcagc agtctagttc ttttcatttg gaatgaatac 660
 agcattaagc ttgttccact gcaaataaag cctttttaat catc 704

<210> 54
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000735

<400> 54
 tgagataaaa ctctcctttt ccttaccata ccactttgac acgcttcaag gatatactgc 60

<210> 55
 <211> 1342
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000799

<400> 55
 cccggagccg gaccggggcc accgggcccg ctctgctccg acaccgcgcc ccctggacag 60
 ccgccctctc ctccaggccc gtggggctgg cctgcaccg ccgagcttcc cgggatgagg 120
 gcccccgggtg tggtcaccg gcgcgccccg ggtcgctgag ggaccccggc caggcgcgga 180
 gatgggggtg cacgaatgtc ctgcctggct gtggcttctc ctgtccctgc tgtcgctccc 240
 tctgggcctc ccagtccctg gcgccccacc acgcctcatc tgtgacagcc gagtccctgga 300
 gaggtacctc ttggaggcca aggaggccga gaatatcag acgggctgtg ctgaacactg 360
 cagcttgaat gagaatatca ctgtcccaga caccaaagtt aatttctatg cctggaagag 420
 gatggagggtc gggcagcagg ccgtagaagt ctggcagggc ctggccctgc tgtcggaagc 480
 tgtcctgcgg ggccaggccc tgttggtcaa ctcttcccag ccgtgggagc ccctgcagct 540
 gcatgtggat aaagccgtca gtggccttcg cagcctcacc actctgcttc gggctctgcg 600
 agcccagaag gaagccatct cccctccaga tgcggcctca gctgctccac tccgaacaat 660
 cactgtgtac actttccgca aactcttccg agtctactcc aatttctctc ggggaaagct 720
 gaagctgtac acaggggagg cctgcaggac aggggacaga tgaccagggtg tgtccacctg 780
 ggcataatcca ccacctccct caccacatt gcttgtgcca caccctcccc cgccactcct 840
 gaaccccgctc gaggggctct cagctcagcg ccagcctgtc ccatggacac tccagtgcc 900
 gcaatgacat ctacggggcc agaggaactg tccagagagc aactctgaga tctaaggatg 960
 tcacagggcc aacttgaggg ccagagcagc gaagcattca gagagcagct ttaaactcag 1020
 ggacagagcc atgctgggaa gacgcctgag ctcactcggc accctgcaaa atttgatgcc 1080

aggacacgct	ttggaggcga	tttacctggt	ttcgcaccta	ccatcaggga	caggatgacc	1140
tggagaactt	aggtggcaag	ctgtgacttc	tccagggtctc	acgggcatgg	gcactccctt	1200
ggtggcaaga	gcccccttga	caccgggggtg	gtgggaacca	tgaagacagg	atgggggctg	1260
gcctctggct	ctcatggggt	ccaagttttg	tgtattcttc	aacctcattg	acaagaactg	1320
aaaccaccaa	aaaaaaaaaa	aa	1342			

<210> 56
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000799

<400> 56	
tcatgggggtc	caagttttgt gtattcttca acctcattga caagaactga aaccaccaa 60

<210> 57
 <211> 2722
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000917

<400> 57	
gagcgggctg	agggtaggaa gtagccgctc cgagtggagg cgactggggg ctgaagagcg 60
cgccgccctc	tcgtcccact ttccagggtgt gtgatcctgt aaaattaaat cttccaagat 120
gatctggtat	atattaatta taggaattct gcttccccag tctttggctc atccaggctt 180
ttttacttca	attggtcaga tgactgattt gatccatact gagaaagatc tggtgacttc 240
tctgaaagat	tatattaagg cagaagagga caagttagaa caaataaaaa aatgggcaga 300
gaagttagat	cggctaacta gtacagcgac aaaagatcca gaaggatttg ttgggcatcc 360
agtaaagtca	ttcaaattaa tgaaacgtct gaatactgag tggagtgagt tggagaatct 420
ggtccttaag	gatatgtcag atggctttat ctctaacctc accattcaga gaccagtact 480
ttctaattgat	gaagatcagg ttggggcgagc caaagctctg ttacgtctcc aggataccta 540
caatttggat	acagatacca tctcaaaggg taatcttcca ggagtgaaac acaaatcttt 600
tctaacggct	gaggactgct ttgagttggg caaagtggcc tatacagaag cagattatta 660
ccatacgga	ctgtggatgg aacaagccct aaggcaactg gatgaaggcg agatttctac 720
catagataaa	gtctctgttc tagattattt gagctatgcg gtatatcagc agggagacct 780
ggataaggca	cttttgctca caaagaagct tcttgaacta gatcctgaac atcagagagc 840
taatggtaac	ttaaaatatt ttgagtatat aatggctaaa gaaaaagatg tcaataagtc 900
tgcttcagat	gaccaatctg atcagaaaac tacaccaaag aaaaaagggg ttgctgtgga 960
ttacctgcca	gagagacaga agtacgaaat gctgtgccgt ggggagggtg tcaaaatgac 1020
ccctcggaga	cagaaaaaac tcttttgccg ctaccatgat ggaaaccgta atcctaaatt 1080
tattctggct	ccagctaaac aggaggatga atgggacaag cctcgtatta ttgccttcca 1140
tgatattatt	tctgatgcag aaattgaaat cgtcaaagac ctacgaaaac caaggctgag 1200
ccgagctaca	gtacatgacc ctgagactgg aaaattgacc acagcacagt acagagtatc 1260
taagagtgcc	tggctctctg gctatgaaaa tctgttgggt tctcgaatta atatgagaat 1320
acaagatcta	acaggactag atgtttccac agcagaggaa ttacaggtag caaattatgg 1380
agttggagga	cagtatgaac cccattttga ctttgacagg aaagatgagc cagatgcttt 1440
caaagagctg	gggacaggaa atagaattgc tacatggctg ttttatatga gtgatgtgtc 1500
tgcaggagga	gccactgttt ttcctgaagt tggagctagt gtttggccca aaaaagggaac 1560
tgctgttttc	tggataaatc tgtttgccag tggagaagga gattatagta cacggcatgc 1620
agcctgtcca	gtgctagtgt gcaacaaatg ggtatccaat aaatggctcc atgaacgtgg 1680
acaagaattt	cgaagacctt gtacgttgtc agaattggaa tgacaaacag gcttcccttt 1740
ttctcctatt	gttgactctc tatgtgtctg atatacacat ttccatagtc ttaaccttca 1800
ggagtttaca	attgactaac actccatgat tgattcagtc atgaacctca tcccatgttt 1860
catctgtgga	caattgctta ctttgtgggt tcttttaaaa gtaacacgaa atcatcatat 1920
tgcataaaac	cttaaagtctc tgttggtatc acagaagaca aggcagagtt taaagtgagg 1980
aatttttatat	ttaaagaact ttttggttgg ataaaaacat aatttgagca tccagtttta 2040
gtatttctact	acatctcagt tgggtgggtgt taagctagaa tgggctgtgt gataggaaac 2100

aaatgcctta	cagatgtgcc	taggtgttct	gtttacctag	tgtcttactc	tgttttctgg	2160
atctgaagac	tagtaataaa	ctaggacact	aactgggttc	catgtgattg	ccctttcata	2220
tgatcttcta	agttgatttt	tttctctcca	agtctttttt	aaagaaagta	tactgtattt	2280
taccaacccc	ctctcttttc	ttttagctcc	tctgtggtga	attaaacgta	cttgagttaa	2340
aataatttcga	tttttttttt	ttttttaatg	gaaagtccctg	cataacaaca	ctgggccttc	2400
ttaactaaaa	tgctcaccac	ttagcctgtt	tttttatccc	ttttttaaaa	tgacagatga	2460
ttttgttcag	gaattttgct	gtttttctta	gtgctaatac	cttgccctctt	attcctgcta	2520
cagcaggggtg	gtaatatattg	cattctgatt	aaatactgtg	ccttaggaga	ctggaagttt	2580
aaaaatgtac	aagtcctttc	agtgatgagg	gaattgattt	tttttaaaaag	tctttttctt	2640
agaaagccaa	aatgtttgtt	tttttaagat	tctgaaatgt	gttggtgacaa	caatgaccta	2700
tttatgatct	taaatctttt	tt	2722			

<210> 58
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_000917

<400> 58	
tcttactctg	ttttctggat ctgaagacta gtaataaaact aggacactaa ctgggttcca 60

<210> 59
 <211> 3236
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001109

<400> 59	
gacccggcca	tgcgcggcct cgggctcttg ctgctgggcg cgatgatgct gcctgcgatt 60
gccccagcc	ggccctgggc cctcatggag cagtatgagg tctgtgtgcc gcggcgctctg 120
ccaggccccc	gagtcgcgcg agctctgccc tcccacttgg gcctgcaccc agagaggggtg 180
agctacgtcc	ttggggccac agggcacaac ttcacccctcc acctgcggaa gaacagggag 240
ctgctgggtt	ccggctacac agagacctat acggctgccca atggctccga ggtgacggag 300
cagcctcgcg	ggcaggacca ctgcttatac cagggccacg tagaggggta cccggactca 360
gccgccagcc	tcagcacctg tgccggcctc aggggtttct tccagggtgg gtcagacctg 420
cacctgatcg	agcccttgga tgaagggtggc gagggcgagc ggcaacgccc gtaccaggct 480
gagcacctgc	tgcagacggc cgggacctgc ggggtcagcg acgacagcct gggcagcctc 540
ctgggacccc	ggacggcagc cgtcttcagg cctcgccccc gggactctct gccatcccga 600
gagacccgct	acgtggagct gtatgtggtc gtggacaatg cagagttcca gatgctgggg 660
agcgaagcag	ccgtgcgtca tccgggtgctg gaggtggtga atcacgtgga caagctatat 720
cagaaaactca	acttcctgtg ggtcctgggt ggccctggaga tttggaatag tcaggacagg 780
ttccacgtca	gccccgaccc cagtgtcaca ctggagaacc tcctgacctg gcaggcacgg 840
caacggacac	ggcggcacct gcatgacaac gtacagctca tcacgggtgt cgacttcacc 900
gggactactg	tggggtttgc cagggtgtcc gccatgtgct ccacagctc aggggctgtg 960
aaccaggacc	acagcaagaa ccccggtggc gtggcctgca ccatggccca tgagatgggc 1020
cacaacctgg	gcatggacca tgatgagaac gtccagggtc gccgctgcca ggaacgcttc 1080
gaggccggcc	gctgcatcat ggcaggcagc attggctcca gtttccccag gatgttcagt 1140
gactgcagcc	aggcctacct ggagagcttt ttggagcggc cgcagtcggt gtgcctcgcc 1200
aacgcccctg	acctcagcca cctggtgggc ggccccgtgt gtgggaacct gtttgtggag 1260
cgtggggagc	agtgcgactg cggccccccc gaggaactgcc ggaaccgctg ctgcaactct 1320
accacctgcc	agctggctga gggggccccg tgtgcgcacg gtacctgtg ccaggagtgc 1380
aaggtgaagc	cggctgggtg gctgtgctg cccaagaagg acatgtgtga cctcagaggag 1440
ttctgtgacg	gccggcacc caggtgcccc gaagacgcct tccaggagaa cggcacgccc 1500
tgtccggggg	gctactgcta caacggggcc tgtcccacac tggcccagca gtgccaggcc 1560
ttctgggggc	caggtgggca ggctgccgag gagtctgtct tctcctatga catectacca 1620
ggctgcaagg	ccagccggta cagggctgac atgtgtggcg ttctgcagtg caagggtggg 1680
cagcagcccc	tggggcgctgc catctgcata gtggatgtgt gccacgcgct caccacagag 1740

gatggcactg	cgtatgaacc	agtgcccgag	ggcaccgggt	gtggaccaga	gaaggtttgc	1800
tggaaaggac	gttgccagga	cttacacgtt	tacagatcca	gcaactgctc	tgcccagtgc	1860
cacaaccatg	gggtgtgcaa	ccacaagcag	gagtgccact	gccacgcggg	ctggggccccg	1920
ccccactgcg	cgaagctgct	gactgaggtg	cacgcagcgt	ccgggagcct	ccccgtcctc	1980
gtggtggtgg	ttctggtgct	cctggcagtt	gtgctggtca	ccctggcagg	catcatcgtc	2040
taccgcaaag	cccgagcgcg	catcctgagc	aggaacgtgg	ctcccaagac	cacaatgggg	2100
cgctccaacc	ccctgttcca	ccaggctgcc	agccgcgtgc	cggccaaggg	cggggctcca	2160
gccccatcca	ggggccccc	agagctggtc	cccaccacc	acccgggcca	gcccggccga	2220
cacccggcct	cctcggtggc	tctgaagagg	ccgccccctg	ctcctccggt	cactgtgtcc	2280
agcccaccct	tcccagttcc	tgtctacacc	cggcaggcac	caaagcaggt	catcaagcca	2340
acgttcgcac	ccccagtgcc	cccagtcaaa	cccggggctg	gtgcggccaa	ccctggtcca	2400
gtcgagggtg	ctgtttggccc	aaagggttgc	ctgaagcccc	ccatccagag	gaagcaagga	2460
gccggagctc	ccacagcacc	ctaggggggc	acctgcgcct	gtgtggaaat	ttggagaagt	2520
tgcggcagag	aagccatgcg	ttccagcctt	ccacgggtcca	gctagtgcg	ctcagcccta	2580
gaccctgact	ttgcaggctc	agctgctgtt	ctaacctcag	taatgcatct	acctgagagg	2640
ctcctgctgt	ccacgccttc	agccaattcc	ttctccccgc	cttggccacg	tgtagcccca	2700
gctgtctgca	ggcaccaggc	tgggatgagc	tgtgtgcttg	cgggtgcgtg	tgtgtgtacg	2760
tgtctccagg	tggccgctgg	tctcccgtcg	tgttcaggag	gccacatata	cagccccctc	2820
cagccacacc	tgccccgtct	ctggggcctg	ctgagccggc	tgccctgggc	acccggttcc	2880
aggcagcaca	gacgtggggc	atccccagaa	agactccatc	ccaggaccag	gttccccctc	2940
gtgctcttcg	agagggtgtc	agtgagcaga	ctgcacccca	agctcccgac	tccagggtccc	3000
ctgatcttgg	gcctgtttcc	catgggattc	aagagggaca	gccccagctt	tgtgtgtgtt	3060
taagcttagg	aatgcccttt	atggaaaggg	ctatgtggga	gagtcagcta	tcttgtctgg	3120
ttttcttgag	acctcagatg	tgtgttcagc	agggctgaaa	gctttttattc	tttaataatg	3180
agaaatgtat	attttactaa	taaattattg	accgagttct	gtagattcct	gttaga	3236

<210> 60
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001109

<400> 60
 ctttatggaa agggctatgt gggagagtca gctatcttgt ctggttttct tgagacctca 60

<210> 61
 <211> 1449
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001124

<400> 61						
ctggatagaa	cagctcaagc	cttgccactt	cgggcttctc	actgcagctg	ggcttggact	60
tccgagtttt	gccattgcc	gtgggacgtc	tgagactttc	tccttcaagt	acttggcaga	120
tcaactctct	agcagggtct	gcgcttcgca	gccgggatga	agctggtttc	cgtcgccctg	180
atgtacctgg	gttcgctcgc	cttccctaggc	gctgacaccg	ctcggttgga	tgtcgcgtcg	240
gagtttcgaa	agaagtggaa	taagtgggct	ctgagtcgtg	ggaagaggga	actgcggatg	300
tccagcagct	acccccaccg	gctcgctgac	gtgaaggccg	ggcctgcccc	gacccttatt	360
cggccccagg	acatgaaggg	tgcctctcga	agccccgaag	acagcagtc	ggatgccgcc	420
cgcattccgag	tcaagcgcta	ccgccagagc	atgaacaact	tccagggcct	ccggagcttt	480
ggctgcgcgt	tcgggacgtg	cacgggtgcag	aagctggcac	accagatcta	ccagttcaca	540
gataaggaca	aggacaacgt	cgcctccagg	agcaagatca	gccccagg	ctacggccgc	600
cggcgccggc	gtccctgcc	cagggccggc	ccgggtcgga	ctctggtgtc	ttctaagcca	660
caagcacacg	gggtccagc	ccccccgagt	ggaagtgtc	cccactttct	ttaggattta	720
ggcgcccatg	gtacaaggaa	tagtcgcgca	agcatccgc	tggtgcctcc	cgggacgaag	780
gacttcccga	gcggtgtggg	gaccgggctc	tgacagccct	gcggagacct	tgagtccggg	840
aggcaccgtc	cggcggcgag	ctctggcttt	gcaagggcc	ctccttctg	gggcttcgct	900

tccttagcct	tgctcaggtg	caagtgcccc	agggggcggg	gtgcagaaga	atccgagtgt	960
ttgccaggct	taaggagagg	agaaactgag	aaatgaatgc	tgagaccccc	ggagcagggg	1020
tctgagccac	agccgtgctc	gcccacaaac	tgattttctca	cggcgtgtca	ccccaccagg	1080
gcgcaagcct	cactattact	tgaactttcc	aaaacctaaa	gaggaaaagt	gcaatgcgtg	1140
ttgtacatac	agaggtaact	atcaatat	aaagtttggtg	ctgtcaagat	tttttttgta	1200
acttcaaata	tagagatatt	tttgtacgtt	atatattgta	ttaagggcat	tttaaaagca	1260
attatatgtg	cctcccctat	tttaagacgt	gaatgtctca	gcgaggtgta	aagttgttcg	1320
ccgcgtggaa	tgtgagtggtg	tttgtgtgca	tgaaagagaa	agactgatta	cctcctgtgt	1380
ggaagaagga	aacaccgagt	ctctgtataa	tctattttaca	taaaatgggt	gatatgcgaa	1440
cagcaaac	1449					

<210> 62
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001124

<400> 62	
gaaggaaaca	ccgagtctct gtataatcta ttacataaa atgggtgata tgcgaacagc 60

<210> 63
 <211> 1619
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001168

<400> 63						
ccgccagatt	tgaatcgcg	gacccgttgg	cagaggtggc	ggcggcgcca	tgggtgcccc	60
gacgttgccc	cctgcctggc	agccctttct	caaggaccac	cgcattctcta	cattcaagaa	120
ctggcccttc	ttggagggtc	gcgcctgcac	cccggagcgg	atggccgagg	ctggcttcac	180
ccactgcccc	actgagaacg	agccagactt	ggcccagtg	ttcttctgct	tcaaggagct	240
ggaaggctgg	gagccagatg	acgaccccat	agaggaacat	aaaaagcatt	cgtccggttg	300
cgctttcctt	tctgtcaaga	agcagtttga	agaattaacc	cttggtgaat	ttttgaaact	360
ggacagagaa	agagccaaga	acaaaattgc	aaaggaaacc	aacaataaga	agaaagaatt	420
tgaggaaaact	gcgaagaaa	tgccgcgtgc	catcgagcag	ctggctgcca	tggattgagg	480
cctctggccg	gagctgcctg	gtcccagagt	ggctgcacca	cttccagggt	ttattccctg	540
gtgccaccag	ccttctctgt	ggcccttag	caatgtctta	ggaaaggaga	tcaacatttt	600
caaattagat	gtttcaactg	tgctcctgtt	ttgtcttgaa	agtggcacca	gaggtgcttc	660
tgctgtgca	gcgggtgctg	ctggtaacag	tggtgtcttc	tctctctctc	tctctttttt	720
gggggctcat	ttttgctgtt	ttgattcccg	ggcttaccag	gtgagaagtg	agggaggaag	780
aaggcagtg	cccttttgct	agagctgaca	gctttgttcg	cgtgggcaga	gccttcaca	840
gtgaatgtgt	ctggacctca	tgttgttgag	gctgtcacag	tcctgagtg	ggacttgga	900
ggtgcctgtt	gaatctgagc	tgcaggttcc	ttatctgtca	cacctgtgcc	tcctcagagg	960
acagtttttt	tgttgttggt	tttttttggt	tttttttttt	ggtagatgca	tgacttggtg	1020
gtgatgagag	aatggagaca	gagtcctctg	ctcctctact	gtttaacaac	atggctttct	1080
tattttgttt	gaattgttaa	ttcacagaat	agcacaaact	acaattaaaa	ctaagcaca	1140
agccattcta	agtcattggg	gaaacgggg	gaacttcagg	tggatgagga	gacagaatag	1200
agtgatagga	agcgtctggc	agatactcct	tttgccactg	ctgtgtgatt	agacaggccc	1260
agtgagccgc	ggggcacatg	ctggccgctc	ctccctcaga	aaaaggcagt	ggcctaaatc	1320
cttttttaaa	gacttggttc	gatgctgtgg	gggactggct	gggctgctgc	aggccgtgtg	1380
tctgtcagcc	caaccttcac	atctgtcacg	ttctccacac	gggggagaga	cgcagtcacg	1440
ccaggtcccc	gctttctttg	gaggcagcag	ctcccgcagg	gctgaagtct	ggcgtaagat	1500
gatggatttg	attcgccctc	ctccctgtca	tagagctgca	gggtggattg	ttacagcttc	1560
gctggaaacc	tctggaggtc	atctcggtcg	ttcctgagaa	ataaaaagcc	tgtcatttc	1619

<210> 64
 <211> 60

<212> DNA
<213> Homo sapiens

<300>
<308> NM_001168

<400> 64
ttcacagaat agcacaaact acaattaaaa ctaagcacia agccattcta agtcattggg 60

<210> 65
<211> 1552
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001216

<400> 65
gcccgtacac accgtgtgct gggacacccc acagtcagcc gcatggctcc cctgtgcccc 60
agcccctggc tccctctgtt gatccccggc cctgtccag gcctcactgt gcaactgctg 120
ctgtcactgc tgcttctgat gcctgtccat ccccagagg tgccccggat gcaggaggat 180
tcccccttgg gaggaggctc ttctggggaa gatgaccac tgggagagg ggatctgccc 240
agtgaagagg attcaccag agaggaggat ccaccggag aggaggatct acctggagag 300
gaggatctac ctggagagga ggatctacct gaagttaagc ctaaatacaga agaagagggc 360
tccctgaagt tagaggatct acctactgtt gaggctcctg gagatcctca agaaccccag 420
aataatgccc acagggacaa agaaggggat gaccagagtc attggcgcta tggaggcgac 480
ccgcccctggc cccgggtgtc cccagcctgc gcgggcccgt tccagtcccc ggtggatata 540
cgccccccagc tcgcccgcctt ctgcccggcc ctgcgcccc tggaactcct gggcttccag 600
ctcccgccgc tcccagaact gcgcctgcgc aacaatggcc acagtgtgca actgaccctg 660
cctcctgggc tagagatggc tctgggtccc gggcgggagt accgggctct gcagctgcat 720
ctgcaactgg gggctgcagg tcgtccgggc tcggagcaca ctgtggaagg ccaccgtttc 780
cctgccgaga tccacgtggt tcacctcagc accgcctttg ccagagttga cgaggccttg 840
gggcgcccgg gaggcctggc cgtgttgccc gcctttcttg aggagggccc ggaagaaaac 900
agtgcctatg agcagttgct gtctcgcttg gaagaaatcg ctgaggaagg ctgagagact 960
caggctcccag gactggacat atctgcactc ctgcccctctg acttcagccg ctacttccaa 1020
tatgaggggt ctctgactac accgcccctgt gccaggggtg tcatctggac tgtgtttaac 1080
cagacagtga tgctgagtgc taagcagctc cacaccctct ctgacaccct gtggggacct 1140
ggtgactctc ggctacagct gaacttccga gcgacgcagc ctttgaatgg gcgagtgatt 1200
gaggcctcct tccctgctgg agtggacagc agtcctcggg ctgctgagcc agtccagctg 1260
aattcctgcc tggctgctgg tgacatacta gccctggttt ttggcctcct ttttgctgtc 1320
accagcgtcg cgttccctgt gcagatgaga aggcagcaca gaaggggaac caaagggggg 1380
gtgagctacc gccagcaga ggtagccgag actggagcct agaggctgga tcttgagaaa 1440
tgtgagaagc cagccagagg catctgaggg ggagccggta actgtcctgt cctgctcatt 1500
atgccacttc cttttaactg ccaagaaatt ttttaaaata aatatttata at 1552

<210> 66
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001216

<400> 66
tcctgtcctg ctcattatgc cacttccttt taactgccaa gaaatttttt aaaataaata 60

<210> 67
<211> 2653
<212> DNA
<213> Homo sapiens

<300>

<308> NM_001254

<400> 67

gagcgcggt	ggagtttgc	gctgccgctg	tgcagtttgt	tcaggggctt	gtggtggtga	60
gtccgagagg	ctgcgtgtga	gagacgtgag	aaggatcctg	cactgaggag	gtggaaagaa	120
gaggattgct	cgaggaggcc	tggggtctgt	gaggcagcgg	agctgggtga	aggctgcggg	180
ttccggcgag	gcctgagctg	tgctgtcgtc	atgcctcaaa	cccgatcca	ggcacaggct	240
acaatcagtt	ttccaaaaag	gaagctgtct	cgggcattga	acaaagctaa	aaactccagt	300
gatgccaaac	tagaaccaac	aatgtccaa	accgtaacct	gttctcctcg	tgtaaaagcc	360
ctgcctctca	gccccaggaa	acgtctgggc	gatgacaacc	tatgcaacac	tccccattta	420
cctccttggt	ctccacaaa	gcaaggcaag	aaagagaatg	gtccccctca	ctcacatata	480
cttaagggac	gaagattggt	atttgacaat	cagctgacaa	ttaagtctcc	tagcaaaaaga	540
gaactagcca	aagttcacca	aaacaaaata	ctttcttcag	ttagaaaaag	tcaagagatc	600
acaacaaatt	ctgagcagag	atgtccactg	aagaaagaat	ctgcatgtgt	gagactattc	660
aagcaagaag	gcacttgcta	ccagcaagca	aagctgggcc	tgaacacagc	tgtcccagat	720
cggctgcctg	ccagggaaaag	ggagatggat	gtcatcagga	atttcttgag	ggaacacatc	780
tgtgggaaaa	aagctggaag	cctttacctt	tctggtgctc	ctggaactgg	aaaaactgcc	840
tgtttaagcc	ggattctgca	agacctcaag	aagggaactga	aaggctttaa	aactatcatg	900
ctgaattgca	tgtccttgag	gactgcccag	gctgtattcc	cagctattgc	tcaggagatt	960
tgtcagggaag	aggtatccag	gccagctggg	aaggacatga	tgaggaaatt	ggaaaaacat	1020
atgactgcag	agaaggcccc	catgattgtg	ttggtattgg	acgagatgga	tcaactggac	1080
agcaaaggcc	aggatgtatt	gtacacgcta	tttgaatggc	catggctaag	caattctcac	1140
ttggtgctga	ttggtattgc	taataccctg	gatctcacag	atagaattct	acctaggctt	1200
caagctagag	aaaaatgtaa	gccacagctg	ttgaacttcc	caccttatac	cagaaatcag	1260
atagtcacta	ttttgcaaga	tcgacttaat	caggatatcta	gagatcaggt	tctggacaat	1320
gctgcagttc	aattctgtgc	ccgcaaagtc	tctgctgttt	caggagatgt	tcgcaaagca	1380
ctggatgttt	gcaggagagc	tattgaaatt	gtagagtcag	atgtcaaaag	ccagactatt	1440
ctcaaaccac	tgtctgaatg	taaatacact	tctgagcctc	tgattcccaa	gagggttggt	1500
cttattcaca	tatcccaagt	catctcagaa	gttgatggtg	acaggatgac	cttgagccaa	1560
gaaggagcac	aagattcctt	ccctcttcag	cagaagatct	tggtttgctc	tttgatgctc	1620
ttgatcaggc	agttgaaaat	caaagaggtc	actctgggga	agttatatga	agcctacagt	1680
aaagtctgtc	gcaaacagca	ggtggcggct	gtggaccagt	cagagtgttt	gtcactttca	1740
gggctcttgg	aagccagggg	catttttagga	ttaaagagaa	acaaggaaac	ccgtttgaca	1800
aaggtgtttt	tcaagattga	agagaaagaa	atagaacatg	ctctgaaaga	taaagcttta	1860
attggaaaata	tcttagctac	tggattgcct	taaattcttc	tcttacaccc	caccgaaaag	1920

tattcagctg	gcatttagag	agctacagtc	ttcatttttag	tgcttttacac	attcgggcct	1980
gaaaacaaat	atgacctttt	ttacttgaag	ccaatgaatt	ttaatctata	gattcttttaa	2040
tattagcaca	gaataatata	tttgggtctt	actatttttta	cccataaaaag	tgaccaggta	2100
gacctttttt	aattacattc	actacttcta	ccacttggtg	atctctagcc	aatgtgcttg	2160
caagtgtaca	gatctgtgta	gaggaatgtg	tgtatatatta	cctcttcggt	tgctcaaaca	2220
tgagtgggta	tttttttggt	tgtttttttt	gttggtgttg	tttttgaggc	gcgtctcacc	2280
ctgttgccca	ggctggagtg	caatggcgcg	ttctctgctc	actacagcac	ccgttccca	2340
ggttgaagtg	attctcttgc	ctcagcctcc	cgagtagctg	ggattacagg	tgcccaccac	2400
cgcgcccagc	taatttttta	attttttagta	gagacagggt	tttaccatgt	tggccaggct	2460
ggtcttgaac	tcctgacctt	caagtgatct	gccaccttg	gcctccctaa	gtgctgggat	2520
tatagcgctg	agccaccatg	ctcagccatt	aaggatattt	gttaagaact	ttaagtttag	2580
ggtaagaaga	atgaaaatga	tccagaaaaa	tgcaagcaag	tccacatgga	gatttgaggg	2640
acactggtta	aag	2653				

<210> 68

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_001254

<400> 68

caaggaaacc	cgtttgacaa	aggtgttttt	caagattgaa	gagaaagaaa	tagaacatgc	60
------------	------------	------------	------------	------------	------------	----

<210> 69
 <211> 627
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001323

<400> 69
 gcggccgcaa gctcggcact cacggctctg agggctccga cggcactgac ggccatggcg 60
 cggttcgaacc tcccgtggc gctgggcctg gccctggteg cattctgcct cctggcgctg 120
 ccacgcgacg cccgggcccg gccgcaggag cgcattggcg gagaactccg ggacctgtcg 180
 cccgacgacc cgcagggtga gaaggcggcg caggcggccg tggccagcta caacatgggc 240
 agcaacagca tctactactt ccgagacacg cacatcatca aggcgcagag ccagctggtg 300
 gccggcatca agtacttcct gacgatggag atggggagca cagactgccg caagaccagg 360
 gtcactggag accacgtcga cctcaccact tgccccctgg cagcaggggc gcagcaggag 420
 aagctgcgct gtgactttga ggtccttgtg gttccctggc agaactcctc tcagctccta 480
 aagcacaact gtgtgcagat gtgataagtc cccgagggcg aaggccattg ggtttggggc 540
 catggtggag ggcacttcag gtccgtgggc cgtatctgtc acaataaatg gccagtgcgt 600
 cttcttgcaa aaaaaaaaaa aaaaaaa 627

<210> 70
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001323

<400> 70
 atcaagtact tcttgacgat ggagatgggg agcacagact gccgcaagac cagggtcact 60

<210> 71
 <211> 1812
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001428

<400> 71
 tagctaggca ggaagtccgc gcgggcccgc cggacagtat ctgtgggtac ccggagcacg 60
 gagatctcgc cggctttacg ttcacctcgg tgtctgcagc accctccgct tcctctccta 120
 ggcgacgaga cccagtggct agaagttcac catgtctatt ctcaagatcc atgccaggga 180
 gatctttgac tctcgcggga atcccactgt tgaggttgat ctcttcacct caaaaggtct 240
 cttcagagct gctgtgcccga gtggtgcttc aactgggtatc tatgaggccc tagagctccg 300
 ggacaatgat aagactcgcct atatggggaa ggggtgtctca aaggctgttg agcacatcaa 360
 taaaactatt gcgcctgccc tggttagcaa gaaactgaac gtcacagaac aagagaagat 420
 tgacaaaactg atgatcgaga tggatggaac agaaaataaa tctaagtttg gtgcgaacgc 480
 cattctgggg gtgtcccttg ccgtctgcaa agctgggtgcc gttgagaagg ggggtccccct 540
 gtaccgccac atcgctgact tggctggcaa ctctgaagtc atcctgccag tcccggcggt 600
 caatgtcatc aatggcgggt ctcattgctg caacaagctg gccatgcagg agttcatgat 660
 cctcccagtc ggtgcagcaa acttcaggga agccatgcgc attggagcag aggtttacca 720
 caacctgaag aatgtcatca aggagaaata tgggaaagat gccaccaatg tgggggatga 780
 aggcgggttt gctcccaaca tcctggagaa taaagaaggc ctggagctgc tgaagactgc 840
 tattgggaaa gctggctaca ctgataaggt ggtcatcggc atggacgtag cggcctccga 900
 gttcttcagg tctgggaagt atgacctgga cttcaagtct cccgatgacc ccagcaggta 960
 catctcgcct gaccagctgg ctgacctgta caagtccttc atcaaggact acccagtggt 1020
 gtctatcgaa gatccctttg accaggatga ctggggagct tggcagaagt tcacagccag 1080
 tgcaggaatc caggtagtgg gggatgatct cacagtgacc aaccctaaaga ggatcgccaa 1140

ggccgtgaac	gagaagtcct	gcaactgcct	cctgctcaaa	gtcaaccaga	ttggctccgt	1200
gaccgagtct	cttcaggcgt	gcaagctggc	ccaggccaat	ggttggggcg	tcattggtgtc	1260
tcacgcgttcg	ggggagactg	aagatacctt	catcgctgac	ctggttggtg	ggctgtgcac	1320
tgggcagatc	aagactgggtg	ccccttgccg	atctgagcgc	ttggccaagt	acaaccagct	1380
cctcagaatt	gaagaggagc	tgggcagcaa	ggctaagttt	gccggcagga	acttcagaaa	1440
ccccttggcc	aagtaagctg	tgggcaggca	agcccttcgg	tcacctgttg	gctacacaga	1500
cccctcccct	cgtgtcagct	caggcagctc	gaggcccccg	accaacactt	gcaggggtcc	1560
ctgctagtta	gcgccccacc	gccgtggagt	tcgtaccgct	tccttagaac	ttctacagaa	1620
gccaaagtcc	ctggagccct	gttggcagct	ctagcttttg	agtcgtgtaa	ttggcccaag	1680
tcattgtttt	tctcgctca	ctttccacca	agtgtctaga	gtcatgtgag	cctcgtgtca	1740
tctccggggt	ggccacaggc	tagatccccg	gtgggtttgt	gctcaaaata	aaaagcctca	1800
gtgacccatg	ag	1812				

<210> 72
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001428

<400> 72	
agctctagct	tttgcagtcg tgtaatgggc ccaagtcatt gttttttctcg cctcactttc 60

<210> 73
 <211> 8368
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001456

<400> 73						
gcgatccggg	cgccaccccc	cggctcatcg	tcaccggctc	ctctcaggaa	cagcagcgca	60
acctctgctc	cctgcctcgc	ctcccgcgcg	cctaggtgcc	tgcgacttta	attaaagggc	120
cgtccctctg	ccgaggctgc	agcacgcgcc	ccccggcttc	tcgcgcctca	aatgagtag	180
ctcccactct	cgggcggggc	agagcgcagc	aggcgcggct	ccgggcggcg	gcgtcgacac	240
gcgggacgcg	gagatgcccg	ccaccgagaa	ggacctggcg	gaggacgcgc	cgtggaagaa	300
gatccagcag	aacactttca	cgcgctgggt	caacgagcac	ctgaagtgcg	tgagcaagcg	360
catcgccaac	ctgcagacgg	acctgagcga	cgggctgcgg	cttatcgcg	tggtggaggt	420
gctcagccag	aagaagatgc	accgcaagca	caaccagcgg	cccacttttc	gccaaatgca	480
gcttgagaac	gtgtcgggtg	cgctcgagtt	cctggaccgc	gagagcatca	aactggtgtc	540
catcgacagc	aaggccatcg	tggacgggaa	cctgaagctg	atcctgggcc	tcactctggac	600
cctgatcctg	cactactcca	tctccatgcc	catgtgggac	gaggaggagg	atgaggaggc	660
caagaagcag	acccccaaag	agaggctcct	gggctggatc	cagaacaagc	tgccgcagct	720
gccccatcac	aacttcagcc	gggactggca	gagcggccgg	gccctgggcg	ccctggtgga	780
cagctgtgcc	ccgggcctgt	gtcctgactg	ggactcttgg	gacgccagca	agcccgttac	840
caatgcgcga	gaggccatgc	agcaggcgga	tgactggctg	ggcatcccc	aggtgatcac	900
ccccgaggag	attgtggacc	ccaacgtgga	cgagcactct	gtcatgacct	acctgtccca	960
gttccccaa	gccaaagtga	agccaggggc	tccttgcgc	cccaaactga	acccgaagaa	1020
agcccgtgcc	tacgggccag	gcacgcagcc	cacaggcaac	atggtgaaga	agcgggcaga	1080
gttcaactgt	gagaccagaa	gtgctggcca	gggagagggt	ctggtgtacg	tggaggacct	1140
ggccggacac	caggaggagg	caaaagtgc	cgccaataac	gacaagaacc	gcaccttctc	1200
cgtctggtac	gtccccgagg	tgacggggac	tcataaggtt	actgtgctct	ttgtgggcca	1260
gcacatcgcc	aagagccctt	tcgaggtgta	cgtgggtaag	tcacagggtg	acgccagcaa	1320
agtgacagcc	caagggtccc	gcctggagcc	cagtggcaac	atcgccaaca	agaccaccta	1380
ctttgagatc	tttacggcag	gagctggcac	gggcgaggct	gaggttgtga	tccaggacct	1440
catgggacag	aagggcacgg	tagagcctca	gctggaggcc	cggggcgaca	gcacataacc	1500
ctgcagctac	cagcccacca	tggagggcgt	ccacaccgtg	cacgtcacgt	ttgccggcgt	1560
gccccatcct	cgcagccctt	acactgtcac	tggttgccaa	gcctgtaacc	cgagtgcctg	1620

ccgggcggtt	ggccggggcc	tccagcccaa	gggtgtgcgg	gtgaaggaga	cagctgactt	1680
caaggtgtac	acaaagggcg	ctggcagtg	ggagctgaag	gtcaccgtga	agggccccaa	1740
gggagaggag	cgcgtgaagc	agaaggacct	gggggatggc	gtgtatggct	tcgagtatta	1800
ccccatggtc	cctggaacct	atatcgtcac	catcacgtgg	ggtggtcaga	acatcgggcg	1860
cagtcccttc	gaagtgaagg	tgggcaccga	gtgtggcaat	cagaaggtag	gggcctgggg	1920
ccttgggctg	gagggcgggc	tcgttggcaa	gtcagcagac	tttgtgggtg	aggctatcgg	1980
ggacgacgtg	ggcagcgtgg	gcttctcggt	ggaagggcca	tcgcaggcta	agatcgaatg	2040
tgacgacaag	ggcgacggct	cctgtgatgt	gcgctactgg	ccgcaggagg	ctggcgagta	2100
tgcggttcac	gtgctgtgca	acagcgaaga	catccgcctc	agcccccttc	tggctgacat	2160
ccgtgacgcg	ccccaggact	tccacccaga	cagggtgaag	gcacgtgggc	ctggattgga	2220
gaagacaggt	gtggcgttca	acaagccaga	agagttcaca	gtggatgcca	agcacggtgg	2280
caaggcccca	cttcgggtcc	aagtccagga	caatgaaggc	tgccctgtgg	aggcgttggg	2340
caaggacaac	ggcaatggca	cttacagctg	ctcctacgtg	cccaggaagc	cgggtgaagca	2400
cacagccatg	gtgtcctggg	gagggctcag	catccccaac	agcccccttc	gggtgaatgt	2460
gggagctggc	agccacccca	acaaggtcaa	agtatacggc	cccggagtag	ccaagacagg	2520
gctcaaggcc	cacgagccca	cctacttcac	tgtggactgc	gccgaggctg	gccaggggga	2580
cgtcagcatc	ggcatcaagt	gtgccccctg	agtggtaggc	cccgcggaag	ctgacatcga	2640
cttcgacatc	atccgcaatg	acaatgacac	cttcacgggtc	aagtacacgc	cccggggggc	2700
tggcagctac	accattatgg	tcctctttgc	tgaccaggcc	acgcccacca	gccccatccg	2760
agtaaggtg	gagccctctc	atgacgccag	taaggtgaag	gccgaggggc	ctggcctcag	2820
tcgcactggt	gtcgaagctt	gcaagcccac	ccacttcaca	gtaaatgcca	aagctgctgg	2880
caaaggcaag	ctggacgtcc	agttctcagg	actcaccaag	ggggatgcag	tgcgagatgt	2940
ggacatcatc	gaccaccatg	acaacacctc	cacagtcaag	tacacgcctg	tccagcaggg	3000
tccagtaggc	gtcaatgtca	cttatggagg	ggatcccatc	cctaagagcc	ctttctcagt	3060
ggcagtatct	ccaagcctgg	acctcagcaa	gatcaagggt	tctggcctgg	gagagaaggt	3120
ggacgttggc	aaagaccagg	agttcacagt	caaatcaaa	ggtgctggtg	gtcaaggcaa	3180
agtggcatcc	aagattgtgg	gccccctcgg	tgacgcgggt	ccctgcaagg	tggagccagg	3240
cctggggggt	gacaacagt	tggtgcgctt	cctgccccgt	gaggaagggc	cctatgaggt	3300
ggaggtgacc	tatgacggcg	tgcccgtgcc	tggcagcccc	tttctctctg	aagctgtggc	3360
ccccaccaag	cctagcaagg	tgaaggcggt	tgggccccgg	ctgcaggagg	gcagtgcggg	3420
ctcccccgcc	cgcttcacca	tcgacaccaa	gggcgcgggc	acaggtggcc	tgggcctgac	3480
ggtggagggc	ccctgtgagg	cgcagctcga	gtgcttggac	aatggggatg	gcacatgttc	3540
cgtgtcctac	gtgcccaccg	agccccggga	ctacaacatc	aacatcctct	tcgctgacac	3600
ccacatccct	ggctccccat	tcaaggccca	cgtgggtccc	tgctttgacg	catccaaagt	3660
caagtgtcga	ggccccgggc	tggagcgggc	caccgctggg	gaggtggggc	aattccaagt	3720
ggactgctcg	agcgcgggca	gcgcggagct	gaccattgag	atctgctcgg	aggcggggct	3780
tccggccgag	gtgtacatcc	aggaccacgg	tgatggcacg	cacaccatta	cctacattcc	3840
cctctgcccc	ggggcctaca	ccgtcaccat	caagtacggc	ggccagcccc	tgcccaactt	3900
ccccagcaag	ctgcaggtgg	aacctgcggt	ggacacttcc	ggtgtccagt	gctatggggc	3960
tggtattgag	ggccaggggt	tcttccgtga	ggccaccact	gagttcagt	tggacgcccc	4020
ggctctgaca	cagaccggag	ggcgcacgt	caaggcccgt	gtggccaacc	cctcaggcaa	4080
cctgacggag	acctacgttc	aggaccgtgg	cgatggcatg	tacaaagtgg	agtacacgcc	4140
ttacgaggag	ggactgcact	ccgtggacgt	gacctatgac	ggcagtcctg	tgcccagcag	4200
ccccttcag	gtgcccgtga	ccgaggggtg	cgacccctcc	cgggtgcgtg	tccacggggc	4260
aggcatccaa	agtggcacca	ccaacaagcc	caacaagttc	actgtggaga	ccaggggagc	4320
tggcacgggc	ggcctggggc	tggtctgtag	gggccccctc	gaggccaaga	tgtcctgcat	4380
ggataacaag	gacggcagct	gctcggtcga	gtacatccct	tatgaggctg	gcacctacag	4440
cctcaacgtc	acctatgggt	gccatcaagt	gccaggcagt	cctttcaagg	tccctgtgca	4500
tgatgtgaca	gatgcgtcca	aggtcaagt	ctctggggcc	ggcctgagcc	caggcatggg	4560
tcgtgccaac	ctccctcagt	ccttccaggt	ggacacaagc	aaggctggtg	tggccccatt	4620
gcaggtcaaa	gtgcaagggc	ccaaaggcct	ggtggagcca	gtggacgtgg	tagacaacgc	4680
tgatggcacc	cagaccgtca	attatgtgcc	cagccgagaa	gggccctaca	gcattctcagt	4740
actgtatgga	gatgaagagg	taccccgagg	ccccttcaag	gtcaagggtg	tgccctactca	4800
tgatgccagc	aaggtgaagg	ccagtggccc	cgggtccaac	accactggcg	tgccctgccag	4860
cctgcccgtg	gagttcacca	tcgatgcaca	ggacgcggcg	gagggcctgc	tggtcttcca	4920
gatcacggtg	cccgaaggca	agccgaagaa	gacacacatc	caagacaacc	atgacggcac	4980
gtatacagtg	gcctacgtgc	cagacgtgac	aggtcgttac	accatcctca	tcaagtagcg	5040
tggtgacgag	atcccccttc	ccccgtaccg	cgtgcgtgcc	gtgcccaccg	gggacgccag	5100
caagtgcact	gtcacagtgt	caatcggagg	tcacgggcta	ggtgctggca	tcggccccac	5160
cattcagatt	ggggaggaga	cgggtgatcac	tgtggacact	aaggcggcag	gcaaaggcaa	5220
agtgcagtgc	accgtgtgca	cgctgatgg	ctcagagggt	gatgtggacg	tgggtggagaa	5280

tgaggacggc	acttttcgaca	tctttctacac	ggccccccag	ccgggcaa	acgtcatctg	5340
tgtgcgcttt	ggtggcgagc	acgtgcccc	cagccccctt	caagtgcg	ctctggctgg	5400
ggaccagccc	tcggtgcagc	ccccctctac	gtctcagcag	ctggccccac	agtacaccta	5460
cgcccagggc	ggccagcaga	cttggggccc	ggagaggccc	ctggtgggtg	tcaatgggct	5520
ggatgtgacc	agcctgaggc	cctttgacct	tgtcatcccc	ttcaccatca	agaagggcga	5580
gatcacagg	gaggttcgga	tgccttcagg	caaggtggcg	cagcccacca	tactgacaa	5640
caaagacggc	accgtgaccg	tgcggtatgc	acccagcgag	gctggcctgc	acgagatgga	5700
catccgctat	gacaacatgc	acatcccagg	aagccccctg	cagttctatg	tggattacgt	5760
caactgtggc	catgtcactg	cctatggggc	tggcctcacc	catggagtag	tgaacaagcc	5820
tgccaccttc	accgtcaaca	ccaaggatgc	aggagagggg	ggcctgtctc	tggccattga	5880
gggcccgtcc	aaagcagaaa	tcagctgcac	tgacaaccag	gatgggacat	gcagcgtgtc	5940
ctacctgcct	gtgctgccgg	gggactacag	cattctagtc	aagtacaatg	aacagcacgt	6000
cccaggcagc	cccttcactg	ctcgggtcac	aggtgacgac	tccatgcgta	tgtcccacct	6060
aaaggctcgg	tctgctgccg	acatccccat	caacatctca	gagacggatc	tcagcctgct	6120
gacggccact	gtggtcccg	cctcggggcg	ggaggagccc	tgtttgctga	agcggctgcg	6180
taatggccac	gtggggattt	cattcgtgcc	caaggagacg	ggggagcacc	tgggtgcatgt	6240
gaagaaaaat	ggccagcacg	tggccagcag	ccccatcccc	gtggtgatca	gccagtcgga	6300
aattggggat	gccagtcgtg	ttcgggtctc	tggtcagggc	cttcacgaag	gccacacctt	6360
tgagcctgca	gagtttatca	ttgatacccg	cgatgcaggc	tatggtgggc	tcagcctgtc	6420
cattgagggc	cccagcaagg	tggacatcaa	cacagaggac	ctggaggacg	ggacgtgcag	6480
ggtcacctac	tgccccacag	agccaggcaa	ctacatcatc	aacatcaagt	ttgccgacca	6540
gcacgtgcct	ggcagcccc	tctctgtgaa	ggtgacaggc	gagggccggg	tgaagagag	6600
catcacccgc	aggcgtcggg	ctccttcagt	ggccaacggt	ggtagtcatt	gtgacctcag	6660
cctgaaaatc	cctgaaatta	gcattccagga	tatgacagcc	caggtgacca	gcccacggg	6720
caagacccat	gaggccgaga	tcgtggaagg	ggagaaccac	acctactgca	tccgctttgt	6780
tcccgtctgag	atgggcacac	acacagtcag	cgtcaagtag	aagggccagc	acgtgcctgg	6840
gagccccctt	cagttcaccc	tggggcccc	aggggaagg	ggagcccaca	aggtccgagc	6900
tgggggccc	ggcctggaga	gagctgaagc	tggagtgcc	gccgaattca	gtatctggac	6960
ccgggaagct	ggtgctggag	gcctggccat	tgctgtcgag	ggccccagca	aggctgagat	7020
ctcttttgag	gaccgcaagg	acggctcctg	tgggtgtggt	tatgtggtcc	aggagccagg	7080
tgactacgaa	gtctcagtc	agttcaacga	ggaacacatt	cccagacagc	ccttcgtgg	7140
gcctgtggct	tctccgtctg	gcgacgccc	ccgcctcact	gtttctagcc	ttcaggagtc	7200
agggctaaa	gtcaaccagc	cagcctcttt	tgcagtcagc	ctgaacgggg	ccaagggggc	7260
gatcgatgcc	aaggtgcaca	gccccctcag	agccctggag	gagtgctatg	tcacagaaat	7320
tgaccaagat	aagtatgctg	tgcgcttc	ccctcgggag	aatggcgctt	acctgattga	7380
cgtcaagttc	aacggtaccc	acatccctgg	aagccccctt	aagatccgag	ttggggagcc	7440
tgggcatgga	ggggacccag	gcttgggtgc	tgcttacgga	gcaggtctgg	aaggcgggtg	7500
cacagggaac	ccagctgagt	tcgtcgtgaa	cacgagcaat	gcgggagctg	gtgccctgtc	7560
ggtgaccatt	gacggcccc	ccaaggtgaa	gatggattgc	caggagtgcc	ctgagggcta	7620
ccgcgtcacc	tataccccca	tggcacctgg	cagctacctc	atctccatca	agtacggcgg	7680
cccctaccac	attgggggca	gccccctcaa	ggccaaagtc	acaggccccc	gtctcgtcag	7740
caaccacagc	ctccacgaga	catcatcagt	gtttgtagac	tctctgacca	aggccacctg	7800
tgccccccag	catggggccc	cgggtcctgg	gcctgctgac	gccagcaagg	tgggtggcaa	7860
gggctgggg	ctgagcaagg	cctacgtagg	ccagaagagc	agcttcacag	tagactgcag	7920
caaagcaggc	aacaacatgc	tgctggtggg	ggttcatggc	ccaaggaccc	cctgcgagga	7980
gatcctggtg	aagcacgtgg	gcagccggct	ctacagcgtg	tcctacctgc	tcaaggacaa	8040
gggggagtac	acactggtgg	tcaaattggg	gcacagacac	atcccaggca	gccccctacc	8100
cgttgtggtg	ccctgagttc	ggggcccggt	ccagccggca	gcccccaagc	ctgccccgct	8160
acccaagcag	ccccgccttc	ttccccctca	ccccggccca	ggccgcctct	gccgcccgcc	8220
tgtcactgca	gctgccccct	ccctgtgcgg	tgtgcgctc	acctgcctcc	ccagccagcc	8280
gctgacctct	cggctttcac	ttgggcagag	ggagccattt	ggtggcgctg	cttgtcttct	8340
ttggttctgg	gaggggtgag	ggatgggg	8368			

<210> 74
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_001456

<400> 74
 tgacctctcg gctttcactt gggcagaggg agccatttgg tggcgctgct tgtcttcttt 60

<210> 75
 <211> 1642
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001548

<400> 75
 ccagatctca gaggagcctg gctaagcaaa accctgcaga acggctgcct aatttacagc 60
 aaccatgagt acaaatggtg atgatcatca ggtcaaggat agtctggagc aattgagatg 120
 tcactttaca tgggagttat ccattgatga cgatgaaatg cctgatttag aaaacagagt 180
 cttggatcag attgaattcc tagacaccaa atacagtgtg ggaatacaca acctactagc 240
 ctatgtgaaa cacctgaaag gccagaatga ggaagccctg aagagcttaa aagaagctga 300
 aaacttaatg caggaagaac atgacaacca agcaaagtgt aggagtctgg tgacctgggg 360
 caactttgcc tggatgtatt accacatggg cagactggca gaagcccaga cttacctgga 420
 caagggtggag aacatttgca agaagctttc aaatcccttc cgctatagaa tggagtgtcc 480
 agaaatagac tgtgaggaag gatgggcctt gctgaagtgt ggaggaaaaga attatgaacg 540
 ggccaaggcc tgctttgaaa aggtgcttga agtggaccct gaaaaccctg aatccagcgc 600
 tgggtatgcg atctctgcct atcgcttggg tggcttttaa ttagccacaa aaaatcacia 660
 gccattttct ttgcttcccc taaggcaggc tgtccgctta aatccagaca atggatatat 720
 taaggttctc cttgccctga agcttcagga tgaaggacag gaagctgaag gagaaaagta 780
 cattgaagaa gctctagcca acatgtcctc acagacctat gtctttcgat atgcagccaa 840
 gttttaccga agaaaaggct ctgtggataa agctcttgag ttattaaaaa aggccttgca 900
 ggaaacaccc acttctgtct tactgcatca ccagataggg ctttgctaca aggcacaaat 960
 gatccaaatc aaggaggcta caaaagggca gcctagaggg cagaacagag aaaagctaga 1020
 caaaatgata agatcagcca tatttcatth tgaatctgca gtggaaaaaa agcccacatt 1080
 tgagggtggct catctagacc tggcaagaat gtatatagaa gcaggcaatc acagaaaagc 1140
 tgaagagaat tttcaaaaat tgttatgcat gaaaccagtg gtagaagaaa caatgcaaga 1200
 catacatttc tactatggtc ggtttcagga atttcaaaaag aaatctgacg tcaatgcaat 1260
 tatccattat ttaaaagcta taaaaataga acaggcatca ttaacaaggg ataaaagtat 1320
 caattctttg aagaaatttg ttttaaggaa acttcggaga aaggcattag atctggaaag 1380
 cttgagcctc cttgggttcg tctataaatt ggaaggaaat atgaatgaag ccctggagta 1440
 ctatgagcgg gccctgagac tggctgctga ctttgagaac tctgtgagac aaggtcctta 1500
 ggcacccaga tatcagccac tttcacattt catttcattt tatgctaaca tttactaatc 1560
 atcttttctg cttactgttt tcagaaacat tataattcac tgtaatgatg taattcttga 1620
 ataataaatc tgacaaaata tt 1642

<210> 76
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001548

<400> 76
 gtatcaattc tttgaagaaa ttggttttta ggaaacttcg gagaaaggca ttagatctgg 60

<210> 77
 <211> 3344
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_001605

<400> 77

ggtacagctg	cgcgtctgcg	ggaataggtg	cagcggggccc	ttggcggggg	actctgaggg	60
aggagctggg	gacggcgacc	ctaggagagt	tctttggggt	gactttcaag	atggactcta	120
ctctaacagc	aagtgaatc	cggcagcgat	ttatagattt	cttcaagagg	aacgagcata	180
cgtatgttca	ctcgtctgcc	accatcccat	tggatgaccc	cactttgtct	tttgccaatg	240
caggcatgaa	ccagtttaaa	cccattttcc	tgaacacaat	tgacccatct	caccccatgg	300
caaagctgag	cagagctgcc	aatacccgag	agtgcacccg	ggctgggggc	aaacaaaatg	360
acctggacga	tgtgggcaag	gatgtctatc	atcacacctt	cttcgagatg	ctgggctctt	420
ggtctttttg	agattacttt	aaggaattgg	catgtaagat	ggctctggaa	ctcctcacc	480
aagagtttgg	cattcccatt	gaaagacttt	atgttactta	ctttggcggg	gatgaagcag	540
ctggcttaga	agcagatctg	gaatgcaaac	agatctggca	aaatttgggg	ctggatgaca	600
ccaaaatcct	cccaggcaac	atgaaggata	acttctggga	gatgggtgac	acgggccctt	660
gtggctcctt	cagtgaatc	cactacgacc	ggattggtgg	tcgggacgcc	gcacatcttg	720
tcaaccagga	cgacccta	gtgctggaga	tctggaacct	tgtgttcatc	cagtataaca	780
gggaagctga	tggcattctg	aaacctcttc	ccaagaaaag	cattgacaca	gggatgggcc	840
tggaaacgact	ggtatctgtg	ctgcagaata	agatgtccaa	ctatgacact	gacctttttg	900
tcccttactt	tgaagccatt	cagaagggca	caggtgcccg	accatacact	gggaaagtgt	960
gtgctgagga	tgccgatggg	attgacatgg	cctaccgggt	gctggctgac	catgctcggg	1020
ccatcactgt	ggcactggct	gatggtggcc	ggcctgacaa	cacagggcgt	ggatatgtgt	1080
tgagacggat	tctccgcga	gctgtccgat	acgcccata	aaagctcaat	gccagcagg	1140
gcttctttgc	tacgttagtg	gatgttctgc	tccagtcctt	gggagatgca	tttctgtgac	1200
tgaagaagga	cccagacatg	gtgaaggaca	tcattaatga	agaagaggtg	cagtttctca	1260
agactctcag	cagagggcgt	cgcacccctg	acaggaaaat	tcagagcctg	ggagacagca	1320
agaccattcc	cggagacact	gcttggctcc	tctatgacac	ctatgggttt	ccagtggatc	1380
tgactggact	gattgctgaa	gagaagggcc	tgggtgtaga	catggatggc	tttgaagagg	1440
agaggaaact	ggcccagctg	aaatcacagg	gcaagggagc	tgggtgggaa	gacctcatta	1500
tgtctggacat	ttacgctatc	gaagagctcc	gggcacgggg	tctggaggtc	acagatgatt	1560
ccccaaaagta	caattaccat	ttggactcca	gtggtagcta	tgtattttgag	aacacagtgg	1620
ctacggtgat	ggctctgcgc	agggagaaga	tgttcgtgga	agaggtgtcc	acaggccagg	1680
agtgtggagt	ggtgctggac	aagacctggt	tctatgctga	gcaaggaggc	cagatctatg	1740
acgaaggcta	cctggtgaag	gtggatgaca	gcagtgaaga	taaaacagag	tttacagtga	1800
agaatgctca	ggtccgagga	gggtatgtgc	tacacattgg	aaccatctac	ggtgacctga	1860
aagtggggga	tcaggtctgg	ctgtttattg	atgagccccg	acgaagaccc	atcatgagca	1920
accacacagc	tacgcacatt	ctgaacttcg	ccctgcgctc	agtgcctggg	gaagctgacc	1980
agaaaggctc	attggttgct	cctgaccgcc	tcagattttga	ctttactgcc	aagggagcca	2040
tgtccaccca	acagatcaag	aaggctgaag	agattgctaa	tgagatgatt	gaggcagcca	2100
aggccgtcta	taccacagga	tgcacctg	cagcagcgaa	agccatccag	ggcctacggg	2160
ctgtgtttga	tgagacctat	cctgaccctg	tgcagagtcg	ctccattggg	gtcccggtgt	2220
ccgagtttgc	ggatgacccc	tctgggcctg	ctggctccct	gacttctgtt	gagttctgtg	2280
gggaaacgca	cctgcggaac	tcgagtcatg	caggagcttt	tgtgatcgtg	acggaagaag	2340
ccattgccaa	gggtatccgg	aggattgtgg	ctgtcacagg	tgccgaggcc	cagaaggccc	2400
tcaggaaagc	agagagcttg	aagaaatgtc	tctctgtcat	ggaagccaaa	gtgaaggctc	2460
agactgctcc	aaacaaggat	gtgcagaggg	agatcgctga	ccttggagag	gccctggcca	2520
ctgcagtcac	ccccagtg	cagaaggatg	aattgcggga	gactctcaaa	tccctaaaga	2580
aggtcatgga	tgacttggac	cgagccagca	aagccgatgt	ccagaaacga	gtgttagaga	2640

agacgaagca	gttcatcgac	agcaacccca	accagcctct	tgtcatcctg	gagatggaga	2700
gcggcgccctc	agccaaggcc	ctgaatgaag	ccttgaagct	cttcaagatg	cactcccctc	2760
agacttctgc	catgctcttc	acgggtggaca	atgaggtgg	caagatcacg	tgccctgtgtc	2820
aagtccecca	gaatgcagcc	aatcggggct	taaaagccag	cgagtgggtg	cagcaggtgt	2880
caggcttgat	ggacggtaaa	ggtggtggca	aggatgtgtc	tgacagggcc	acaggcaaga	2940
acgttggtcg	cctgcaggag	gcgctgcagc	tggccacttc	cttcgcccag	ctgcgcctcg	3000
gggatgtaaa	gaactgagtg	gggaaggagg	aggctccac	tggatccatc	cgtccagcca	3060
agagctcttc	atctgctaca	agaacatttg	aatcttggga	cctttaaaga	gcccctccta	3120
accagcagc	aactggaaca	cacttgggag	cagtcctatg	tctcagtgcc	ccttaaattt	3180
ctgccctgag	ccctccacgt	cagtgcacat	ggtctagaac	cactaaccct	gcattgtgtg	3240
tgatcgtcac	gctcgcacat	atagataacg	gctctccaga	cctgagcttt	ccgcgtcagc	3300
aagtaggaat	cgtttttgc	gcagagaata	aaaggaccac	gtgc	3344	

<210> 78

<211> 60

<212> DNA
<213> Homo sapiens

<300>
<308> NM_001605

<400> 78
gccaaagagct cttcatctgc tacaagaaca tttgaatctt gggaccttta aagagcccct 60

<210> 79
<211> 417
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001645

<400> 79
acctcccaac caagccctcc agcaaggatt caggagtgcc cctcgggcct cgccatgagg 60
ctcttcctgt cgctcccgtt cctgggtggtg gttctgtcga tcgtcttgga aggcccagcc 120
ccagcccagg ggaccccaga cgtctccagt gccttgata agctgaagga gtttggaac 180
aactggagg acaaggctcg ggaactcatc agccgcata aacagagtga actttctgcc 240
aagatgcggg agtggttttc agagacattt cagaaagtga aggagaaact caagattgac 300
tcatgaggac ctgaagggtg acatccagga ggggcctctg aaatttcca cccccagcg 360
cctgtgctga ggactccgc catgtggccc caggtgccac caataaaaat cctaccg 417

<210> 80
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001645

<400> 80
aaacagagtg aactttctgc caagatgcgg gagtggtttt cagagacatt tcagaaagtg 60

<210> 81
<211> 1389
<212> DNA
<213> Homo sapiens

<300>
<308> NM_001809

<400> 81
cgcggaacttc tgccaagcac cggetcatgt gaggtctcgg gcacagcgtt ctctgggctc 60
cccagaagcc agcctttcgc tcccggaccc ggcagccga gcaggagccg tgggaccggg 120
cgccagcacc ctctgcggcg tgtcatgggc ccgcgcgcgc ggagccgaaa gcccagggcc 180
ccgaggaggc gcagcccag cccgaccccg acccccgcc cctcccggcg gggcccctcc 240
ttaggcgctt cctcccatca acacagtgcg cggagacaag gttggctaaa ggagatccga 300
aagcttcaga agagcacaca cctcttgata aggaagctgc ccttcagccg cctggcaaga 360
gaaatatgtg ttaaattcac tcgtggtgtg gacttcaatt ggcaagccca ggccctattg 420
gccctacaag aggcagcaga agcatttcta gttcatctct ttgaggacgc ctatctctc 480
accttacatg caggccgagt tactctcttc ccaaaggatg tgcaactggc ccggaggatc 540
cggggacctt aggagggact cggtgagct cctgcaccca gtgtttctgt cagtctttcc 600
tgctcagcca ggggggatga taccggggac tctccagagc catgactaga tccaatggat 660
tgtgcgatgc tgtctggact ttgctgtctc tgaacagtat gtgtgtgttg ctttaaata 720
tttctttttt tttgagaagg agaagactgc atgactttcc tctgtaacag aggtaata 780
tgagacaatc aacaccgttc caaaggcctg aaaataattt tcagataaag agactccaag 840

gttgacttta	gtttgtgagt	tactcatgtg	actatattgag	gattttgaaa	acatcagatt	900
tgctgtggta	tgggagaaaa	ggttatgtac	ttattatattt	agctctttct	gtaatatatta	960
catttttttac	catatgtaca	tttgtacttt	tatttttacac	ataagggaaa	aaataagacc	1020
acttttgagca	gttgccctgga	aggctgggca	tttccatcat	atagacctct	gcccttcaga	1080
gtagcctcac	cattagtggc	agcatcatgt	aactgagtg	actgtgcttg	tcaacggatg	1140
tgtagctttt	cagaaactta	attggggatg	aatagaaaac	ctgtaagctt	tgatgttctg	1200
gttacttcta	gtaaattcct	gtcaaaatca	attcagaaat	tctaacttgg	agaatttaac	1260
attttactct	tgtaaactcat	agaagatgta	tcataacagt	tcagaatttt	aaagtacatt	1320
ttcgatgctt	ttatgggtat	ttttgtagtt	tctttgtaga	gagataataa	aatcaaaaat	1380
atttaatga	1389					

<210> 82

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_001809

<400> 82

ggggatgaat	agaaaacctg	taagctttga	tgttctgggt	acttctagta	aattcctgtc	60
------------	------------	------------	------------	------------	------------	----

<210> 83

<211> 2205

<212> DNA

<213> Homo sapiens

<300>

<308> NM_001909

<400> 83

gcgcacgccg	gccgcgccca	cgtgaccggt	ccgggtgcaa	acacgcgggt	cagctgatcc	60
ggcccaactg	cggcgtcatc	ccggctataa	gcgcacggcc	tcggcgaccc	tctccgaccc	120
ggccgcgcgc	gccatgcagc	cctccagcct	tctgcgcgtc	gccctctgcc	tgctggctgc	180
accgcctcc	gcgctcgtca	ggatcccgt	gcacaagttc	acgtccatcc	gccggaccat	240
gtcggaggtt	gggggctctg	tggaggacct	gattgccaaa	ggccccgtct	caaagtactc	300
ccaggcggtg	ccagccgtga	ccgaggggcc	cattcccag	gtgctcaaga	actacatgga	360
cgcccagtag	tacggggaga	ttggcatcgg	gaagcccccc	cagtgcctca	cagtcgtctt	420
cgacacgggc	tcctccaacc	tgtgggtccc	ctccatccac	tgcaaaactgc	tggacatcgc	480
ttgctggatc	caccacaagt	acaacagcga	caagtccagc	acctacgtga	agaatggtag	540
ctcgtttgac	atccactatg	gctcgggcag	cctctccggg	tacctgagcc	aggacactgt	600
gtcggtgccc	tgccagtcag	cgtcgtcagc	ctctgccctg	ggcgggtgtca	aagtggagag	660
gcaggctctt	ggggaggcca	ccaagcagcc	aggcatcacc	ttcatcgtag	ccaagttcga	720
tggcatcctg	ggcatggcct	acccccgcct	ctccgtcaac	aacgtgctgc	ccgtcttcga	780
caacctgatg	cagcagaagc	tgggtggacca	gaacatcttc	tccttctacc	tgagcaggga	840
ccagatgcg	cagcctgggg	gtgagctgat	gctgggtggc	acagactcca	agtattacaa	900
gggttctctg	tcctacctga	atgtcaccgc	caaggcctac	tggcagggtcc	acctggacca	960
ggtggaggtg	gccagcgggc	tgacctgtg	caaggagggc	tgtgaggcca	ttgtggacac	1020
aggcacttcc	ctcatggtgg	gcccgggtgga	tgaggtgcgc	gagctgcaga	aggccatcgg	1080
ggcgtgccc	ctgattcagg	gcgagtacat	gatcccctgt	gagaaggtgt	ccaccctgcc	1140
cgcatcaca	ctgaagctgg	gaggcaaagg	ctacaagctg	tccccagagg	actacacgct	1200
caaggtgtcg	caggccggga	agaccctctg	cctgagcggc	ttcatgggca	tggacatccc	1260
gccaccacagc	gggccactct	ggatcctggg	cgacgtcttc	atcgccgct	actacactgt	1320
gtttgaccgt	gacaacaaca	gggtgggctt	cgccgaggct	gcccgcctct	agttcccaag	1380
cgtccgcgc	gccagcacag	aaacagagga	gagtcaccaga	gcaggaggcc	cctggcccag	1440
gcgccctcc	cacacacacc	cacacactcg	cccgcctact	gtcctgggcy	ccctggaagc	1500
cggcgcccca	agcccgaactt	gctgttttgt	tctgtggttt	tcccctccct	gggttcagaa	1560
atgctgcctg	cctgtctgtc	tctccatctg	tttgggtggg	gtagagctga	tccagagcac	1620
agatctgttt	cgtgcattgg	aagacccac	ccaagcttgg	cagccgagct	cgtgtatcct	1680
ggggtccct	tcattctccag	ggagtccct	ccccggccct	accagcgccc	gctgggctga	1740


```

gccccctaccc cacaccaggc cgtcctcccg ggcctccct tggaaacctg ccctgcctga 1800
gggcccctct gccagcttg ggcccagctg ggctctgcca ccctacctgt tcagtgtccc 1860
gggcccgttg aggatgaggc cgctagaggc ctgaggatga gctggaagga gtgagagggg 1920
acaaaaacca ccttgttgga gcctgcaggg tgggtgctggg actgagccag tcccaggggc 1980
atgtattggc ctggaggtgg gggtgggatt gggggctggg gccagccttc ctctgcagct 2040
gacctctgtt gtccctccct tgggcggctg agagccccag ctgacatgga aatacagttg 2100
ttggcctccg gcctcccctc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2160
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 2205

```

```

<210> 84
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_001909

```

```

<400> 84
tctgtttggt gggggtagag ctgatccaga gcacagatct gtttcgtgca ttggaagacc 60

```

```

<210> 85
<211> 817
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002038

```

```

<400> 85
gaaccgttta ctgcgtgctg tgcccatcta tcagcaggct ccgggctgaa gattgcttct 60
cttctctcct ccaaggctta gtgacggagc ccgcgcgcgg cgccaccatg cggcagaagg 120
cggtatcgct tttcttgtgc tacctgctgc tcttcaactg cagtgggggtg gaggcaggta 180
agaaaaagtg ctcgagagc tcggacagcg gctccgggtt ctggaaggcc ctgaccttca 240
tgcccgctcg aggaggactc gcagtcgcgc ggctgcccgc gctgggcttc accggcgccg 300
gcatcgcggc caactcggtg gctgcctcgc tgatgagctg gtctgcgatc ctgaatgggg 360
gcggcgctgcc cgccgggggg ctagtggcca cgtgcagag cctcgggggt ggtggcagca 420
gcgtcgctcat aggtaatatt ggtgccctga tgggctacgc caccacaag tatctcgata 480
gtgaggagga tgaggagtag ccagcagctc ccagaacctc ttcttcttc ttggcctaac 540
tcttcagtt aggatctaga actttgcctt tttttttttt tttttttttt tttgagatgg 600
gttctcaacta tattgtccag gctagagtgc agtggctatt cacagatgcg aacatagtac 660
actgcagcct ccaactccta gcctcaagtg atcctcctgt ctcaacctcc caagtaggat 720
tacaagcatg cgccgacgat gcccagaatc cagaactttg tctatcactc tccccaacaa 780
cctagatgtg aaaacagaat aaacttcacc cagaaaa 817

```

```

<210> 86
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002038

```

```

<400> 86
agctcccaga acctcttctt ccttcttggc ctaactcttc cagttaggat ctagaacttt 60

```

```

<210> 87
<211> 1283
<212> DNA
<213> Homo sapiens

```

```

<300>

```

<308> NM_002046

<400> 87

ctctctgtctc	ctcctgttcg	acagtcagcc	gcattcttctt	ttgcgtcgcc	agccgagcca	60
catcgctcag	acaccatggg	gaaggtgaag	gtcggagtca	acggatttgg	tcgtattggg	120
cgctgtgtca	ccagggtcgc	ttttaactct	ggtaaagtgg	atattgttgc	catcaatgac	180
cccttcattg	acctcaacta	catggtttac	atgttccaat	atgattccac	ccatggcaaa	240
ttccatggca	ccgtcaaggc	tgagaacggg	aagcttgtca	tcaatggaaa	tcccatcacc	300
atcttccagg	agcgagatcc	ctccaaaatc	aagtggggcg	atgctggcgc	tgagtacgtc	360
gtggagtcca	ctggcgtctt	caccaccatg	gagaaggctg	gggctcattt	gcagggggga	420
gccaaaaggg	tcatcatctc	tgccccctct	gctgatgccc	ccatgttcgt	catgggtgtg	480
aaccatgaga	agtatgacaa	cagcctcaag	atcatcagca	atgcctcctg	caccaccaac	540
tgcttagcac	ccctggccaa	ggtcatccat	gacaactttg	gtatcgtgga	aggactcatg	600
accacagtcc	atgccatcac	tgccaccacg	aagactgtgg	atggcccctc	cgggaaactg	660
tggcgtgatg	gccgcggggc	tctccagaac	atcatecctg	cctctactgg	cgtcgccaag	720
gctgtgggca	aggtcatccc	tgagctgaac	gggaagctca	ctggcatggc	cttccgtgtc	780
cccactgcca	acgtgtcagt	ggtggacctg	acctgccgtc	tagaaaaacc	tgccaaatat	840
gatgacatca	agaagggtgt	gaagcaggcg	tccggaggcc	ccctcaaggg	catcctgggc	900
tacactgagc	accaggtgtg	ctcctctgac	ttcaacagcg	acacccactc	ctccaccttt	960
gacgtgtggg	ctggcattgc	cctcaacgac	cactttgtca	agctcatttc	ctggtatgac	1020
aacgaatttg	gctacagcaa	caggggtgtg	gacctcatgg	cccacatggc	ctccaaggag	1080
taagacccct	ggaccaccag	ccccagcaag	agcacaagag	gaagagagag	accctcactg	1140
ctggggagtc	cctgccacac	tcagtcccc	accacactga	atctcccctc	ctcacagtgt	1200
ccatgtagac	cccttgaaga	ggggaggggc	ctagggagcc	gcaccttgtc	atgtaccatc	1260
aataaagtac	cctgtgctca	acc	1283			

<210> 88

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_002046

<400> 88

ctcaacgacc	actttgtcaa	gctcatttcc	tggtatgaca	acgaatttgg	ctacagcaac	60
------------	------------	------------	------------	------------	------------	----

<210> 89

<211> 1610

<212> DNA

<213> Homo sapiens

<300>

<308> NM_002061

<400> 89

ggcacgaggc	tgcggccgca	gtagccggag	ccggagccgc	agccaccggt	gccttccttt	60
cccgcgccg	cccagccgcc	gtccggcctc	cctcggggcc	gagcgcagac	caggctccag	120
ccgcgcggcg	ccggcagcct	cgcgctccct	ctcgggtctc	tctcgggcct	cgggcaccgc	180
gtcctgtggg	cgccgcctg	cctgcccgcc	cgccgcagc	cccttgctg	ccggccctg	240
ggcggcccgt	gccatgggca	ccgacagccg	cgcggccaag	gcgctcctgg	cgcggggccc	300
caccctgcac	ctgcagacgg	ggaacctgct	gaactggggc	cgctgcgga	agaagtgcc	360
gtccacgcac	agcgaggagc	ttcatgattg	tatccaaaaa	accttgaatg	aatggagttc	420
ccaaatcaac	ccagatttgg	tcagggagtt	tccagatgtc	ttggaatgca	ctgtatctca	480
tgcatgagaa	aagataaatc	ctgatgaaag	agaagaaatg	aaagtctctg	caaaactgtt	540
cattgtagaa	tcaaactctt	catcatcaac	tagaagtgca	gttgacatgg	cctgttcagt	600
ccttggagtt	gcacagctgg	attctgtgat	cattgcttca	cctcctattg	aagatggagt	660
taatctttcc	ttggagcatt	tacagcctta	ctgggaggaa	ttagaaaact	tagttcagag	720
caaaaagatt	gttgccatag	gtacctctga	tctagacaaa	acacagttgg	aacagctgta	780
tcagtgggca	caggtaaaac	caaataagtaa	ccaagttaat	cttgccctct	gctgtgtgat	840

```

gccaccagat ttgactgcat ttgctaaaca atttgacata cagctgttga ctcacaatga 900
tccaaaagaa ctgcttttctg aagcaagttt ccaagaagct cttcaggaaa gcattcctga 960
cattcaagcg cacgagtggg tgccgctgtg gctactgagg tattcgggtca ttgtgaaaag 1020
tagaggaatt atcaaatcaa aaggctacat tttacaagct aaaagaaggg gttcttaact 1080
gacttaggag cataacttac ctgtaatttc cttcaatatg agagaaaatt gagatgtgta 1140
aaatctagtt actgcctgta aatgggtgtca ttgaggcaga tattcttttcg tcatatttga 1200
cagtatgttg tctgtcaagt tttaaatact tatcttgccct ccatatcaat ccattctcat 1260
gaacctctgt attgctttcc ttaaactatt gttttctaata tgaaattgtc tataaagaaa 1320
atacttgcaa tatatttttc ctttattttt atgactaata taaatcaaga aaatttgttg 1380
ttagatatat tttggcctag gtatcagggt aatgtatata catatttttt atttccaaaa 1440
aaaattcatt aattgcttct taactcttat tataaccaag caatttaatt acaattgtta 1500
aaactgaaat actggaagaa gatatttttc ctgtcattga tgagatatat cagagtaact 1560
ggagtagctg ggatttacta gtagtgtaaa taaaattcac tcttcaatac 1610

```

```

<210> 90
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002061

```

```

<400> 90
ctgacttagg agcataactt acctgtaatt tccttcaata tgagagaaaa ttgagatgtg 60

```

```

<210> 91
<211> 873
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002106

```

```

<400> 91
cgcagtttga atcgcggtgc gacgaaggag taggtggtgg gatctcaccc tgggtccgat 60
tagccttttc tctgccttgc ttgcttgagc ttcagcggaa ttcgaaatgg ctggcggtaa 120
ggctggaaaag gactccggaa aggccaagac aaaggcgggt tcccgcctgc agagagccgg 180
cttgcagttc ccagtgggcc gtattcatcg acacctaaaa tctaggacga ccagtcattg 240
acgtgtgggc gcgactgccg ctgtgtacag cgcagccatc ctggagtacc tcaccgcaga 300
ggtagttgaa ctggcaggaa atgcatcaaa agacttaaag gtaaagcgta ttaccctctg 360
tcacttgcaa cttgctattc gtggagatga agaattggat tctctcatca aggctacaat 420
tgctggtggt ggtgtcattc cacacatcca caaatctctg attgggaaga aaggacaaca 480
gaagactgtc taaaggatgc ctggattcct tgttatctca ggactctaaa tactctaaca 540
gctgtccagt gttggtgatt ccagtggact gtatctctgt gaaaaacaca attttgcctt 600
tttgtaattc tatttgagca agttggaagt ttaattagct ttccaaccaa ccaaatttct 660
gcattcgagt cttaaccata ttttaagtgtt actgtggctt caaagaagct attgattctg 720
aagtagtggg ttttgattga gttgactgtt tttaaaaaac tgtttggatt ttaattgtga 780
tgcagaagtt atagtaacaa acatttggtt ttgtacagac attatttcca ctctggtgga 840
taagttcaat aaaggtcata tcccaaacta aaa 873

```

```

<210> 92
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002106

```

```

<400> 92
cgagtcttaa ccatatttaa gtgttactgt ggcttcaaag aagctattga ttctgaagta 60

```

<210> 93
 <211> 4204
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002205

<400> 93

caggacaggg	aagagcgggc	gctatgggga	gccggacgcc	agagtcccct	ctccacgccg	60
tgcagctgcg	ctggggcccc	cggcgccgac	ccccgctcgt	gccgctgctg	ttgctgctcg	120
tgccgcccgc	accaggggtc	gggggcttca	acttagacgc	ggagggccca	gcagtactct	180
cggggccccc	gggctccttc	ttcgattctt	cagtggagtt	ttaccggccg	ggaacagacg	240
gggtcagtgt	gctggtggga	gcacccaagg	ctaataccag	ccagccagga	gtgctgcagg	300
gtggtgctgt	ctacctctgt	ccttgggggtg	ccagccccac	acagtgcacc	cccattgaat	360
ttgacagcaa	aggctctcgg	ctcctggagt	cctcactgtc	cagctcagag	ggagaggagc	420
ctgtggagta	caagtccttg	cagtggttcg	gggcaacagt	tcgagcccat	ggctcctcca	480
tcttggcatg	cgctccactg	tacagctggc	gcacagagaa	ggagccactg	agcgaccccc	540
tgggcacctg	ctacctctcc	acagataact	tcacccgaat	tctggagtat	gcaccctgcc	600
tcacagattt	cagctgggca	gcaggacagg	gttactgcca	aggaggcttc	agtgccagat	660
tcaccaagag	tggccgtgtg	gttttaggtg	gaccaggaag	ctatttcttg	caaggccaga	720
tcctgtctgc	cactcaggag	cagattgcag	aatcttatta	ccccgagtac	ctgatcaacc	780
tggttcaggg	gcagctgcag	actcgccagg	ccagttccat	ctatgatgac	agctacctag	840
gatactctgt	ggctgttggt	gaattcagtg	gtgatgacac	agaagacttt	gttgctgggtg	900
tgcccaaagg	gaacctcact	tacggctatg	tcaccatcct	taatggctca	gacattcgat	960
ccctctacaa	cttctcaggg	gaacagatgg	cctcctactt	tggctatgca	gtggccgccca	1020
cagacgtcaa	tggggacggg	ctggatgact	tgctggtggg	ggcaccctctg	ctcatggatc	1080
ggaccctctg	cgggcggcct	caggagggtg	gcagggtcta	cgtctacctg	cagcaccctg	1140
ccggcataga	gcccacgccc	acccttacct	tcactggcca	tgatgagttt	ggccgatttg	1200
gcagctcctt	gacccccctg	ggggacctgg	accaggatgg	ctacaatgat	gtggccatcg	1260
gggctccctt	tgggtggggag	accagcagg	gagtagtggt	tgtatttctt	gggggcccag	1320
gagggtctgg	ctctaagcct	tcccagggtt	tgcagccctt	gtgggcagcc	agccacaccc	1380
cagacttctt	tggctctgcc	cttcgaggag	gccgagacct	ggatggcaat	ggatatcctg	1440
atctgattgt	ggggtccttt	ggtgtggaca	aggctgtggt	atacaggggc	cgccccatcg	1500
tgtccgctag	tgcctccctc	accatcttcc	ccgccatggt	caaccacagag	gagcggagct	1560
gcagcttaga	ggggaacctt	gtggcctgca	tcaaccttag	cttctgcctc	aatgcttctg	1620
gaaaacacgt	tgctgactcc	atttggtttc	cagtggaaat	tcagctggac	tggcagaagc	1680
agaaggagg	ggtacggcgg	gcactgttcc	tggcctccag	gcaggcaacc	ctgaccacga	1740
ccctgctcat	ccagaatggg	gctcgagagg	attgcagaga	gatgaagatc	tacctcagga	1800
acgagtcaga	atttcgagac	aaactctcgc	cgattcacat	cgctctcaac	ttctccttgg	1860
acccccaagc	cccagtggac	agccacggcc	tcaggccagc	cctacattat	cagagcaaga	1920
gccggataga	ggacaaggct	cagatcttgc	tggactgtgg	agaagacaac	atctgtgtgc	1980
ctgacctgca	gctggaagtg	tttggggagc	agaacctatg	gtacctgggt	gacaagaatg	2040
ccctgaacct	cactttccat	gcccagaatg	tgggtgaggg	tggcgccctat	gaggctgagc	2100
ttcgggtcac	cgccctccca	gaggctgagt	actcaggact	cgtcagacac	ccagggaact	2160
tctccagcct	gagctgtgac	tactttgccg	tgaaccagag	ccgcctgctg	gtgtgtgacc	2220
tgggcaacct	catgaaggca	ggagccagtc	tgtgggggtg	ccttcggttt	acagtccctc	2280
atctccggga	cactaagaaa	accatccagt	ttgacttcca	gatcctcagc	aagaatctca	2340
acaactcgca	aagcgacgtg	gtttcctttc	ggctctccgt	ggaggctcag	gcccaggtca	2400
ccctgaacgg	tgtctccaag	cctgaggcag	tgtatttccc	agtaagcgac	tggcatcccc	2460
gagaccagcc	tcagaaggag	gaggacctgg	gacctgctgt	ccacctatgtc	tatgagctca	2520
tcaaccaagg	ccccagctcc	attagccagg	gtgtgctgga	actcagctgt	ccccaggctc	2580
tggaagggtca	gcagctccta	tatgtgacca	gagttacggg	actcaactgc	accaccaatc	2640
accccattaa	cccaaagggc	ctggagttgg	atcccagggg	ttccctgcac	caccagcaaa	2700
aacgggaagc	tccaagccgc	agctctgctt	cctcgggacc	tcagatcctg	aaatgccccg	2760
aggctgagtg	tttcaggctg	cgctgtgagc	tccggccctc	gcaccaacaa	gagagccaaa	2820
gtctgcagtt	gcatttccga	gtctgggcca	agactttctt	gcagcggggag	caccagccat	2880
ttagcctgca	gtgtgaggct	gtgtacaaag	ccctgaagat	gccctaccga	atcctgcctc	2940
ggcagctgcc	ccaaaaagag	cgtcagggtg	ccacagctgt	gcaatggacc	aaggcagaag	3000
gcagctatgg	cgtcccactg	tggatcatca	tcttagccat	cctgtttggc	ctcctgctcc	3060
taggtctact	catctacatc	ctctacaagc	ttggattctt	caaacgctcc	ctcccatatg	3120

gcaccgccat	ggaaaaagct	cagctcaagc	ctccagccac	ctctgatgcc	tgagtcctcc	3180
caatttcaga	ctcccattcc	tgaagaacca	gtccccccac	cctcattcta	ctgaaaagga	3240
gggggtctggg	tacttcttga	aggtgctgac	ggccagggag	aagctcctct	ccccagccca	3300
gagacatact	tgaagggcca	gagccagggg	gggtgaggagc	tggggatccc	tcccccccat	3360
gcaactgtgaa	ggacccttgt	ttacacatac	cctcttcatg	gatgggggaa	ctcagatcca	3420
gggacagagg	cccagcctcc	ctgaagcctt	tgcatttttg	agagtttcct	gaaacaactg	3480
gaaagataac	taggaaatcc	attcacagtt	ctttggggcca	gacatgccac	aaggacttcc	3540
tgtccagctc	caacctgcaa	agatctgtcc	tcagccttgc	cagagatcca	aaagaagccc	3600
ccagtaagaa	cctggaactt	ggggagttaa	gacctggcag	ctctggacag	ccccaccctg	3660
gtggggccaac	aaagaacact	aactatgcat	ggtgccccag	gaccagctca	ggacagatgc	3720
cacaaggata	gatgctggcc	cagggccaga	gcccagctcc	aaggggaatc	agaactcaaa	3780
tggggccaga	tccagcctgg	ggtctggagt	tgatctggaa	cccagactca	gacattggca	3840
ccaatccagg	cagatccagg	actatatattg	ggcctgtccc	agacctgata	ctggaggccc	3900
agttcaccct	gatttaggag	aagccaggaa	tttcccagga	cctgaagggg	ccatgatggc	3960
aacagatctg	gaacctcagc	ctggccagac	acaggccctc	cctgttcccc	agagaaaggg	4020
gagcccactg	tcctgggcct	gcagaatttg	ggttctgcct	gccagctgca	ctgatgctgc	4080
ccctcatctc	tctgcccac	ccttccctca	ccttggcacc	agacaccag	gacttattta	4140
aactctgttg	caagtgaat	aaatctgacc	cagtgcccc	actgaccaga	actagaaaaa	4200
aaaa	4204					

<210> 94
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002205

<400> 94	
ttggcaccag	acaccagga cttattttaa ctctgttgca agtgcaataa atctgaccca 60

<210> 95
 <211> 1976
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002266

<400> 95	
gccacacggt	ctttgagctg agtcgaggtg gaccctttga acgcagtcgc cctacagccg 60
ctgattcccc	ccgcctcgcc tcccgtggaa gcccaggccc gcttcgcagc tttctccctt 120
tgtctcataa	ccatgtccac caacgagaat gctaatacac cagctgcccg tcttcacaga 180
ttcaagaaca	agggaaaaga cagtacagaa atgaggcgctc gcagaataga ggtcaatgtg 240
gagctgagga	aagctaagaa ggatgaccag atgctgaaga ggagaaatgt aagctcattt 300
cctgatgatg	ctacttctcc gctgcaggaa aaccgcaaca accagggcac tgtaaattgg 360
tctgttgatg	acattgtcaa aggcataaat agcagcaatg tggaaaatca gctccaagct 420
actcaagctg	ccaggaaaact actttccaga gaaaaacagc ccccataga caacataatc 480
cgggctggtt	tgattccgaa atttgtgtcc ttcttgggca gaactgattg tagtccatt 540
cagtttgaat	ctgcttgggc actcactaac attgcttctg ggacatcaga acaaaccaag 600
gctgtggtag	atggaggtgc catcccagca ttcatttctc tgttggcatc tccccatgct 660
cacatcagtg	aacaagctgt ctgggctcta ggaaacattg caggtgatgg ctcagtgttc 720
cgagacttgg	ttattaagta cgggtgcagtt gacccactgt tggctctcct tgcagttcct 780
gatatgtcat	cttttagcatg tggctaacta cgtaatctta cctggacact ttctaattct 840
tgccgcaaca	agaatcctgc acccccgata gatgctgttg agcagattct tcctacctta 900
gttcggctcc	tgcatcatga tgatccagaa gtgttagcag atacctgctg ggctatttcc 960
taccttactg	atgggtccaa tgaacgaatt ggcatggtgg tgaaaacagg agttgtgccc 1020
caacttgtga	agcttctagg agcttctgaa ttgccaatgt tgactcctgc cctaagagcc 1080
atagggaata	ttgtcactgg tacagatgaa cagactcagg ttgtgattga tgcaggagca 1140
ctgcgcgtct	ttcccagcct gctcaccaac cccaaaacta acattcagaa ggaagctacg 1200
tggacaatgt	caaacatcac agccggccgc caggaccaga tacagcaagt tgtgaatcat 1260

ggattagtc	cattcctt	cagtgttct	tctaaggcag	attttaagac	acaaaaggaa	1320
gctgtgtgg	ccgtgaccaa	ctataccagt	ggtggaacag	ttgaacagat	tgtgtacctt	1380
gttcactgtg	gcataataga	accgttgatg	aacctcttaa	ctgcaaaaga	taccaagatt	1440
attctgggtta	tcctggatgc	catttcaa	atctttcagg	ctgctgagaa	actagggtgaa	1500
actgagaaac	ttagtataat	gattgaagaa	tgtggaggct	tagacaaaat	tgaagctcta	1560
caaaaccatg	aaaatgagtc	tgtgtataag	gcttcgttaa	gcttaattga	gaagtatttc	1620
tctgtagagg	aagaggaaga	tcaaaacggt	gtaccagaaa	ctacctctga	aggctacact	1680
ttccaagttc	aggatggggc	tcctgggacc	tttaactttt	agatcatgta	gctgagacat	1740
aaatttggtg	tgtactacgt	ttggtatttt	gtcttattgt	ttctctacta	agaactcttt	1800
cttaaagtgtg	gtttgttact	gtagcacttt	ttacactgaa	actatacttg	aacagttcca	1860
actgtacata	catactgtat	gaagcttgtc	ctctgactag	gtttctaat	tctatgtgga	1920
atttcctatc	ttgcagcatc	ctgtaaataa	acattcaagt	ccacccttaa	aaaaaa	1976

<210> 96
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002266

<400> 96	
tgagtctgtg	tataaggctt cgttaagctt aattgagaag tattttctctg tagaggaaga 60

<210> 97
 <211> 1145
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002346

<400> 97	
gctccggcca	gccgcggtcc agagcgcgcg aggttcgggg agctccgcca ggctgctggt 60
acctgcgtcc	gcccggcgag caggacaggc tgctttgggt tgtgacctcc aggcaggacg 120
gccatcctct	ccagaatgaa gatctttctt ccagtgtctg ttggtgccct tctgggtgtg 180
gagcgagcca	gctcgtgat gtgtttctcc tgcttgaacc agaagagcaa tctgtactgc 240
ctgaagccga	ccatctgctc cgaccaggac aactactgcg tgactgtgtc tgctagtgcc 300
ggcattggga	atctcgtgac atttgggcac agcctgagca agacctgttc cccggcctgc 360
cccatcccag	aaggcgtcaa tgttggtgtg gottccatgg gcatcagctg ctgccagagc 420
tttctgtgca	atttcagtgc ggccgatggc gggctgcggg caagcgtcac cctgctgggt 480
gccgggctgc	tgtgagcct gctgcggcc ctgctgcggg ttggcccctg accgccaga 540
ccctgtcccc	cgatccccc gctcaggaag gaaagcccag ccctttctgg atcccacagt 600
gtatgggagc	ccctgactcc tcacgtgect gatctgtgcc cttggtccca ggtcaggccc 660
acccctgca	cctccacctg cccagcccc tgccctctgcc caagtgggcc agctgccctc 720
acttctgggg	tgatgatgt gaccttctt gggggactgc ggaagggacg agggttccct 780
ggagtcttac	ggtccaacat cagaccaagt cccatggaca tgctgacagg gtccccaggg 840
agaccgtgtc	agttaggatg tgtgcctggc tgtgtacgtg ggtgtgcagt gcacgtgaga 900
gcacgtggcg	gcttctgggg gccatgtttg gggaggagag tgtgccagca gcctggagag 960
cctcagtcce	tgtagcccc tgccctggca cagctgcatg cacttcaagg gcagcctttg 1020
ggggttgggg	tttctgccac ttccgggtct aggccctgcc caaatccagc cagtcctgcc 1080
ccagcccacc	cccacattgg agccctcctg ctgctttggt gcctcaaata aatacagatg 1140
tcccc	1145

<210> 98
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002346

<400> 98
 ggttccctgg agtcttacgg tccaacatca gaccaagtcc catggacatg ctgacagggt 60

<210> 99
 <211> 1390
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002358

<400> 99
 ggggaagtgt gttggagccg ctgtggttgc tgtccgcgga gtggaagcgc gtgcttttgt 60
 ttgtgtccct ggccatggcg ctgcagctct cccgggagca gggaatcacc ctgcgcggga 120
 gcgccgaaat cgtggccgag ttcttctcat tcggcatcaa cagcatttta tatcagcgtg 180
 gcatatatcc atctgaaacc ttactcgag tgcagaaata cggactcacc ttgcttgtaa 240
 ctactgatct tgagctcata aaatacctaa ataatgtggt ggaacaactg aaagattggt 300
 tatacaagtg ttcagttcag aaactgggtg tagttatctc aaatattgaa agtggtgagg 360
 tcctggaaaag atggcagttt gatattgagt gtgacaagac tgcaaaagat gacagtgcac 420
 ccagagaaaa gtctcagaaa gctatccagg atgaaatccg ttcagtgatc agacagatca 480
 cagctacggt gacatttctg ccactgttgg aagtttcttg ttcatttgat ctgctgattt 540
 atacagacaa agatttggtt gtacctgaaa aatgggaaga gtcgggacca cagtttatta 600
 ccaattctga ggaagtccgc cttcgttcat ttactactac aatccacaaa gtaaatagca 660
 tgggtggccta caaaattcct gtcaatgact gaggatgaca tgaggaaaat aatgtaattg 720
 taattttgaa atgtggtttt cctgaaatca ggatcatctat agttgatatg ttttatttca 780
 ttggttaatt ttacatgga gaaaaccaa atgatactta ctgaactgtg tgtaattggt 840
 cctttatttt ttggtacct atttgactta ccatggagtt aacatcatga atttattgca 900
 cattgttcaa aaggaaccag gaggtttttt tgtcaacatt gtgatgtata ttcctttgaa 960
 gatagtaact gtagatggaa aaacttggtc tataaagcta gatgctttcc taaatcagat 1020
 gttttggtca agtagtttga ctcagtatag gtagggagat atttaagtat aaaatacaac 1080
 aaaggaagtc taaatattca gaatctttgt taaggctctg aaagtaactc ataatctata 1140
 aacaatgaaa tattgctgta tagctccttt tgaccttcat ttcattgtata gttttcccta 1200
 ttgaatcagt ttccaattat ttgactttta tttatgtaac ttgaacctat gaagcaatgg 1260
 atatttgtag tgtttaatgt tctgtgatac agaactctta aaaatgtttt ttcattgtgt 1320
 ttataaaatc aagttttaag tgaaagttag gaaataaagt taagtttggt ttaaaaaaaa 1380
 aaaaaaaaaa 1390

<210> 100
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002358

<400> 100
 atgctttcct aaatcagatg ttttggtcaa gtagtttgac tcagtatagg tagggagata 60

<210> 101
 <211> 1821
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002422

<400> 101
 acaaggaggc aggcaagaca gcaaggcata gagacaacat agagctaagt aaagccagtg 60
 gaaatgaaga gtcttccaat cctactgttg ctgtgcgtgg cagtttgctc agcctatcca 120
 ttggatggag ctgcaagggg tgaggacacc agcatgaacc ttgttcagaa atatctagaa 180

aactactacg	acctcaaaaa	agatgtgaaa	cagtttgtaa	ggagaaaagga	cagtggtcct	240
gttgtaaata	aaatccgaga	aatgcagaag	ttccttggat	tggaggtgac	ggggaagctg	300
gactccgaca	ctctggaggt	gatgcgcaag	cccagggtg	gagttcctga	tggtggtcac	360
ttcagaacct	ttcctggcat	cccgaagtgg	aggaaaaccc	accttacata	caggattgtg	420
aattatacac	cagatttgcc	aaaagatgct	gttgattctg	ctgttgagaa	agctctgaaa	480
gtctgggaag	aggtgactcc	actcacattc	tccaggctgt	atgaaggaga	ggctgatata	540
atgatctctt	ttgcagttag	agaacatgga	gacttttacc	cttttgatgg	acctggaaat	600
gttttgggccc	atgcctatgc	ccctgggcca	gggattaatg	gagatgccc	ctttgatgat	660
gatgaacaat	ggacaaagga	tacaacaggg	accaatztat	ttctcgttgc	tgctcatgaa	720
attggccact	ccctgggtct	ctttcactca	gccaacactg	aagctttgat	gtacccactc	780
tatcactcac	tcacagacct	gactcggttc	cgctgtctc	aagatgatat	aaatggcatt	840
cagtccctct	atggacctcc	ccctgactcc	cctgagacc	ccctgggtacc	cacggaacct	900
gtccctccag	aacctgggac	gccagccaac	tgtgatcctg	ctttgtcctt	tgatgctgtc	960
agcactctga	ggggagaaat	cctgatcttt	aaagacaggc	acttttggtg	caaatccctc	1020
aggaagcttg	aacctgaatt	gcatttgatc	tcttcatttt	ggccatctct	tccttcaggc	1080
gtggatgccg	catatgaagt	tactagcaag	gacctcgttt	tcatttttaa	aggaaatcaa	1140
ttctggggcca	tcagaggaaa	tgaggtacga	gctggatacc	caagaggcat	ccacacccta	1200
ggtttccctc	caaccgtgag	gaaaatcgat	gcagccattt	ctgataagga	aaagaacaaa	1260
acatatattct	ttgtagagga	caaatactgg	agatttgatg	agaagagaaa	ttccatggag	1320
ccaggctttc	ccaagcaaat	agctgaagac	tttccaggga	ttgactcaaa	gattgatgct	1380
gtttttgaag	aatttgggtt	cttttatttc	tttactggat	cttcacagtt	ggagtttgac	1440
ccaaatgcaa	agaaagtgac	acacactttg	aagagtaaca	gctggcttaa	ttgttgaaag	1500
agatatgtag	aaggcacaat	atgggcactt	taaatgaagc	taataattct	tcacctaaat	1560
ctctgtgaat	tgaaatgttc	gttttctcct	gcctgtgctg	tgactcgagt	cacactcaag	1620
ggaacttgag	cgtgaatctg	tatcttgccg	gtcattttta	tgttattaca	gggcattcaa	1680
atgggctgct	gcttagcttg	caccttgctc	catagagtga	tctttcccaa	gagaagggga	1740
agcactcgtg	tgcaacagac	aagtgactgt	atctgtgtag	actatttgct	tatttaataa	1800
agacgatttg	tcagttgttt	t	1821			

<210> 102
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002422

<400> 102	tgtagaaggc	acaatatggg	cacttttaa	at	gaagctaata	attcttcacc	taagtctctg	60
-----------	------------	------------	-----------	----	------------	------------	------------	----

<210> 103
 <211> 2787
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002462

<400> 103	agagcggagg	ccgcactcca	gcactgcgca	gggaccgcct	tggaccgcag	ttgccggcca	60
	ggaatcccag	tgtcacgggtg	gacacgcctc	cctcgcgcc	ttgccgcca	cctgctcacc	120
	cagctcaggg	gcttttgaat	tctgtggcca	cactgcgagg	agatcggttc	tgggtcggag	180
	gctacaggaa	gactcccact	ccctgaaatc	tggagtgaag	aacgccgcca	tccagccacc	240
	attccaagga	ggtgcaggag	aacagctctg	tgataccatt	taacttggtg	acattacttt	300
	tatttgaagg	aacgtatatt	agagcttact	ttgcaaaaga	ggaagatggg	tgtttccgaa	360
	gtggacatcg	caaaagctga	tccagctgct	gcaccccacc	ctctattact	gaatggagat	420
	gctactgtgg	cccagaaaaa	tccaggctcg	gtggctgaga	acaacctgtg	cagccagtat	480
	gaggagaagg	tgcccccctg	catcgacctc	attgactccc	tgccggctct	aggtgtggag	540
	caggacctgg	ccctgccagc	catcgccgtc	atcggggacc	agagctcggg	caagagctcc	600
	gtgttgagg	cactgtcagg	agttgccctt	cccagaggca	gcgggatcgt	gaccagatgc	660
	ccgctggtgc	tgaaactgaa	gaaacttgtg	aacgaagata	agtggagagg	caaggtcagt	720

taccaggact	acgagattga	gatttcggat	gcttcagagg	tagaaaagga	aattaataaa	780
gcccagaatg	ccatcgccgg	ggaaggaatg	ggaatcagtc	atgagcta	caccctggag	840
atcagctccc	gagatgtccc	ggatctgact	ctaatagacc	ttcctggcat	aaccagagtg	900
gctgtgggca	atcagcctgc	tgacattggg	tataagatca	agacactcat	caagaagtac	960
atccagaggc	aggagacaat	cagcctggtg	gtgggtccca	gtaatgtgga	catcgccacc	1020
acagaggctc	tcagcatggc	ccaggaggtg	gaccccgagg	gagacaggac	catcggaatc	1080
ttgacgaagc	ctgatctggt	ggacaaagga	actgaagaca	aggttgtgga	cgtggtgcgg	1140
aacctcgtgt	tccacctgaa	gaagggttac	atgattgtca	agtgccgggg	ccagcaggag	1200
atccaggacc	agctgagcct	gtccgaagcc	ctgcagagag	agaagatctt	ctttgagaac	1260
cacccatatt	tcagggatct	gctggaggaa	ggaaaggcca	cggttccctg	cctggcagaa	1320
aaacttacca	gcgagctcat	cacacatata	tgtaaatact	tgcccctgtt	agaaaatcaa	1380
atcaaggaga	ctcaccagag	aataacagag	gagctacaaa	agtatggtgt	cgacataaccg	1440
gaagacgaaa	atgaaaaaat	gttcttctct	atagataaaa	ttaatgcctt	taatcaggac	1500
atcactgctc	tcatgcaagg	agaggaaact	gtaggggagg	aagacattcg	gctgtttacc	1560
agactccgac	acgagttcca	caaattggagt	acaataattg	aaaacaattt	tcaagaaggc	1620
cataaaattt	tgagtagaaa	aatccagaaa	tttgaaaatc	agtatcgtgg	tagagagctg	1680
ccaggctttg	tgaattacag	gacattttgag	acaatcgtga	aacagcaa	caaggcactg	1740
gaagagccgg	ctgtggatat	gctacacacc	gtgacggata	tgggtccggct	tgctttcaca	1800
gatgtttcga	taaaaaattt	tgaagagttt	tttaacctcc	acagaaccgc	caagtccaaa	1860
attgaagaca	ttagagcaga	acaagagaga	gaaggtgaga	agctgatccg	cctccacttc	1920
cagatggaac	agattgtcta	ctgccaggac	caggtataca	ggggtgcatt	gcagaaggtc	1980
agagagaagg	agctggaaga	agaaaagaag	aagaaatcct	gggatttttg	ggctttccag	2040
tccagctcgg	caacagactc	ttccatggag	gagatctttc	agcacctgat	ggcctatcac	2100
caggaggcca	gcaagcgc	ctccagccac	atccctttga	tcattccagt	cttcattgctc	2160
cagacgtacg	gccagcagct	tcagaaggcc	atgctgcagc	tcctgcagga	caaggacacc	2220
tacagctggc	tcctgaagga	gcggagcgac	accagcgaca	agcgggaagt	cctgaaggag	2280
cggtttgcac	ggctgacgca	ggctcggcgc	cggtttgcc	agttcccccg	ttaaccacac	2340
tctgtccagc	cccgtagacg	tgacgcaca	ctgtctgccc	ccgttccccg	gtagccactg	2400
gactgacgac	ttgagtgtc	agtagtcaga	ctggatagtc	cgtctctgct	tatccgttag	2460
ccgtgggtgat	ttagcaggaa	gctgtgagag	cagtttggtt	tctagcatga	agacagagcc	2520
ccaccctcag	atgcacatga	gctggcgagg	ttgaaggatg	ctgtcttcgt	actgggaaag	2580
ggatttttcag	ccctcagaat	cgctccacct	tgcagctctc	cccttctctg	tattcctaga	2640
aactgacaca	tgctgaacat	cacagcttat	ttcctcattt	ttataatgtc	ccttcacaaa	2700
cccagtgttt	taggagcatg	agtgcctgtg	gtgtgcgtcc	tgtcggagcc	ctgtctcctc	2760
tctctgtaat	aaactcattt	ctagcag	2787			

<210> 104
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002462

<400> 104
 actgacacat gctgaacatc acagcttatt tcttcatttt tataatgtcc cttcacaaaac 60

<210> 105
 <211> 2808
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002759

<400> 105
 gcggcggcgg cggcgcagtt tgctcatact ttgtgacttg cggtcacagt ggcattcagc 60
 tccacacttg gtagaaccac aggcacgaca agcatagaaa catcctaacc aatcttcac 120
 gaggcacgca ggtccatccc aataaaaaatc aggagaccct ggctatcata gaccttagtc 180
 ttcgctggta tactcgctgt ctgtcaacca gcgggttgact ttttttaagc cttctttttt 240
 ctcttttacc agtttctgga gcaaattcag tttgccttcc tggatttgta aattgtaatg 300

acctcaaaac	tttagcagtt	cttccatctg	actcaggttt	gcttctctgg	cggctcttcag	360
aatcaacatc	cacacttccg	tgattatctg	cgtgcatttt	ggacaaagct	tccaaccagg	420
atacgggaag	aagaaatggc	tggtgatctt	tcagcaggtt	tcttcatgga	ggaacttaat	480
acataccgtc	agaagcaggg	agtagtactt	aaatatcaag	aactgcctaa	ttcaggacct	540
ccacatgata	ggaggtttac	atttcaagtt	ataatagatg	gaagagaatt	tccagaaggt	600
gaaggtagat	caaagaagga	agcaaaaaat	gccgcagcca	aattagctgt	tgagatactt	660
aataaggaaa	agaaggcagt	tagtccttta	ttattgacaa	caacgaattc	ttcagaagga	720
ttatccatgg	ggaattacat	aggccttata	aatagaattg	cccagaagaa	aagactaact	780
gtaaatattg	aacagtgtgc	atcgggggtg	catggggccag	aaggatttca	ttataaatgc	840
aaaatgggac	agaaagaata	tagtattggg	acagggttcta	ctaaacagga	agcaaaaaca	900
ttggccgcta	aacttgcata	tcttcagata	ttatcagaag	aaacctcagt	gaaatctgac	960
tacctgtcct	ctgggtcttt	tgctactacg	tgtgactccc	aaagcaactc	tttagtgacc	1020
agcacactcg	cttctgaatc	atcatctgaa	ggcgacttct	cagcagatac	atcagagata	1080
aattctaaca	gtgacagttt	aaacagttct	tcgttgctta	tgaatggtct	cagaaataat	1140
caaaggaagg	caaaaagatc	tttggcacc	agatttgacc	ttcctgacat	gaaagaaaca	1200
aagtatactg	tggaacaag	gtttggcatg	gatttttaag	aaatagaatt	aattggctca	1260
ggtggatttg	gccaaagttt	caaagcaaaa	cacagaattg	acggaaagac	ttacgttatt	1320
aaacgtgtta	aatataataa	cgagaaggcg	gagcgtgaag	taaaagcatt	ggcaaaaact	1380
gatcatgtaa	atattgttca	ctacaatggc	tgttgggatg	gatttgatta	tgatcctgag	1440
accagtgatg	attctcttga	gagcagtgat	tatgatcctg	agaacagcaa	aaatagttca	1500
aggtaaaaga	ctaagtgcc	tttcatccaa	atggaattct	gtgataaagg	gaccttgga	1560
caatggattg	aaaaaagaag	aggcgagaaa	ctagacaaa	ttttggcttt	ggaactcttt	1620
gaacaaataa	caaaaggggt	ggattatata	cattcaaaaa	aattaattca	tagagatctt	1680
aagccaagta	atatattctt	agtagatata	aaacaagtaa	agattggaga	ctttggactt	1740
gtaacatctc	tgaaaaatga	tggaagcgga	acaaggagta	agggaaactt	gcgatacatg	1800
agcccagaac	agatttcttc	gcaagactat	ggaaagggaag	tggaacctcta	cgctttgggg	1860
ctaattcttg	ctgaacttct	tcatgtatgt	gacactgctt	ttgaaacatc	aaagtttttc	1920
acagacctac	gggatggcat	catctcagat	atatttgata	aaaaagaaaa	aactcttcta	1980
cagaaattac	tctcaaagaa	acctgaggat	cgacctaaaca	catctgaaat	actaaggacc	2040
ttgactgtgt	ggaagaaaag	cccagagaaa	aatgaacgac	acacatgtta	gagcccttct	2100
gaaaaagtat	cctgcttctg	atatgcagtt	ttccttaaat	tatctaaaat	ctgctaggga	2160
atatcaatag	atattttacct	tttattttta	tgtttctctt	aatttttttac	tattttttact	2220
aatctttctg	cagaaacaga	aagggtttct	tctttttgct	tcaaaaacat	tcttacattt	2280
tactttttcc	tggtcatctc	ctttattctt	tttttttttt	ttaaagacag	agtctcgctc	2340
tggtgcccag	gctggagtgc	aatgacacag	tcttggtcca	ctgcaacttc	tgctcttggt	2400
gttcaagtga	ttctcctgcc	tcagcctcct	gagtagctgg	attacaggca	tgtgccaccc	2460
acccaactaa	tttttgtggt	tttaataaag	acagggtttc	accatgttgg	ccaggctggg	2520
ctcaaaactcc	tgacctcaag	taatccacct	gcctcgccct	cccaaagtgc	tggtattaca	2580
gggatgagcc	accgcgcca	gcctcatctc	tttggttctaa	agatggaaaa	accaccccca	2640
aaattttcttt	ttatactatt	aatgaatcaa	tcaattcata	tctattttatt	aaatttctac	2700
cgcttttagg	ccaaaaaaat	gtaagatcgt	tctctgcctc	acatagctta	caagccagct	2760
ggagaaaatat	ggtactcatt	aaaaaaaaaa	aaaaagtgat	gtacaacc		2808

<210> 106
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002759

<400> 106	tcgttctctg	cctcacatag	cttacaagcc	agctggagaa	atatggtact	cattaaaaaa	60
-----------	------------	------------	------------	------------	------------	------------	----

<210> 107
 <211> 1678
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_002811

```

<400> 107
aagaaggagg cgcgcgagg gctgacgaac cggaagaaga ggaactgggc ctgaaagggt 60
accggtgacc gctactgctg ccggtgtttg cgtgtggcag ggagccaggc ctggcgagcg 120
gggtgtgtcg cgatgccgga gctggcagtg cagaagggtg tgggccaccc cctggtgctg 180
ctcagtgtgg tggatcattt caaccgaatc ggcaagggtg gaaaccagaa gcgtgttggt 240
ggtgtgcttt tggggtcagt gcaaaagaaa gtacttgatg tatcgaacag ttttgcagtt 300
ccttttgatg aagatgacaa agacgattct gtatgggttt tagaccatga ttatttggaa 360
aacatgtatg gaatgtttaa gaaagtcaat gccagggaaa gaatagttgg ctggtaccac 420
acaggcccta aactacacaa gaatgacatt gccatcaacg aactcatgaa aagatactgt 480
cctaattccg tattggtcat cattgatgtg aagccgaagg acctagggtc gcctacagaa 540
gcgtacattt cagtgaaga agtccatgat gatggaactc caacctcgaa aacatttgaa 600
cacgtgacca gtgaaattgg agcagaggaa gctgaggaaag ttggagttga acacttgtaa 660
cgagatatca aagacacgac ggtgggcact ctgtcccagc ggatcacaaa ccagggtccat 720
ggtttgaagg gactgaactc caagcttctg gatatcagga gctacctgga aaaagtcgcc 780
acaggcaagc tgcccatcaa ccaccagatc atctaccagc tgcaggacgt cttcaacctg 840
ctgccagatg tcagcctgca ggagtctctc aaggcctttt acctgaagac caatgaccag 900
atggtggtag tgtacttggc ctgctgtatc cgttccgtgg tcgccctgca caacctcatc 960
aacaacaaga ttgcccaacc ggatgcagag aagaaagaag ggcaggagaa agaagagagc 1020
aaaaaggata ggaaagagga caaggagaaa gataaagata aggaaaagag tgatgtaaag 1080
aaaggagaga aaaaggagaa aaagtataaa atgtattaaa tagctttttt aatttgtaaa 1140
ttaaaatctt acaaactaaa tcagtgtgct gctagagggt tctttttcac ttgacatgct 1200
tattagaaaag ctgacccaac aagagctctc tgccctcggg cactcttgct gtggtgctac 1260
gtggaagtga atggagactg atctcaaata tgaactgcag ctttcgctgc tgtgagttgg 1320
ggatatgata gtcagctcag gcttcagatt gtatgagaaa aatgaagaga agtcaacaaa 1380
tattttggta ctcttcattc atttatctct aaaaccagga gttgaatttt cctcatcttg 1440
aaagactctt ggggtctggt tctggtatct taaaaattg ctaagtggaa tgcataaatt 1500
gcattatggt ctctggtaac acgtagagtt cagacccttc tgaactctgt tgataatacc 1560
acaccatggt ctggacccat agctctggca tcctcagggg ttgtgatcca gctccatata 1620
ttgtttacct tcaaagatac aattaaatgg cttgattttt aaaaaaaaaa aaaaaaaa 1678

```

```

<210> 108
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002811

```

```

<400> 108
aaattgctaa gtggaatgca tgaattgcat tatgttctct ggtaacacgt agagttcaga 60

```

```

<210> 109
<211> 846
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002888

```

```

<400> 109
ccacgtccgg ggtgccgagc caactttcct gcgtccatgc agccccgccg gcaacggctg 60
cccgtccctt ggtccggggc cagggggccc cgccccaccg ccccgctgct cgcgctgctg 120
ctgttgctcg ccccggtggc ggcgcgcgcg ggggtccggg gccccgacga cctggggcag 180
cctcaggatg ctgggggtccc gcgcaggctc ctgcagcaga aggcgcgcgc ggcgcttcac 240
ttcttcaact tccgggtccg ctgcgccagc gcgctgcgag tgctggccga ggtgcaggag 300
ggccgcgcgt ggattaatcc aaaagaggga tgtaaagttc acgtggtctt cagcacagag 360
cgctacaacc cagagtcttt acttcaggaa ggtgagggac gtttggggaa atgttctgct 420
cgagtgtttt tcaagaatca gaaaccaga ccaaccatca atgtaacttg tacacggctc 480
atcgagaaaa agaaaagaca acaagaggat tacctgcttt acaagcaa atgaagcaactg 540
aaaaaccctt tggaatatgt cagcatacct gataatcatg gacatatattg tccctctctg 600

```

```

agactcatct gggatttggc tttccttggg agctctttacg tgatgtggga aatgacaaca 660
caggtgtcac actactactt ggcacagctc actagtgtga ggcagtgggt aagaaaaacc 720
tgaaaattaa cttgtgccac aagagttaca atcaaagtgg tctccttaga ctgaattcat 780
gtgaaacttct aatttcatat caagagttgt aatcacattt atttcaataa atatgtgagt 840
tcctgc 846

```

```

<210> 110
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_002888

```

```

<400> 110
aaagaaaaga caacaagagg attacctgct ttacaagcaa atgaagcaac tgaaaaaccc 60

```

```

<210> 111
<211> 1054
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_003090

```

```

<400> 111
gaattccgcg ggaggccacg ggctttccac agcgcggggg aacgggaggc tgcaggatgg 60
tcaagctgac ggcggagctg atcgagcagg cggcgcagta caccaacgcg gtgcgcgacc 120
gggagctgga cctccggggg tataaaattc ccgtcattga aaatctaggt gctacgttag 180
accagtttga tgctattgat ttttctgaca atgagatcag gaaactggat ggttttcctt 240
tgttgagaag actgaaaaca ttgttagtga acaacaacag aatatgccgt ataggtgagg 300
gacttgatca ggctctgccc tgtctgacag aactcattct caccaataat agtctcgtgg 360
aactgggtga tctggaccct ctggcatctc tcaaactcgt gacttaccta agtatcctaa 420
gaaatccggt aaccaataag aagcattaca gattgtatgt gatttataaa gttccgcaag 480
tcagagtact ggatttccag aaagtgaaac taaaagagcg tcaggaagca gagaaaatgt 540
tcaagggcaa acgggggtgca cagcttgcaa aggatattgc caggagaagc aaaactttta 600
atccaggtgc tggtttgcca actgacaaaa agagaggtgg gccatctcca ggggatgtag 660
aagcaatcaa gaatgccata gcaaagtctt caactctggc tgaagtggag aggctgaagg 720
ggttgctgca gtctggtcag atccctggca gagaacgcag atcagggccc actgatgatg 780
gtgaagaaga gatggaagaa gacacagtca caaacgggtc ctgagcagtg aggcagatgt 840
ataataatag gccctcttgg aacaagtctt gcttttcgaa catggtataa tagccttggt 900
tgtgttagca aagtggaaatc tatcagcatt gttgaaatgc ttaagactgc tgctgataat 960
tttgtaatat aagttttgaa atctaaatgt caattttcta caaattataa aaataaaactc 1020
cactctctat gctaaaaaaa aaaaaaagga attc 1054

```

```

<210> 112
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_003090

```

```

<400> 112
taatagcctt gtttgtgtta gcaaagtgga atctatcagc attgttgaaa tgcttaagac 60

```

```

<210> 113
<211> 2033
<212> DNA
<213> Homo sapiens

```

<300>

<308> NM_003158

<400> 113

```
gaattccggg actgagctct tgaagacttg ggtccttggt cgcaggtgga ggcacgggtc 60
tactccatt gccaggcca gagtgcggga tatttgataa gaaacttcag tgaaggccgg 120
gcgcggtgct catgcccgta atcccagcat ttctggaggc cgaggcatca tggaccgatc 180
taaagaaaac tgcatttcag gacctgttaa ggctacagct ccagttggag gtccaaaacg 240
tgttctcgtg actcagcaat ttctttgtca gaatccatta cctgtaaata gtggccaggc 300
tcagcgggtc ttgtgtcctt caaattcttc ccagcgcgtt cctttgcaag cacaaaagct 360
tgtctccagt cacaagccgg ttcagaatca gaagcagaag caattgcagg caaccagtgt 420
acctcatcct gtctccaggc cactgaataa cacccaaaag agcaagcagc ccctgccatc 480
gcacctgaaa ataatcctga ggaggaactg gcatcaaaac agaaaaatga agaatacaaa 540
agaggcagtg gctttggaag actttgaaat tggtcgccct ctgggttaaag gaaagtttgg 600
taatgtttat ttggcaagag aaaagcaaag caagtttatt ctggctctta aagtgttatt 660
taaagctcag ctggagaaag ccggagtggg gcatcagctc agaagagaag tagaaataca 720
gtcccacctt cggcatccta atattcttag actgtatggt tatttccatg atgctaccag 780
agtctaccta attctggaat atgcaccact tggacaggtt tatagagaac ttcagaaact 840
ttcaaagttt gatgagcaga gaactgctaa cttatataac agaattgcaa atgccctgtc 900
ttactgtcat tcgaagagag ttattcatag agacattaag ccagagaact tacttcttgg 960
atcagctgga gagcttaaaa ttgcagattt tgggtgggtc gtacatgctc catcttccag 1020
gaggaccact ctctgtggca ccctggacta cctgccccct gaaatgattg aaggctcggt 1080
gcatgatgag aagggtggatc tctggagcct tggagttctt tgctatgaat ttttagttgg 1140
gaagcctcct tttgaggcaa acacatacca agagacctac aaaagaatat cacgggttga 1200
attcacattc cctgactttg taacagaggg agccagggac ctcatctcaa gactgttgaa 1260
gcataatccc agccagaggc caatgctcag agaagtactt gaacacccct ggatcacagc 1320
aaattcatca aaaccatcaa attgccaaaa caaagaatca gctagcaaac agtcttagga 1380
atcgtgcagg gggagaaatc cttgagccag ggctgccata taacctgaca ggaacatgct 1440
actgaagttt attttaccat tgactgctgc cctcaatcta gaacgctaca caagaaatat 1500
tttgttttta ctcagcaggt gtgccttaac ctccctattc agaaagctcc acatcaataa 1560
acatgacact ctgaagtga agtagccacg agaattgtgc tacttatact ggaacataat 1620
ctggaggcaa ggttcgactg cagtgcgaac ttgcctccag attatgaacc agtataagta 1680
gcacaattct cgtggctact ttcaactcag agtgtcatgt ttattgatgt ggagctttct 1740
gaatagggag gttaaggcac acctgctgag taaaacaaat atttcttggt tagcgttctt 1800
aggaatctgg tgtctgtccg gccccggtag gcctgttggtg tttctagtcc tccttaccat 1860
catctccata tgagagtgtg aaaataggaa cacgtgctct acctccattt agggatttgc 1920
ttgggataca gaagaggcca tgtgtctcag agctgttaag ggcttatttt tttaaaacat 1980
tgagtcata gcatgtgtgt aaactttaaa tatgcaggcc ttcgtgggtc gag 2033
```

<210> 114

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_003158

<400> 114

```
ttgggtttct agtcctcctt accatcatct ccatatgaga gtgtgaaaat aggaacacgt 60
```

<210> 115

<211> 1421

<212> DNA

<213> Homo sapiens

<300>

<308> NM_003258

<400> 115

```
acttactgcg ggacggcctt ggagagtact cgggttcgtg aacttcccgg aggcgcaatg 60
agctgcatta acctgcccac tgtgtctgcc ggctccccc gcaagaccgg ggggcagatc 120
```

caggtgattc	tccggccgat	gttctcagga	aaaagcacag	agttgatgag	acgcgtccgt	180
cgcttccaga	ttgctcagta	caagtgcctg	gtgatcaagt	atgccaaaga	cactcgtctac	240
agcagcagct	tctgcacaca	tgaccggaac	accatggagg	cgctgcccgc	ctgcctgctc	300
cgagacgtgg	cccaggaggc	cctgggcgtg	gctgtcatag	gcacgcacga	ggggcagttt	360
ttccctgaca	tcatggagtt	ctgcgaggcc	atggccaacg	ccgggaagac	cgtaattgtg	420
gctgcactgg	atgggacctt	ccagaggaag	ccatttgggg	ccatcctgaa	cctgggtgccg	480
ctggccgaga	gcgtgggtgaa	gctgacggcg	gtgtgcatgg	agtgcctccg	ggaagccgcc	540
tataccaaga	ggctcggcac	agagaaggag	gtcgagggtga	ttgggggagc	agacaagtac	600
cactccgtgt	gtcggctctg	ctacttcaag	aaggcctcag	gccagcctgc	cgggccggac	660
aacaaagaga	actgccagtg	gccaggaaaag	ccaggggaaag	ccgtggctgc	caggaagctc	720
tttgccccac	agcagattct	gcaatgcagc	cctgccaaact	gagggacctg	caagggccgc	780
ccgctccctt	cctggcactg	ccgcctactg	gacgctgccc	tgcatgctgc	ccagccactc	840
caggaggaag	tcgggaggcg	tggagggtga	ccacaccttg	gccttctggg	aactctcctt	900
tgtgtggctg	ccccacctgc	cgcattgctc	ctcctctcct	acccactggg	ctgcttaaag	960
cttccctctc	agctgctggg	acgatcgccc	aggctggagc	tggccccgct	tgggtggcctg	1020
ggatctggca	cactccctct	ccttgggggtg	agggacagag	ccccacgctg	ttgacatcag	1080
cctgcttctt	cccctctgcg	gctttcactg	ctgagtttct	gttctccctg	ggaagcctgt	1140
gccagcacct	ttgagccttg	gcccacactg	aggcttaggc	ctctctgcct	gggatgggct	1200
cccaccctcc	cctgaggatg	gcctggattc	acgccctctt	gtttcctttt	gggctcaaag	1260
cccttctctac	ctctgggtgat	ggtttccaca	ggaacaacag	catctttcac	caagatgggt	1320
ggcaccacac	ttgctgggac	ttggatccca	ggggccttatc	tcttcaagtg	tggagagggc	1380
aggggtccacg	cctctgctgt	agcttatgaa	attaactaat	t	1421	

<210> 116
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003258

<400> 116
 cttcctacct ctgggtgatgg tttccacagg aacaacagca tctttcacca agatggggtgg 60

<210> 117
 <211> 913
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003311

<400> 117
 agagccggcg ccgtcacgc ccgcattgcc gctcccagtc ccgcgctcgg caccacatga 60
 aatccccga cgaggtgcta ccgcaggggc agttggagaa gcgcagcgac agcctcttcc 120
 agctatggaa gaagaagcgc ggggtgctca cctccgaccg cctgagcctg ttcccccca 180
 gccccgcgc gcgcccacag gagctgcgct tccactccat cctcaagggtg gactgcgtgg 240
 agcgcacggg caagtacgtg tacttcacca tcgtcaccac cgaccacaag gagatcgact 300
 tccgctgcgc gggcgagagc tgctggaacg cggccatcgc gctggcgctc atcgatttcc 360
 agaaccgccc cgccctgcag gactttcgca gccgccagga acgcaccgca cccgccgcac 420
 ccgcccagga ccgcgtggct gccgcggccg ccgcaccctc cgagccctcg gagccctcca 480
 ggccatcccc gcagcccaaa ccccgcacgc catgagcccc ccgcggggcca tacgctggac 540
 gagtcggacc gaggctagga cgtggccggc gctctccagc cctgcagcag aagaacttcc 600
 cgtgcgcgcg gatcctcgct ccgttgcaag ggcgccttaa gttattggac tatctaatat 660
 ctatgtattt atttcgctgg tctttttagt tcacatatatt tatagtctta atatcttggt 720
 tttgcatcac tgtgcacatt gcaaataaat cacttggcca gtttgctttt ctaccatccg 780
 gctgtggctc agtgagactc ctgctggggg ggtggaggcc caggaaatggg cgggcaggac 840
 accctcatcc agtccctgcg ggctgggtgt aaaggcgctg ggaaccggct ttgaatgaat 900
 aaatgaatcg tgt 913

<210> 118

<211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003311

<400> 118
 atttcgctgg ttctttgtag tcacatattt tatagtctta atatcttggt tttgcatcac 60

<210> 119
 <211> 1723
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003376

<400> 119
 tcgcgaggcg ttggggcagc cgggtagctc ggaggtcgtg gcgctggggg ctagcaccag 60
 cgctctgtcg ggaggcgagc cggttagggtg gaccgggtcag cggactcacc ggccagggcg 120
 ctccggtgctg gaatttgata ttcatgtatc cgggttttat ccctcttctt ttttcttaaa 180
 catttttttt taaaactgta ttgtttctcg ttttaattta tttttgcttg ccattcccca 240
 cttgaatcgg gccgacggct tggggagatt gctctacttc cccaaatcac tgtggatttt 300
 ggaaaccagc agaaagagga aagaggtagc aagagctcca gagagaagtc gaggaagaga 360
 gagacggggg cagagagagc gcgcggggcg gcgagcagcg aaagcgacag gggcaaagtg 420
 agtgacctgc ttttgggggt gaccgcggga gcgcggcggt agccctcccc cttgggatcc 480
 cgcagctgac cagtcgcgct gacggacaga cagacagaca ccgccccag cccagctac 540
 cacctcctcc ccggccggcg gcggacagtg gacgcggcgg cgagccgcgg gcaggggccg 600
 gagcccgcgc ccggaggcgg ggtggagggg gtcggggctc gcggcgctcg actgaaactt 660
 ttctgccaac ttctgggctg ttctcgcttc ggaggagccg tgggtccgcgc gggggaagcc 720
 gagccgagcg gagccgcgag aagtgcctagc tcgggcccgg aggagccgca gccggaggag 780
 ggggaggagg aagaagagaa ggaagaggag agggggccgc agtggcgact cggcgctcgg 840
 aagccgggct catggacggg tgaggcggcg gtgtgcgcag acagtgcctc agccgcgcgc 900
 gctccccagg ccctggcccc ggcctcgggc cggggaggaa gtagtagctc ccgaggcgcc 960
 gaggagagcg ggccgcccc aagcccagc cggagaggga gcgcgagccg cgccggcccc 1020
 ggtcgggccc ccgaaaccat gaactttctg ctgtcttggt tgcattggag ccttgccctg 1080
 ctgctctacc tccaccatgc caagtgggtc caggctgcac ccattggcaga aggaggagg 1140
 cagaatcatc acgaagtggg gaagtccatg gatgtctatc agcgcagcta ctgccatcca 1200
 atcgagaccc tgggtggacat cttccaggag taccctgatg agatcgagta catcttcaag 1260
 ccattcctgt tgccctgat gcgatgcggg ggctgctgca atgacgagg cctggagtgt 1320
 gtgcccactg aggagtccaa catcaccatg cagattatgc ggatcaaacc tcaccaaggc 1380
 cagcacatag gagagatgag cttcctacag cacaacaaat gtgaatgcag accaaagaaa 1440
 gatagagcaa gacaagaaaa aaaatcagtt cgaggaaaagg gaaaggggca aaaacgaaag 1500
 cgcaagaaat cccggtataa gtccctggagc gttccctgtg ggccttgctc agagcggaga 1560
 aagcatttgt ttgtacaaga tccgcagacg tgtaaattgt cctgcaaaaa cacagactcg 1620
 cgttgcaagg cgaggcagct tgagttaaac gaacgtactt gcagatgtga caagccgagg 1680
 cggtagcgcg ggcaggagga aggagcctcc ctccagggtt cgg 1723

<210> 120
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003376

<400> 120
 ccagcacata ggagagatga gcttccctaca gcacaacaaa tgtgaatgca gaccaaagaa 60

<210> 121
 <211> 2834
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003406

<400> 121

gcccactccc	accgccagct	ggaaccctgg	ggactacgac	gtccctcaaa	ccttgcttct	60
aggagataaa	aagaacatcc	agtcatggat	aaaaatgagc	tggttcagaa	ggccaaactg	120
gccgagcagg	ctgagcgata	tgatgacatg	gcagcctgca	tgaagtctgt	aactgagcaa	180
ggagctgaat	tatccaatga	ggagaggaat	cttctctcag	ttgcttataa	aaatgttgta	240
ggagcccgtg	ggatcatctg	gagggctcgtc	tcaagtattg	aacaaaagac	ggaaggtgct	300
gagaaaaaac	agcagatggc	tcgagaatac	agagagaaaa	ttgagacgga	gctaagagat	360
atctgcaatg	atgtactgtc	tcttttggaa	aagttcttga	tccccaatgc	ttcacaagca	420
gagagcaaaag	tcttctatct	gaaaatgaaa	ggagattact	accgttactt	ggctgaggtt	480
gccgctggtg	atgacaagaa	agggattgtc	gatcagtcac	aacaagcata	ccaagaagct	540
tttgaaatca	gcaaaaagga	aatgcaacca	acacatccta	tcagactggg	tctggccctt	600
aacttctctg	tgttctatta	tgagattctg	aactccccag	agaaagcctg	ctctcttgca	660
aagacagctt	ttgatgaagc	cattgctgaa	cttgatacat	taagtgaaga	gtcatacaaa	720
gacagcacgc	taataatgca	attactgaga	gacaacttga	cattgtggac	atcggatacc	780
caaggagacg	aagctgaagc	aggagaagga	ggggaaaatt	aaccggcctt	ccaacttttg	840
tctgcctcat	tctaaaattt	acacagtaga	ccatttgtca	tccatgctgt	cccacaaata	900
gttttttgtt	tacgatttat	gacaggttta	tgttacttct	atttgaattt	ctatatttcc	960
catgtggttt	ttatgtttaa	tattagggga	gtagagccag	ttaacattta	gggagttatc	1020
tgttttcatc	ttgaggtggc	caatatgggg	atgtggaatt	tttatacaag	ttataagtgt	1080
ttggcatagt	acttttggtg	cattgtggct	tcaaaaagggc	cagtgtaaaa	ctgcttccat	1140
gtctaagcaa	agaaaaactgc	ctacatactg	gtttgtcctg	gcggggaata	aaagggaatc	1200
ttggttccag	tcacagggtg	agtaattgtg	ggactcttaa	ggtttggagc	acttacaagg	1260
ctgtggtaga	atcatacccc	atggatacca	catattaaac	catgtatatc	tgtggaatac	1320
tcaatgtgta	cacctttgac	tacagctgca	gaagtgttcc	tttagacaaa	gttgtagacc	1380
attttactct	ggataagggc	agaaacggtt	cacattccat	tatttgtaaa	gttacctgct	1440
gttagctttc	attatttttg	ctacactcat	tttatttgta	tttaaatggt	ttaggcaacc	1500
taagaacaaa	tgtaaaagta	aagatgcagg	aaaaatgaat	tgcttggtat	tcattacttc	1560
atgtatatca	agcacagcag	taaaaacaaa	acccatgtat	ttaacttttt	tttaggattt	1620
ttgcttttgt	gatttttttt	tttttttttt	gatacttgcc	taacatgcat	gtgctgtaaa	1680
aatagttaac	agggaaataa	cttgagatga	tggctagctt	tgtttaatgt	cttatgaaat	1740
tttcatgaac	aatccaagca	taattgttaa	gaacacgtgt	attaaattca	tgtaagtggg	1800
ataaaagttt	tatgaatgga	cttttcaact	actttctcta	cagcttttca	tgtaaatagg	1860
tcttggttct	gaaacttctc	taaaggaaat	tgtacatttt	ttgaaattta	ttccttattc	1920
cctcttggca	gctaattggc	tcttaccaag	tttaaacaca	aaatttatca	taacaaaaat	1980
actactaata	taactactgt	ttccatgtcc	catgatcccc	tctcttcctc	cccaccctga	2040
aaaaaatgag	ttcctatctt	ttctgggaga	gggggggatt	gattagaaaa	aatgtagtag	2100
tgttccattt	aaaatttttg	catatggcat	tttctaactt	aggaagccac	aatgttcttg	2160
gcccatcatg	acattgggta	gcattaaactg	taagttttgt	gcttccaaat	cacttttttg	2220
tttttaagaa	tttcttgata	ctcttatagc	ctgccttcaa	ttttgatcct	ttattctttc	2280
tatttgtcag	gtgcacaaga	ttaccttctc	gttttagcct	tctgtcttgt	caccaaccat	2340
tottactttg	tggccatgta	cttggaaaaa	ggcgcgatga	tctttctggc	tccactcagt	2400
gtctaaggca	ccctgcttcc	tttgcttgca	tcccacagac	tatttccctc	atcctattta	2460
ctgcagcaaa	tctctcctta	gttgatgaga	ctgtgtttat	ctccctttaa	aaccctacct	2520
atcctgaatg	gtctgtcatt	gtctgccttt	aaaatccttc	ctctttcttc	ctcctctatt	2580
ctctaaataa	tgatggggct	aagttatacc	caaagctcac	tttacaaaat	atttcctcag	2640
tacttttgag	aaaacaccaa	acaaaaatgc	catttttaaaa	aaggtgtatt	ttttctttta	2700
gaatgtaagc	tcctcaagag	cagggacaat	gttttctgta	tgttctattg	tgccctagtag	2760
actgtaaatg	ctcaataaat	attgatgatg	ggaggcagtg	agtcttgatg	ataagggatga	2820
gaaactgaaa	tccc	2834				

<210> 122
 <211> 60
 <212> DNA

<213> Homo sapiens

<300>

<308> NM_003406

<400> 122

tttagccttc tgtcttgtca ccaaccattc ttacttgggtg gccatgtact tggaaaaagg 60

<210> 123

<211> 1938

<212> DNA

<213> Homo sapiens

<300>

<308> NM_003504

<400> 123

```
gatttggcgg gagtcttgac cgccgcgggg ctcttggtag ctcagcgcga ggcggaggcg 60
tccggccgcc gtggctatgt tcgtgtccga tttccgcaaa gagttctacg aggtgggtcca 120
gagccagagg gtccttctct tcgtggcctc ggacgtggat gctctgtgtg cgtgcaagat 180
ccttcaggcc ttgttccagt gtgaccacgt gcaatatacg ctggttccag tttctgggtg 240
gcaagaactt gaaactgcat ttcttgagca taaagaacag tttcattatt ttattctcat 300
aaactgtgga gctaattgtg acctattgga tattcttcaa cctgatgaag acactatatt 360
ctttgtgtgt gacaccata ggccagtcaa tgtcgtcaat gtatacaacg ataccagat 420
caaattactc attaaacaag atgatgacct tgaagttccc gcctatgaag acatcttcag 480
ggatgaagag gaggatgaag agcattcagg aaatgacagt gatgggtcag agccttctga 540
gaagcgcaca cggttagaag aggagatagt ggagcaaacc atgcggagga ggcagcggcg 600
agagtgggag gcccgagaa gagacatcct ctttgactac gagcagtatg aatatcatgg 660
gacatcgta gccatgggtg tgtttgagct ggcttggatg ctgtccaagg acctgaatga 720
catgctgtgg tggccatcg ttggactaac agaccagtgg gtgcaagaca agatcactca 780
aatgaaatac gtgactgatg ttggtgtcct gcagcgcac gtttcccgcc acaaccaccg 840
gaacgaggat gaggagaaca cactctccgt ggactgcaca cggatctcct ttgagtatga 900
cctccgctg gtgctctacc agcactggtc cctccatgac agcctgtgca acaccagcta 960
taccgcagcc aggttcaagc tgtggtctgt gcatggacag aagcggctcc aggagtccct 1020
tgcagacatg ggtcttcccc tgaagcaggt gaagcagaag ttccaggcca tggacatctc 1080
cttgaaggag aatttgcggg aaatgattga agagtctgca aataaatttg ggatgaagga 1140
catgcgcgtg cagactttca gcattcattt tgggttcaag cacaagtttc tggccagcga 1200
cgtggtcctt gccaccattt ctttgatgga gagccccgag aaggatggct caggacaga 1260
tcacttcata caggctctgg acagcctctc caggagtaac ctggacaagc tgtaccatgg 1320
cctggaactc gccagaagc agctgcgagc caccagcag accattgcca gctgcctttg 1380
caccaacctc gtcctctccc aggggccttt cctgtactgc tctctcatgg agggcactcc 1440
agatgtcatg ctgttctcta ggccggcatc cctaagcctg ctcagcaaac acctgctcaa 1500
gtcctttgtg tgttcgacaa agaaccggcg ctgcaaaactg ctgcccctgg tgatggctgc 1560
ccccctgagc atggagcatg gcacagtgac cgtggtgggc atccccccag agaccgacag 1620
ctcggacagg aagaactttt ttgggagggc gtttgagaag gcagcggaaa gcaccagctc 1680
ccggtatgctg cacaaccatt ttgacctctc agtaattgag ctgaaagctg aggatcggag 1740
caagtttctg gacgcactta tttccctcct gtcctaggaa tttgattctt ccagaatgac 1800
cttcttattt atgtaactgg ctttcattta gattgtaagt tatggacatg atttgagatg 1860
tagaagccat tttttattaa ataaaatgct tattttaggc tccgtcccca aaaaaaaaaa 1920
aaaaaaaaaa aaaaaaaaaa 1938
```

<210> 124

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_003504

<400> 124

caagtttctg gacgcactta tttccctcct gtcctaggaa tttgattctt ccagaatgac 60

<210> 125
 <211> 2346
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003600

<400> 125
 acaaggcagc ctcgctcgag cgcaggccaa tcggctttct agctagaggg ttttaactcct 60
 atttaaaaaa aagaaccttt gaattctaac ggctgagctc ttggaagact tgggtccttg 120
 ggctcgaggt gggagccgac ggggtggtag accgtggggg atatctcagt ggcggacgag 180
 gacggcgggg acaaggggag gctggctgga gtggcggagc gtcaagtccc ctgtcggttc 240
 ctccgtccct gagtgtcctt ggcgctgcct tgtgcccgcc cagcgccttt gcatccgctc 300
 ctgggcaccg aggcgccttg taggatactg cttgttactt attacagcta gaggcattcat 360
 ggaccgatct aaagaaaact gcatttcagg acctgttaag gctacagctc cagttggagg 420
 tccaaaacgt gttctcgtga ctcagcaatt tccttgtcag aatccattac ctgtaaatag 480
 tggccaggct cagcgggtct tgtgtccttc aaattccttc cagcgcattc ctttgcaagc 540
 acaaaagctt gtctccagtc acaagccggt tcagaatcag aagcagaagc aattgcaggc 600
 aaccagtgtt cctcatcctg tctccaggcc actgaataac acccaaaaaga gcaagcagcc 660
 cctgccatcg gcacctgaaa ataatcctga ggaggaactg gcatcaaaaac agaaaaatga 720
 agaatcaaaa aagaggcagt gggcttttga agactttgaa attggctgcc ctctgggtaa 780
 aggaaagttt ggtaatgttt atttggcaag agaaaagcaa agcaagttaa ttctggctct 840
 taaagtgtta tttaaagctc agctggagaa agccggagtg gagcatcagc tcagaagaga 900
 agtagaaata cagtcccacc ttcggcatcc taatattctt agactgtatg gttatttcca 960
 tgatgctacc agagtctacc taattctgga atatgcacca cttggaacag tttatagaga 1020
 acttcagaaa ctttcaaagt ttgatgagca gagaactgct acttatataa cagaattggc 1080
 aaatgccctg tcttactgtc attcgaagag agttattcat agagacatta agccagagaa 1140
 cttacttctt ggatcagctg gagagcttaa aattgcagat tttgggtggg cagtacatgc 1200
 tccatcttcc aggaggacca ctctctgttg caccctggac tacctgcccc ctgaaatgat 1260
 tgaaggctcg atgcatgatg agaaggtgga tctctggagc cttggagtgc tttgctatga 1320
 atttttagtt gggaagcctc cttttgaggg aaacacatac caagagacct acaaaagaat 1380
 atcacgggtt gaattcacat tccctgactt tgtaacagag ggagccaggg acctcatttc 1440
 aagactgttg aagcataatc ccagccagag gccaatgctc agagaagtac ttgaacaccc 1500
 ctggatcaca gcaattcatc caaaaccatc aaattgccaa aacaaagaat cagctagcaa 1560
 acagtcttag gaatcgtgca gggggagaaa tccttgagcc agggctgcca tataacctga 1620
 caggaacatg ctactgaagt ttattttacc attgactgct gccctcaatc tagaacgcta 1680
 cacaagaaat atttgtttta ctcagcagggt gtgccttaac ctccctattc agaaagctcc 1740
 acatcaataa acatgacact ctgaagtga agtagccacg agaattgtgc tacttatact 1800
 gggttcataat ctggaggcaa gggtcgactg cagccgcccc gtcagcctgt gctaggcatg 1860
 gtgtcttcac aggaggcaaa tccagagcct ggctgtgggg aaagtgacca ctctgccttg 1920
 accccgatca gttaaggagc tgtgcaataa ccttcctagt acctgagtga gtgtgtaact 1980
 tattgggttg gcgaagcctg gtaaagctgt tggaatgagt atgtgattct ttttaagtat 2040
 gaaaataaa atatatgtac agacttgtat tttttctctg gtggcattcc ttttaggaatg 2100
 ctgtgtgtct gtccggcacc ccggtaggcc tgattgggtt tctagtcctc ctttaaccact 2160
 tatctcccat atgagagtgt gaaaaatagg aacacgtgct ctacctccat ttagggatgt 2220
 gcttgggata cagaagagc catgtgtctc agagctgtta agggcttatt tttttaaaac 2280
 attggagtca tagcatgtgt gtaaacttta aatatgcaaa taaataagta tctatgtcta 2340
 aaaaaa 2346

<210> 126
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003600

<400> 126

agagtgtgaa aaataggaac acgtgctcta cctccattta gggatttgct tgggatacag 60

<210> 127

<211> 853

<212> DNA

<213> Homo sapiens

<300>

<308> NM_003641

<400> 127

ctagtctga	cttcacttct	gatgaggaag	cctctctcct	tagccttcag	cctttcctcc	60
caccctgcc	taagtaattt	gacctcaag	aagttaaacc	acacctcatt	ggccctggc	120
taattcacca	atttacaac	agcaggaaat	agaaacttaa	gagaaatata	cacttctgag	180
aaactgaaac	gacaggggaa	aggaggtctc	actgagcacc	gtcccagcat	ccggacacca	240
cagcggccct	tcgctccacg	cagaaaacca	cacttctcaa	accttcactc	aacacttcct	300
tcccaaagc	cagaagatgc	acaaggagga	acatgaggtg	gctgtgctgg	gggcaccccc	360
cagcaccatc	cttccaaggt	ccacogtgat	caacatccac	agcgagacct	ccgtgcccga	420
ccatgtcgtc	tggteccctgt	tcaacaccct	cttcttgaac	tgggtgctgc	tgggcttcat	480
agcattcgcc	tactccgtga	agtctagggg	caggaagatg	gttggcgacg	tgaccggggc	540
ccaggcctat	gcctccaccg	ccaagtgcct	gaacatctgg	gccctgattc	tgggcatcct	600
catgaccatt	ggattcatcc	tgctactggg	attcggctct	gtgacagtct	accatattat	660
gttacagata	atacaggaaa	aacgggggta	ctagtagccg	cccatagcct	gcaacctttg	720
cactccactg	tgcaatgctg	gccctgcaag	ctggggctgt	tgccctgcc	cccttggtcc	780
tgccctaga	tacagcagtt	tatacccaca	cacctgtcta	cagtgtcatt	caataaagtg	840
cacgtgcttg	tga					853

<210> 128

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_003641

<400> 128

attatgttac agataatata ggaaaaacgg gggtactagt agccgcccac agcctgcaac 60

<210> 129

<211> 1280

<212> DNA

<213> Homo sapiens

<300>

<308> NM_003756

<400> 129

gaaagatggc	gtcccgcaag	gaagggtaccg	gctctaactgc	cacctcttcc	agctccaccg	60
ccggcgagc	agggaaaggc	aaaggcaaaag	gcggctcggg	agattcagcc	gtgaagcaag	120
tgcagataga	tggccttggt	gtattaaaga	taatcaaaca	ttatcaagaa	gaaggacaag	180
gaactgaagt	tggtcaagga	gtgctttttg	gtctgggtgt	agaagatcgg	cttgaaatta	240
ccaactgctt	tcctttccct	cagcacacag	aggatgatgc	tgactttgat	gaagtccaat	300
atcagatgga	aatgatgcgg	agccttcgcc	atgtaaacad	tgatcatctt	cacgtgggct	360
ggtatcagtc	cacatactat	ggctcattcg	ttaccggggc	actcctggac	tctcagttta	420
gttaccagca	tgccattgaa	gaatctgtcg	ttctcattta	tgatcccata	aaaactgccc	480
aaggatctct	ctcactaaag	gcatacagac	tgactcctaa	actgatggaa	gtttgtaaag	540
aaaaggattt	ttcccctgaa	gcattgaaaa	aagcaaatat	cacctttgag	tacatgtttg	600
aagaagtgcc	gattgtaatt	aaaaattcac	atctgatcaa	tgtcctaata	tgggaacttg	660
aaaagaagtc	agctgttgca	gataaacatg	aattgctcag	ccttgccagc	agcaatcatt	720
tggggaagaa	tctacagttg	ctgatggaca	gagtggatga	aatgagccaa	gatatagtta	780

aatacaacac	atacatgagg	aatactagta	aacaacagca	gcagaaacat	cagtatcagc	840
agcgtcgcca	gcaggagaat	atgcagcgcc	agagccgagg	agaacccccg	ctccctgagg	900
aggacctgtc	caaactcttc	aaaccaccac	agccgcctgc	caggatggac	tcgctgctca	960
ttgcaggcca	gataaacact	tactgccaga	acatcaagga	gttcaactgcc	caaaacttag	1020
gcaagctctt	catggcccag	gctcttcaag	aatacaacaa	ctaagaaaag	gaagtttcca	1080
gaaaagaagt	taacatgaac	tcttgaagtc	acaccagggc	aactcttgga	agaaatatat	1140
ttgcatattg	aaaagcacag	aggatttctt	tagtgtcatt	gccgattttg	gctataacag	1200
tgtcttttcta	gccataataa	aataaaaaaaaa	aaaaaaaaaaaa	aaaaaaaaaaaa	aaaaaaaaaaaa	1260
aaaaaaaaaaaa	aaaaaaaaaaaa	1280				

<210> 130
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003756

<400> 130	
tgagccaaga	tatagttaaa tacaacacat acatgaggaa tactagtaaa caacagcagc 60

<210> 131
 <211> 839
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003832

<400> 131	
aagccacagg	ctccctggct ggcgtcagct aaagtggctg ttgggtgtcc gcaggcttct 60
gcctggccgc	cgccgcctat aagctaccag gaggagcttt acgacttccc gtcctgcggg 120
aagtggcggg	cacgatcgca aggtagcgca gaagcttctc aatggccagc gccagctgca 180
gccccggcgg	cgactcgcgc tcacctgagc ctgggaggaa aattcttcca aggatgatct 240
cccactcaga	gctgaggaag cttttctact cagcagatgc tgttgtttt gatgttgaca 300
gcacgggtcat	cagtgaagaa ggaatcggat gctttcattg gatttgagg aaatgtgac 360
aggcaacaag	tcaaggataa cgccaaatgg tatatcactg attttgtaga gctgctggga 420
gaaccggaag	aataacatcc attgtcatac agtccaaac aacttcagat gaatttttac 480
aagttacaca	gattgatact gtttgcttac aattgcctat tacaacttgc tataaaaagt 540
tggtacagat	gatctgcact gtcaagtaaa ctacagttag gaatcctcaa agattggttt 600
gtttgttttt	aactgtagtt ccagttattat atgatcacta tcgatttcct ggagagtttt 660
gtaatctgaa	ttctttatgt atattcctag ctatatttca tacaagtggt tttaagagt 720
gagagtcaat	taaacacctt tactcttagg aatatagatt cggcagcctt cagtgaatat 780
tgtgtttttt	ccctttggta tgtcaataaa agtttatcca tgtgtcagaa aaaaaaaaa 839

<210> 132
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003832

<400> 132	
gaagaaggaa	tcggatgctt tcattggatt tggaggaaat gtgatcaggc aacaagtcaa 60

<210> 133
 <211> 3128
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_003981

<400> 133

gcttcgcccc	gtggcgcggt	ttgaaatttt	gcggggctca	acggctcgcg	gagcggtac	60
gcggagtgac	atcgccggtg	tttgcggtg	gttggtgctc	tcggggccgt	gtggagtagg	120
tctggacctg	gactcacggc	tgcttgagc	gtccgccatg	aggagaagtg	aggtgctggc	180
ggaggagtcc	atagtatgtc	tgcaaaaagc	cctaaatcac	cttcgggaaa	tatgggagct	240
aattgggatt	ccagaggacc	agcggttaca	aagaactgag	gtggtaaaag	agcatatcaa	300
ggaactcctg	gatatgatga	ttgctgaaga	ggaaagcctg	aaggaaaagc	tcatacaaaag	360
catatccgtc	tgtcagaaaag	agctgaacac	tctgtgcagc	gagttacatg	ttgagccatt	420
tcaggaagaa	ggagagacga	ccatcttgca	actagaaaaa	gatttgcgca	cccaagtggg	480
attgatgcga	aaacagaaaa	aggagagaaa	acaggaactg	aagctacttc	aagagcaaga	540
tcaagaactg	tgcaaaattc	tttgatatgc	ccactatgat	attgacagtg	cctcagtgcc	600
cagcttagaa	gagctgaacc	agttcaggca	acatgtgaca	actttgaggg	aaacaaaaggc	660
ttctaggcgt	gaggagtttg	tcagtataaa	gagacagatc	atactgtgta	tggagaagt	720
agaccacacc	ccagacacaa	gctttgaaaag	agatgtgggtg	tgtgaagacg	aagatgcctt	780
ttgtttgtct	ttggagaata	ttgcaacact	acaaaagtgtg	ctacggcagc	tggaaatgca	840
gaaatcacia	aatgaagcag	tgtgtgaggg	gctgcgtact	caaatccgag	agctctggga	900
caggttgcaa	atacctgaag	aagaaaagaga	agctgtggcc	accattatgt	ctgggtcaaa	960
ggccaaggctc	cggaagcgcc	tgcaattaga	agtggatcgg	ttggaagaac	tgaaaatgca	1020
aaacatgaag	aaagtgattg	aggcaattcg	agtggagctg	gttcagtact	gggaccagtg	1080
cttttatagc	caggagcaga	gacaagcttt	tgcccctttc	tgtgctgagg	actacacaga	1140
aagtctgctc	cagctccacg	atgctgagat	tgtgcgggta	aaaaactact	atgaagttca	1200
caaggaactc	tttgaagggtg	tccagaagtg	ggaagaaaacc	tggaggcttt	tcttagagtt	1260
tgagagaaaa	gcttcagatc	caaatcgatt	tacaaaaccga	ggaggaaaac	ttctaaaaga	1320
agaaaaacia	cgagccaagc	tccagaaaaa	gctgcccaag	ctggaagaag	agttgaaggc	1380
acgaattgaa	ttgtgggaac	aggaacattc	aaaggcattt	atggtgaatg	ggcagaatt	1440
catggagtat	gtggcagaac	aatgggagat	gcacgcattg	gagaaaagaga	gagccaagca	1500
ggaaagacia	ctgaagaaca	aaaaacagac	agagacagag	atgctgtatg	gcagcgctcc	1560
tcgaacacct	agcaagcggc	gaggactggc	tcccaatata	ccgggcaaag	cacgtaagct	1620
gaacactacc	accatgtcca	atgctacggc	caatagtagc	attcggccta	tctttggagg	1680
gacagtctac	cactcccccg	tgtctcgact	tcctccttct	ggcagcaagc	cagtcgctgc	1740
ttccacctgt	tcagggaaga	aaacacccccg	tactggcagg	catggagcca	acaaggagaa	1800
cctggagctc	aacggcagca	tcctgagtg	tgggtaccct	ggctcggccc	ccctccagcg	1860
caacttcagc	attaattctg	ttgccagcac	ctattctgag	tttgcaagg	atccgtccct	1920
ctctgacagt	tccactgttg	ggcttcagcg	agaactttca	aaggcttcca	aatctgatgc	1980
tacttctgga	atcctcaatt	caaccaacat	ccagtcctga	gaagccctga	tcagtcaacc	2040
agctgtggct	tcctgtgcct	agaactggacc	taattatatg	gggtgactt	tagtttttct	2100
tcagcttagg	cgtgcttgaa	accttgacca	ggttccatga	ccatgggcct	aacttaaaga	2160
tgtgaatgag	tgttacagtt	gaaagcccat	cataggttta	gtggtcctag	gagacttggt	2220
tttgacttat	atacatgaaa	agtttatggc	aagaagtgca	aatttttagca	tatggggcct	2280
gacttctcta	ccacataatt	ctacttgctg	aagcatgatc	aaagcttggt	ttatttcacc	2340
actgtaggaa	aatgattgac	tatgcccatc	cctgggggta	attttgcat	gtatacctgt	2400
aaatagtaat	taacatcttt	tttgtttagg	catgttcaat	taatgctgta	gctatcatag	2460
ctttgctctt	acctgaagcc	ttgtccccac	cacacaggac	agccttcctc	ctgaagagaa	2520
tgtctttgtg	tgtccgaagt	tgagatggcc	tgccctactg	ccaaagaggt	gacaggaagg	2580
ctgggagcag	ctttgttaaa	ttgtgttcag	ttctgttaca	cagtgcattg	ccctttgttg	2640
ggggtatgca	tgtatgaaca	cacatgcttg	tcggaacgct	ttctcggcgt	ttgtcccttg	2700
gctctcatct	ccccatttcc	tgtgocact	ttgcctgagt	tcttctaccc	ccgcagttgc	2760
cagccacatt	gggagtctgt	ttgttccaat	gggttgagct	gtctttgtcg	tggagatctg	2820
gaactttgca	catgtcacta	ctggggaggt	gttcctgctc	tagcttccac	gatgaggcgc	2880
cctctttacc	tatcctctca	atcactactc	ttcttgaaag	actattattt	attcttccgc	2940
tgtctgcctg	cagcagtact	actgtcaaca	tagtgtaaat	ggttctcaaa	agcttaccag	3000
tgtggacttg	gtgttagcca	cgctgtttac	tcatacagta	cgtgtcctgt	ttttaaaaata	3060
tacaattatt	cttaaaaaata	aattaaaatc	tgtatactta	catttcaaaa	agaaaaaaa	3120
aaaaaaaa	3128					

<210> 134

<211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_003981

<400> 134
 tgcagcagta ctactgtcaa catagtgtaa atgggttctca aaagcttacc agtgtggact 60

<210> 135
 <211> 1816
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004029

<400> 135
 ggcacccagg gtccggcctg cgccttcccg ccaggcctgg aacttggttc aacacctgtg 60
 acttcatgtg tgcgcgccgg ccacacctgc agtcacacct gtagccccct ctgccaagag 120
 atccataccg aggcagcgtc ggtggctaca agccctcagt ccacacctgt ggacacctgt 180
 gacacctggc cacacgacct gtggcgcggg cctggcgctt gctgcgacag gagcccttac 240
 ctccccctgtt ataacacctg accgccacct aactgcccc gacagaaggag caatggcctt 300
 ggctcctgag agggcagccc caccgcgtgt gtctcgagag tggctccttg gagagatcag 360
 cagcggctgc tatgaggggc tgcagtggct ggacgaggcc cgcacctgtt tccgcgtgcc 420
 ctggaagcac ttcgcgcgca aggacctgag cgaggccgac gcgcgcctct tcaaggcctg 480
 ggctgtggcc cgcggcaggc ggccgcctag cagcagggga ggtggcccc cccccagggc 540
 tgagactgcg gaggcgcggg gctggaaaa caacttccgc tgcgcaactg gcagcacgcg 600
 tcgcttcgtg atgctgcggg ataactcggg ggacccggcc gaccgcaca aggtgtacgc 660
 gctcagccgg gagctgtgct ggcgagaagg cccaggcacg gaccagactg aggcagaggc 720
 ccccgacgct gtcccaccac cacagggtgg gccccaggc ccattcttgg cacacacaca 780
 tgctggactc caagccccag gccccctccc tggcccagct ggtgacaagg gggacctcct 840
 gctccaggca gtgcaacaga gctgcctggc agaccatctg ctgacagcgt catggggggc 900
 agatccagtc ccaaccaagg ctcttggaaga gggacaagaa gggcttcccc tgactggggc 960
 ctgtgctgga ggcgaggccg cggccccaga gtccccgcac caggcagagc cgtacctgtc 1020
 accctcccca agcgcctgca ccgcgggtgca agagcccagc ccaggggcgc tggacgtgac 1080
 catcatgtac aagggccgca cgggtgctgca gaagggtggg ggacaccga gctgcacgtt 1140
 cctatacggc cccccagacc cagctgtccg ggccacagac cccagcagg tagcattccc 1200
 cagccctgcc gagctccggg accagaagca gctgcgctac acggagggaac tgctgcggca 1260
 cgtggccccct gggttgcacc tggagcttcg ggggccacag ctgtggggcc ggcgcatggg 1320
 caagtgaag gtgtactggg aggtgggagg accccaggc tccgccagcc cctccacccc 1380
 agcctgcctg ctgcctcgga actgtgacac ccccatcttc gacttcagag tcttcttcca 1440
 agagctggtg gaattccggg caccggcagcg ccgtggctcc ccacgctata ccactctacct 1500
 gggcttcggg caggacctgt cagctgggag gcccaaggag aagagcctgg tcctggtgaa 1560
 gctggaaccc tggctgtgcc gactgcacct agagggcacg cagcgtgagg gtgtgtcttc 1620
 cctggatagc agcagcctca gcctctgcct gtccagcgcc aacagcctct atgacgacat 1680
 cgagtgcctc cttatggagc tggagcagcc cgcctagaac ccagtctaata gagaactcca 1740
 gaaagctgga gcagcccacc tagagctggc cgcggccgcc cagtctaata aaaagaactc 1800
 cagaacaaaa aaaaaa 1816

<210> 136
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004029

<400> 136
 agcagcccac ctagagctgg ccgcggccgc ccagtctaata aaaaagaact ccagaacaaa 60

<210> 137
 <211> 2121
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004203

<400> 137
 tggaattttt ggcgcgagca gctccgcgcg cgttcacggg ccgttcccc tcacgggagt 60
 cctccgcccc ggcgtccgga acagtcgacg gcagactccg gcccgctgag ccacccgagg 120
 ggtcccgtgg cctccgcgga cccggaatct gggccctcgc ggacccgcgc cccgcccagt 180
 cgccccaggg ctccccaca cccacggagt gaagtcagcc gcggccctgc ctgggaggaa 240
 cttaccgtct accgggaaaag gtggccagca gatgtgtcgg gcctggtgag aggggtaggc 300
 gagacggccc gatcgcccag ggccccgaa gctgcggagg tcacccccgc ctggccttag 360
 ctacgggaca ccctggattc acgtgggagc ccctgtctct gcctcccccg tcccaccact 420
 gaggtctgtg ggccaggcca gtcattgtag aacggcctcc tgcaactggc atgcccattg 480
 ccacggaggg caccgcccca cctctgagtg gacccccat cccagtccca gcctacttcc 540
 gccacgcaga acctggattc tccctcaaga gggccagggg gctcagccgg agcctcccac 600
 ctccgcccc tgccaagggc agcattccca tcagccgcct ctccctctct cggaccccag 660
 gctggcacca gctgcagccc cggcgggtgt cattccgggg cgaggcctca gagactctgc 720
 agagccctgg gtatgaccca agcgggccag agtccttctt ccagcagagc ttccaggagg 780
 tcagccgcct gggccatggc tcctacggag aggtcttcaa ggtgcgctcc aaggaggacg 840
 gccggctcta tgcggtaaag cgttccatgt caccattccg gggccccaag gaccgggccc 900
 gcaagttagc cgaggtgggc agccacgaga aggtggggca gcacccatgc tgcgtgcggc 960
 tggagcaggc ctgggaggag ggccggcatcc tgtacctgca gacggagctg tgcggggcca 1020
 gcctgcagca aactgttagg gcctgggggt ccagcctgcc tgaggcccag gtctgggggt 1080
 acctgcggga cacgtgctt gccctggccc atctgcacag ccagggcctg gtgcaccttg 1140
 atgtcaagcc tgccaacatc ttccctggggc cccggggccg ctgcaagctg ggtgacttcg 1200
 gactgctggt ggagctgggt acagcaggag ctggtgaggc ccaggaggga gacccccgct 1260
 acatggcccc cgagctgctg cagggtctct atgggacagc agcggatgtg ttcagtctgg 1320
 gcctcaccat cctggaagtg gcatgcaaca tggagctgcc ccacggtggg gagggtggc 1380
 agcagctgcg ccagggttac ctgccccctg agttcactgc cgtctgtct tccgagctgc 1440
 gttctgtcct tgtcatgatg ctggagccag accccaagct gcgggccacg gccgaggccc 1500
 tgctggcact gcctgtgttg aggcagccgc gggcctgggg tgtgctgtgg tgcattggcag 1560
 cggaggccct gagccagggt tgggccctgt ggcaggccct gcttgccctg ctctgtggc 1620
 tctggcatgg gctggctcac cctgccagct ggctacagcc cctggggccc ccagccacc 1680
 cgctgtgctc accaccctgc agtttgctcc tggacagcag cctctccagc aactgggatg 1740
 acgacagcct agggccttca ctctccctg aggtgtctct ggcccggact gtggggagca 1800
 cctccacccc ccggagcagg tgcacacca gggatgccct ggacctaatg gacatcaact 1860
 cagagcctcc tcggggctcc tccccctct ttgagcctcg gaacctctc agcctgtttg 1920
 aggacaccct agaccaacc tgagccccag actctgcctc tgcaacttta acctttatc 1980
 ctgtgtctct cccgtgcgcc ttgaaagetg gggccccctg ggaactccca tggctctctc 2040
 tgcttgccg tgtctaataa aaagtatttg aacctggga gcacccaagc ttgctcatgt 2100
 ggcaaaaaaa aaaaaaaaaa a 2121

<210> 138
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004203

<400> 138
 ctggccgtgt ctaataaaaa gtatttgaac cttgggagca cccaagcttg ctcatgtggc 60

<210> 139
 <211> 1982
 <212> DNA

<213> Homo sapiens

<300>

<308> NM_004207

<400> 139

```
ggcgagagggc gggctgagggc ggcccagcggc cggcagggtga ggcggaacca accctcctgg 60
ccatgggagg ggccgtgggtg gacgaggggc ccacaggcgt caaggcccct gacggcggct 120
ggggctgggc cgtgctcttc ggctgtttcg tcatcactgg cttctcctac gccttcccca 180
aggccgtcag tgtcttcttc aaggagctca tacaggagt tgggatcggc tacagcgaca 240
cagcctggat ctctccatc ctgctggcca tgctctacgg gacagggtccg ctctgcagtg 300
tgtgcgtgaa ccgctttggc tgccggcccg tcatgcttgt ggggggtctc tttgcgtcgc 360
tgggcatggg ggctgcgtcc ttttgccgga gcatcatcca ggtctacctc accactgggg 420
tcatcacggg gttgggtttg gcaactcaact tccagccctc gctcatcatg ctgaaccgct 480
acttcagcaa gcggcgcccc atggccaacg ggctggcggc agcaggtagc cctgtcttcc 540
tgtgtgccct gagcccgctg gggcagctgc tgcaggaccg ctacggctgg cggggcggct 600
tcctcatcct gggcggcctg ctgctcaact gctgctgtgt tgccgcactc atgaggcccc 660
tggtggtcac ggcccagccg ggctcggggc cgcgcgcacc ctcccggcgc ctgctagacc 720
tgagcgtctt ccgggaccgc ggctttgtgc tttacgccgt ggccgcctcg gtcattggtg 780
tggggctctt cgtcccgcgc gtgttcgtgg tgagctacgc caaggacctg ggcgtgcccg 840
acaccaaggc cgccttcctg ctaccatcc tgggcttcat tgacatcttc gcgcggccgg 900
ccgcgggctt cgtggcgggg cttgggaagg tgcggcccta ctccgtctac ctcttcagct 960
tctccatgtt cttcaacggc ctgcgggacc tggcgggctc tacggcgggc gactacggcg 1020
gcctcgtggg cttctgcatc ttctttggca tctcctacgg catggtgggg gccctgcagt 1080
tcgaggtgct catggccatc gtgggcaccc acaagttctc cagtgccatt ggcctggtgc 1140
tgctgatgga ggcggtggcc gtgctcgtcg ggcgcccttc gggaggcaaa ctctggtatg 1200
cgacccacgt ctacatgtac gtgttcatcc tggcgggggc cgagggtgctc acctcctccc 1260
tgattttgct gctgggcaac ttcttctgca ttaggaagaa gcccaaagag ccacagcctg 1320
agggtggcggc cgcggaggag gagaagctcc acaagcctcc tgcagactcg ggggtggact 1380
tgcgggaggt ggagcatttc ctgaaggctg agcctgagaa aaacggggag gtggttcaca 1440
ccccggaaac aagtgtctga gtggctgggc ggggcccggc ggcacaggga ggaggtacag 1500
aagccggcaa cgcttgctat ttattttaca aactggactg gctcaggcag ggccacggct 1560
gggctccagc tgccggccca gcggatcgtc gcccgatcag tgttttgagg ggaaggtgg 1620
cgggggtggg accgtgtcat tccagagtgg atctgcggtg aagccaagcc gcaaggttac 1680
aaggcatcct caccaggggc ccgcctgct gctcccagggt ggctgcggc cactgctatg 1740
ctcaaggacc tggaaaccca tgcttcgaga caacgtgact ttaatgggag ggtgggtggg 1800
ccgcagacag gctggcaggg caggtgctgc gtggggccct ctccagcccg tcctaccctg 1860
ggctcacatg gggcctgtgc ccaccctct tgagtgtctt ggggacagct cttccaccc 1920
ctggaagatg gaaataaacc tgcgtgtggg tggagtgttc tcgtgccgaa ttcaaaaagc 1980
tt 1982
```

<210> 140

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_004207

<400> 140

```
cctcttgagt gtcttgggga cagctctttc cacccttgga agatggaaat aaacctgcgt 60
```

<210> 141

<211> 2054

<212> DNA

<213> Homo sapiens

<300>

<308> NM_004209

<400> 141

cgaggaggcg	cagcggtgc	agcgttggt	gcacagcat	cagcatcagc	ggcagcgga	60
gcggcctcgg	gcggggccgg	ccggacggac	aggcggacag	aaggcgccag	gggcgcgcgt	120
cccggccggg	ccggccatgg	agggcgccct	cttcggcgcg	ggccgcgcag	gggcgcgcct	180
ggaccccggtg	agctttgcgc	ggcgccccca	gacctgtctc	cgggtcgcgt	cctgggtgtt	240
ctccatcgcc	gtcttcgggc	ccatcgtaa	cgagggtac	gtgaacaccg	acagcgccc	300
cgagctgcgc	tgcgtgttca	acgggaacgc	gggcgcctgc	cgttcggcg	tcgcgtggg	360
cctcgagcc	ttcctgcct	gcgcgcctt	cctgctgctc	gatgtgcgt	tccagcaa	420
cagcagcgtc	cgcgaccgcc	ggcgcgcggt	gttgcgtggac	ctgggcttct	caggactctg	480
gtccttcctg	tggttcgtgg	gcttctgctt	cctcaccat	cagtggcagc	gcacggcgcc	540
agggcgggcc	acgacgcagg	cgggggacgc	ggcgcgggcc	gccatcgct	tcagcttctt	600
ctccatcctc	agctgggtgg	cgctcaccgt	gaaggccctg	cagcggttcc	gcctgggcac	660
cgacatgtca	ctcttcgcca	ccgaacagct	gagcaccggg	gcgagccagg	cctaccccg	720
ctatccggtg	ggcagcgggc	tggagggcac	cgagacctac	cagagccgc	ccttcaccga	780
gacctgtggac	accagcccca	aagggtacca	ggtgcccgc	tactagcggc	tggcaggcac	840
agaccagggc	tccaaggcca	ccccaccaac	gcaggcccca	gggtctccgg	gacctccctt	900
gggtccttcc	agctcagtgc	cgcgacagaa	gtagggtggc	gctttgcgc	atccggggcc	960
aagaggggggt	ggacccgcgt	gtctgggctg	cccctgccaa	gttccccag	tccctcagca	1020
cctggcccca	ggactgaggt	cctgagaagg	ggatagcaact	gccaggagc	tgtgtcccta	1080
gcctggaatg	gactggcctg	gggaaggctt	tccctctctg	ggccacacct	gctcactctg	1140
gggttggggg	tccagctgcc	ctctacgac	aggtgcagg	gctgccagg	acaaagcggg	1200
ggcaggggaa	agacaccacc	ctcgcccaa	gactggggat	cctggccact	gttcccatcc	1260
catgtccctg	tgggtagtga	ctgtctcggt	tctgtcatgg	tgggtcgtcc	cgtccggagc	1320
cactctccac	tttctctcac	aggtctctag	aacagccag	ccctgtcagt	gttgtgatca	1380
tgggtccagtc	ttcgggtttc	acctcctagt	actccacaag	ctgtcctct	ctctgtggcc	1440
ccggcccttg	cccaggtgtg	ggtggttctg	gccagggaag	cacaaggtag	ctgtgggcca	1500
agacaccagc	cctgtcctag	cccttcagta	agaccttgcc	aggagaggag	aaggatgcct	1560
gggtgccagg	caagacaagc	ccctcagcag	gagagaggcc	cagaggctcc	agctggccac	1620
cgtgccccac	aagatggccc	ctgtgtggtt	ccctttacct	tggcttctctg	gccagtcctc	1680
tgctcttcca	cctgcacctt	gcttctctggc	ccagtccag	gttggaagtcc	ctctgcata	1740
ctgactactc	atgcattgct	caaagctggc	ttttcacatt	aagtcaacac	caaacgtggt	1800
tgccacattt	catcagacag	acacctccct	ctggagatgc	agttgagtga	caaccttggt	1860
acattgtagc	ctagaccaat	tctgtgtgga	tatttaagt	aacatgttta	caatttttgt	1920
atatatcact	ctctccctct	cctgaaagac	cagagattgt	gtattttcag	tgtcccatgt	1980
tccgactgca	ccttctttac	aataaagact	gtaactgagc	tgactgtgaa	aaaaaaaaa	2040
aaaaaaaaa	aaaa	2054				

<210> 142
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004209

<400> 142	gatgcagttg	agtgacaacc	ttgttacatt	gtagcctaga	ccaattctgt	gtggatattt	60
-----------	------------	------------	------------	------------	------------	------------	----

<210> 143
 <211> 1224
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004217

<400> 143	ggccgggaga	gtagcagtg	cttggaaccc	agctctcctc	cccccttctc	tctaaggatg	60
	gccagaagg	agaactccta	cccctggccc	tacggccgac	agacggctcc	atctggcctg	120
	agcaccctgc	cccagcgagt	cctccggaaa	gagcctgtca	ccccatctgc	acttgtctctc	180
	atgagccgct	ccaatgtcca	gccacagct	gcccctggcc	agaaggatga	ggagaatagc	240
	agtgggacac	ccgacatctt	aacgcggcac	ttcacaattg	atgactttga	gattgggcgt	300

cctctgggca	aaggcaagtt	tggaaacgtg	tacttggtc	gggagaagaa	aagccatttc	360
atcgtggcgc	tcaaggtcct	cttcaagtcc	cagatagaga	aggagggcgt	ggagcatcag	420
ctgcgcagag	agatcgaaat	ccaggcccac	ctgcaccatc	ccaacatcct	gcgtctctac	480
aactattttt	atgaccggag	gaggatctac	ttgattctag	agtatgcccc	ccgcggggag	540
ctctacaagg	agctgcagaa	gagctgcaca	tttgacgagc	agcgaacagc	cacgatcatg	600
gaggagtgg	cagatgctct	aatgtactgc	catgggaaga	aggtgattca	cagagacata	660
aagccagaaa	atctgctctt	agggctcaag	ggagagctga	agattgctga	cttcggctgg	720
tctgtgcatg	cgccctccct	gaggaggaag	acaatgtgtg	gcaccctgga	ctacctgccc	780
ccagagatga	ttgaggggcg	catgcacaat	gagaaggtgg	atctgtggtg	cattggagtg	840
ctttgctatg	agctgctggt	ggggaaccca	ccctttgaga	gtgcatcaca	caacgagacc	900
tatcgccgca	tcgtcaaggt	ggacctaaag	ttccccgctt	ctgtgcccac	gggagcccag	960
gacctcatct	ccaaactgct	caggcataac	ccctcggaac	ggctgcccct	ggcccaggtc	1020
tcagcccacc	cttgggtccg	ggccaactct	cggagggtgc	tgccctccctc	tgcccttcaa	1080
tctgtgcct	gatggtccct	gtcattcaact	cgggtgcgtg	tgtttgtatg	tctgtgtatg	1140
tataggggaa	agaagggatc	cctaactgtt	cccttatctg	ttttctacct	cctcctttgt	1200
ttaataaagg	ctgaagcttt	ttgt	1224			

<210> 144
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004217

<400> 144	
gtctgtgtat	gtatagggga aagaagggat ccctaactgt tcccttatct gttttctacc 60

<210> 145
 <211> 983
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004335

<400> 145						
gtggaattca	tggcatctac	ttcgtatgac	tattgcagag	tgcccatgga	agacggggat	60
aagcgctgta	agcttctgct	ggggatagga	attctggtgc	tcctgatcat	cgtgattctg	120
ggggtgccct	tgattatctt	caccatcaag	gccaacagcg	aggcctgccg	ggacggcctt	180
cgggcagtga	tggagtgtcg	caatgtcacc	catctcctgc	aacaagagct	gaccgaggcc	240
cagaagggt	ttcaggatgt	ggaggcccag	gccgccacct	gcaaccacac	tgtgatggcc	300
ctaattggctt	ccctggatgc	agagaaggcc	caaggacaaa	agaaagtgga	ggagcttgag	360
ggagagatca	ctacattaaa	ccataagctt	caggacgcgt	ctgcagaggt	ggagcgactg	420
agaagagaaa	accaggtcct	aagcgtgaga	atcgcgga	agaagtacta	ccccagctcc	480
caggactcca	gctccgctgc	ggcgccccag	ctgctgattg	tgctgctggg	cctcagcgct	540
ctgctgcagt	gagatcccag	gaagctggca	catcttgga	ggtccgtcct	gctcggtctt	600
tcgcttgaac	attcccttga	tctcatcagt	tctgagcggg	tcatggggca	acacgggttag	660
cggggagagc	acggggtagc	cggagaaggg	cctctggagc	aggtctggag	gggccatggg	720
gcagtcctgg	gtgtggggac	acagtcgggt	tgaccagggg	ctgtctccct	ccagagcctc	780
cctccggaca	atgagtcctc	cctcttgtct	cccacctga	gattgggcat	ggggtgcggt	840
gtggggggca	tgtgctgcct	gttgttatgg	gttttttttg	cggggggggg	tgcttttttc	900
tggggtcttt	gagctccaaa	aaataaacac	ttcctttgag	ggagagcaaa	aaaaaaaaaa	960
aaaaaaaaaa	aaaaaaaaaa	aaa	983			

<210> 146
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_004335

<400> 146

ggttgctttt ttctggggtc tttgagctcc aaaaaataaa cacttccttt gagggagagc 60

<210> 147

<211> 3446

<212> DNA

<213> Homo sapiens

<300>

<308> NM_004336

<400> 147

ttctagtttg	cggttcaggt	ttgccgctgc	cggccagcgt	cctctggcca	tggacacccc	60
ggaaaatgtc	cttcagatgc	ttgaagccca	catgcagagc	tacaagggca	atgaccctct	120
tgggtgaatgg	gaaagataca	tacagtgggt	agaagagaat	tttcctgaga	ataaagaata	180
cttgataact	ttactagaac	atttaatgaa	ggaattttta	gataagaaga	aataccacaa	240
tgaccaaga	ttcatcagtt	attgttttaa	atttgctgag	tacaacagtg	acctccatca	300
attttttgag	tttctgtaca	accatgggat	tggaaacctg	tcacccctc	tgtacattgc	360
ctgggcgggg	catctggaag	cccaaggaga	gctgcagcat	gccagtgtg	tccttcagag	420
aggaattcaa	aaccaggctg	aaccagaga	gttcctgcaa	caacaatata	ggttatttca	480
gacacgcctc	actgaaaccc	atttgccagc	tcaagctaga	acctcagaac	ctctgcataa	540
tgttcaggtt	ttaaatcaaa	tgataacatc	aaaatcaaat	ccaggaaata	acatggcctg	600
catttctaag	aatcagggtt	cagagctttc	tggagtata	tcttcagctt	gtgataaaga	660
gtcaaatatg	gaacgaagag	tgatcacgat	ttctaaatca	gaatattctg	tgcaactcatc	720
tttggcatcc	aaagttgatg	ttgagcaggt	tgttatgtat	tgcaaggaga	agcttattcg	780
tggggaatca	gaattttcct	ttgaagaatt	gagagccag	aaatacaatc	aacggagaaa	840
gcatgagcaa	tgggtaaatg	aagacagaca	ttatatgaaa	aggaaagaag	caaattgcttt	900
tgaagaacag	ctattaaaac	agaaaatgga	tgaacttcat	aagaagttgc	atcaggtggt	960
ggagacatcc	catgaggatc	tgcccgtctc	ccaggaaagg	tccgaggtta	atccagcacg	1020
tatggggcca	agtgtaggct	cccagcagga	actgagagcg	ccatgtcttc	cagtaaccta	1080
tcagcagaca	ccagtgaaca	tggaaaagaa	ccaagagag	gcacctctg	ttgttctctc	1140
tttggcaa	gctatttctg	cagcttttgt	gtccccagcc	accagccaga	gcattgctcc	1200
tcctgttctc	ttgaaagccc	agacagtaac	agactccatg	tttgcaagtgg	ccagcaaaga	1260
tgtctgatgt	gtgaataaga	gtactcatga	attcaagcca	cagagtggag	cagagatcaa	1320
agaaggggtg	gaaacacata	aggttgccaa	cacaagttct	tttcacacaa	ctccaaacac	1380
atcactggga	atggttcagg	caacgccatc	caaagtgcag	ccatcaccca	ccgtgcacac	1440
aaaagaagca	ttaggtttca	tcataaatat	gtttcaggct	cctacacttc	ctgatatttc	1500
tgatgacaaa	gatgaatggc	aatctctaga	tcaaaatgaa	gatgcatttg	aagcccagtt	1560
tcaaaaaaat	gtaaggtcat	ctggggcttg	gggagtcaat	aagatcatct	cttctttgtc	1620
atctgtcttt	catgtgtttg	aagatggaaa	caaagaaaat	tatggattac	cacagcctaa	1680
aaataaacc	acaggagcca	ggacctttgg	agaacgctct	gtcagcagac	ttccttcaaa	1740
accaaggag	gaagtgcctc	atgctgaaga	gtttttggat	gactcaactg	tatggggtat	1800
tcgctgcaac	aaaaccctgg	cacccagtc	taagagccca	ggagacttca	catctgctgc	1860
acaacttgcg	tctacaccat	tccacaagct	tccagtggag	tcagtgcaca	ttttagaaga	1920
taaagaaaat	gtggtagcaa	aacagtgtac	ccaggcgact	ttggattctt	gtgaggaaaa	1980
catggtggtg	ccttcaagg	atggaaaatt	cagtccaatt	caagagaaaa	gccccaaaca	2040
ggccttgctg	tctcacatgt	attcagcatc	cttacttcgt	ctgagccagc	ctgctgcagg	2100
tggggtactt	acctgtgagg	cagagttggg	cggtgaggct	tgcagactca	cagacactga	2160
cgctgccatt	gcagaagatc	caccagatgc	tattgctggg	ctccaagcag	aatggatgca	2220
gatgagttca	cttgggactg	ttgatgctcc	aaacttcatt	gttgggaacc	catgggatga	2280
taagctgatt	ttcaaacttt	tatctgggct	ttctaaacca	gtgagttcct	atccaaatac	2340
ttttgaatgg	caatgtaa	ttccagccat	caagcccaag	actgaatttc	aattgggttc	2400
taagctggtc	tatgtccatc	accttcttgg	agaaggagcc	tttgcccagg	tgtacgaagc	2460
taccagggga	gatctgaatg	atgctaaaaa	taaacagaaa	tttgttttta	aggtccaaaa	2520
gcctgccaac	ccctgggaat	tctacattgg	gacccagttg	atggaaagac	taaagccatc	2580
tatgcagcac	atgtttatga	agttctat	tgcccactta	ttccagaatg	gcagtgtatt	2640
agtaggagag	ctctacagct	atggaacatt	attaaatgcc	attaacctct	ataaaaaatac	2700
ccctgaaaaa	gtgatgcctc	aaggtcttgt	catctctttt	gctatgagaa	tgctttacat	2760
gattgagcaa	gtgcatgact	gtgaaatcat	tcatggagac	attaaaccag	acaatttcat	2820

acttggaac	ggatttttgg	aacaggatga	tgaagatgat	ttatctgctg	gcttggcact	2880
gattgacctg	ggtcagagta	tagatatgaa	actttttcca	aaaggaacta	tattcacagc	2940
aaagtgtgaa	acatctgggt	ttcagtgtgt	tgagatgctc	agcaacaaac	catggaacta	3000
ccagatcgat	tactttgggg	ttgctgcaac	agtatatgtc	atgctctttg	gcacttacat	3060
gaaagtga	aatgaaggag	gagagtgtaa	gcctgaagg	cttttttagaa	ggcttcctca	3120
tttgatgatg	tggaatgaat	tttttcatgt	tatgttgaat	attccagatt	gtcatcatct	3180
tccatctttg	gatttggtta	ggcaaaagct	gaagaaagta	tttcaacaac	actatactaa	3240
caagattagg	gccctacgta	ataggcta	tgtactgctc	ttagaatgta	agcggtcacg	3300
aaaataaaat	ttggatatag	acagtcctta	aaaatcacac	tgtaaataatg	aatctgctca	3360
ctttaaacct	gttttttttt	cattttattgt	ttatgtaaat	gtttgttaaa	aataaatccc	3420
atggaatatt	tccatgtaaa	aaaaaa	3446			

<210> 148
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004336

<400> 148
 ttagggccct acgtaatagg ctaattgtac tgctcttaga atgtaagcgt tcacgaaaaat 60

<210> 149
 <211> 739
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004345

taaagcaaac	cccagccac	accctggcag	gcagccagg	atgggtggat	caggaaggct	60
cctggttggg	cttttgcac	aggctcagg	tgggcataaa	ggaggctcct	gtgggctaga	120
gggaggcaga	catggggacc	atgaagacc	aaagggatgg	ccactccctg	gggcgggtgg	180
cactggtgct	cctgctgctg	ggcctgggtga	tgctcttgcc	catcattgcc	caggtcctca	240
gctacaagga	agctgtgctt	cgtgctatag	atggcatcaa	ccagcgggtcc	tcggatgcta	300
acctctaccg	cctcctggac	ctggacccca	ggccccacgat	ggatggggac	ccagacacgc	360
caaagcctgt	gagcttcaca	gtgaaggaga	cagtgtgccc	caggacgaca	cagcagtcac	420
cagaggattg	tgacttcaag	aaggacgggc	tggtgaagcg	gtgtatgggg	acagtgaccc	480
tcaaccaggc	caggggctcc	tttgacatca	gttgtgataa	ggataacaag	agatttgccc	540
tgctgggtga	tttcttccgg	aaatctaaag	agaagattgg	caaagagttt	aaaagaattg	600
tccagagaat	caaggatttt	ttgcggaatc	ttgtacccag	gacagagtcc	tagtgtgtgc	660
cctaccctgg	ctcaggcttc	tgggctctga	gaaataaaact	atgagagcaa	tttcaaaaaa	720
aaaaaaaaaa	aaaaaaaaa	739				

<210> 150
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004345

<400> 150
 gcaaagagtt taaaagaatt gtccagagaa tcaaggattt tttgcggaat cttgtaccca 60

<210> 151
 <211> 1432
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_004577

<400> 151

```
gaggaaaatt cttccagcga tgggtctccca ctcagagctg aggaagcttt tctactcagc 60
agatgctgtg tgttttgatg ttgacagcac ggtcatcaga gaagaaggaa tcgatgagct 120
agccaaaatc tgtggcggtg aggacgcggt gtcagaaatg acacggcgag ccatgggcgg 180
ggcagtgccct ttcaaagctg ctctcacaga gcgcttagcc ctcatccagc cctccaggga 240
gcaggtgcag agactcatag cagagcaacc cccacacctg acccccggca taagggagct 300
ggtaagtcgc ctacaggagc gaaatgttca ggttttccta atatctggtg gctttaggag 360
tattgtagag catgttgctt caaagctcaa tatcccagca accaatgtat ttgccaatag 420
gctgaaattc tactttaacg gtgaatatgc aggttttgat gagacgcagc caacagctga 480
atctggtgga aaaggaaaag tgattaaact tttaaaggaa aaatttcatt ttaagaaaat 540
aatcatgatt ggagatggtg ccacagatat ggaagcctgt cctcctgctg atgctttcat 600
tggtattgga ggaaatgtga tcaggcaaca agtcaaggat aacgccaaat ggtatatcac 660
tgattttgta gagctgctgg gagaactgga agaataacat ccattgtcgt acagctccaa 720
acaacttcag atgaattttt acaagttata cagattgata ctgtttgctt acagttgcct 780
attacaactt gctatagaaa gttggtacaa atgatctgta ctttaaacta cagttaggaa 840
tcctagaaga ttgctttttt ttttttttta actgtagttc cagtattata tgatgactat 900
tgatttcagt gagaggtttt tttttttttt gagacagaat cttgctctgt tgcccaggct 960
ggagtgcagt ggcgcggtct cggctcactg caagctctgc ctcccagggt cacgccattc 1020
tcctgcctca gcctcccag tagctgggac tacaggcacc cgccaccaca tccggctaatt 1080
tttttgtatt tttagtagag acgggggttt accgtgttag ccaggatggt cttgatctcc 1140
tgacctgtg atccgcctgc ctcagcctcc caaagtgtcg ggattacagg cttggggccac 1200
cgcgcccagc caatgtccta gagagtgttg tgatctgaat tctttatgta tattttagtc 1260
tatatttcat acaaagtgtc ttaagtgtgg agagtcaatt aaacaccttt actcttagaa 1320
atacggattc ggcagccttc agtgaatat ggtttctctt tggatatgtc ataaaagttt 1380
atccgtatgt cagaacggat ttgtggaaaa aaaaaaaaaa aaaaaaaaaa aa 1432
```

<210> 152

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_004577

<400> 152

```
tagaaatacg gattcggcag ccttcagtga atattggttt ctcttttgta tgtcaataaa 60
```

<210> 153

<211> 1530

<212> DNA

<213> Homo sapiens

<300>

<308> NM_004701

<400> 153

```
aatcctggaa caaggctaca gcgtcgaaga tccccagcgc tgcgggctcg gagagcagtc 60
ctaacggcgc ctcgtaacct agtgtcctcc cttttcagtc cgcgtccctc cctggggcgg 120
gctggcactc ttgccttccc cgtccctcat ggcgtgctc cgacgcccga cgggtgtccag 180
tgatttgag aatattgaca caggagttaa ttctaaagtt aagagtcatt tgactattag 240
gcgaactgtt ttgaagaaa ttggaaatag agttacaacc agagcagcac aagtagctaa 300
gaaagctcag aacaccaaag ttccagttca acccaccaaa acaacaaatg tcaacaaaca 360
actgaaacct actgcttctg tcaaaccagt acagatggaa aagttggctc caaagggtcc 420
ttctcccaca cctgaggatg tctccatgaa ggaagagaat ctctgccaa gcttttctga 480
tgcttgcctc tgcaaaatcg aggacattga taacgaagat tgggagaacc ctcagctctg 540
cagtactac gttaaggata tctatcagta tctcaggcag ctggagggtt tgcagtccat 600
aaaccacat ttcttagatg gaagagatat aaatggacgc atgcgtgcca tcctagtggg 660
```

ttggctggta	caagtccact	ccaagtttag	gcttctgcag	gagactctgt	acatgtgcgt	720
tggcattatg	gatcgatttt	tacaggttca	gccagtttcc	cggaagaagc	ttcaattagt	780
tgggattact	gctctgctct	tggcttccaa	gtatgaggag	atgttttctc	caaattattga	840
agactttgtt	tacatcacag	acaatgctta	taccagttcc	caaatccgag	aaatggaaac	900
tctaattttg	aaagaattga	aatttgagtt	gggtcgaccc	ttgccactac	acttcttaag	960
gcgagcatca	aaagccgggg	aggttgatgt	tgaacagcac	acttttagcca	agtatttgat	1020
ggagctgact	ctcatcgact	atgatatggt	gcattatcat	ccttctaagg	tagcagcagc	1080
tgttctctgc	ttgtctcaga	aggttctagg	acaaggaaaa	tggaaacttaa	agcagcagta	1140
ttacacagga	tacacagaga	atgaagtatt	ggaagtcatt	cagcacatgg	ccaagaatgt	1200
ggtgaaaagta	aatgaaaact	taactaaatt	catcgccatc	aagaataagt	atgcaagcag	1260
caaaactcctg	aagatcacga	tgatccctca	gctgaactca	aaagccgtca	aagaccttgc	1320
ctccccactg	ataggaaggt	cctaggctgc	cgtgggacct	ggggatgtgt	gcttcattgt	1380
gccctttttc	ttattggttt	agaactcttg	attttgtaca	tagtcctctg	gtctatctca	1440
tgaaacctct	tctcagacca	gttttctaaa	catatattga	ggaaaaataa	agcgattggt	1500
ttttcttaag	gtaaaaaaaa	aaaaaaaaaa	1530			

<210> 154
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004701

<400> 154
 agaactcttg attttgtaca tagtcctctg gtctatctca tgaaacctct tctcagacca 60

<210> 155
 <211> 2536
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004702

<400> 155						
agcgggtgcg	gggcgggacc	ggccccggcct	atatattggg	ttggcgccgg	cgccagctga	60
gccgagcggg	agctgggtctg	gcgagggtttt	atacacctga	aagaagagaa	tgtcaagacg	120
aagtagccgt	ttacaagcta	agcagcagcc	ccagcccagc	cagacggaat	cccccaaga	180
agcccagata	atccaggcca	agaagaggaa	aactaccag	gatgtcaaaa	gaagtctggc	240
taaacatgtt	aaaaaaggag	agcagatatg	ttcatgacaa	acattttgaa	gttctgcatt	300
ctgacttggg	accacagatg	aggctccatac	ttctagactg	gcttttagag	gtatgtgaag	360
tatacacact	tcatagggaa	acattttatc	ttgcacaaga	cttttttgat	agatttatgt	420
tgacacaaaa	ggatataaat	aaaaatatgc	ttcaactcat	tggaaattacc	tcattattca	480
ttgcttccaa	acttgaggaa	atctatgctc	ctaaactcca	agagtttgct	tacgtcactg	540
atggtgcttg	cagtgaagag	gatattcttaa	ggatggaaact	cattatatta	aaggctttaa	600
aatgggaact	ttgtcctgta	acaatcatct	cctggctaaa	tctctttctc	caagttgatg	660
ctcttaaaaga	tgctcctaaa	gttctttctac	ctcagtatct	tcaggaaaca	ttcattcaaaa	720
tagctcagct	tttagatctg	tgtattctag	ccattgattc	attagagttc	cagtacagaa	780
tactgactgc	tgctgccttg	tgccatttta	cctccattga	agtggttaag	aaagcctcag	840
gtttggagtg	ggacagtatt	tcagaatgtg	tagattggat	ggtacccttt	gtcaatgtag	900
taaaaagtac	tagtccagtg	aagctgaaga	cttttaagaa	gattcctatg	gaagacagac	960
ataatatcca	gacacataca	aactattttg	ctatgctgga	ggaagtaa	tacataaaca	1020
ccttcagaaa	agggggacag	ttgtcaccag	tgtgcaatgg	aggcattatg	acaccaccga	1080
agagcactga	aaaaccacca	ggaaaacact	aaagaagata	actaagcaaa	caagttggaa	1140
ttaccaaga	ttgggtagaa	ctgggtatcac	tgaactacta	aagttttaca	gaaagtatgt	1200
ctgtgattga	ttgccctagc	caattcacaa	gttactactg	cattctgatt	ttaaaactta	1260
caattggcac	taaagaatac	atttaattat	ttcctatgtt	agctgttaaa	gaaacagcag	1320
gacttgttta	caaagatgtc	ttcattccca	aggttactgg	atagaagcca	accacagtct	1380
ataccatagc	aatgtttttc	ctttaatcca	gtgttactgt	gtttatcttg	ataaactagg	1440
aattttgtca	ctggagtttt	ggactggata	agtgtacct	ttaaagggtat	actaagtgat	1500

acagtacttt	gaatctagtt	gttagattct	caaaattcct	acactcttga	ctagtgcaat	1560
ttggttcttg	aaaattaaat	ttaaacttgt	ttacaaaggt	ttagttttgt	aataagggtga	1620
ctaattttatc	tatagctgct	atagcaagct	attataaaac	ttgaatttct	acaaatggtg	1680
aaattttaatg	ttttttaaac	tagttttattt	gccttgccat	aacacatttt	ttaactaata	1740
aggcttagat	gaacatggtg	ttcaacctgt	gctctaaaca	gtgggagtag	caaagaaatt	1800
ataaacaaga	taaatgctgt	ggctccttcc	taactggggc	tttcttgaca	tgtagggttg	1860
ttggttaataa	cctttttgta	tatcacaatt	tgggtgaaaa	acttaagtac	cctttcaaac	1920
tatttatatg	aggaagtcac	tttactactc	taagatatcc	ctaagggaatt	ttttttttta	1980
atttagtggtg	actaaggctt	tattttatgtt	tgtgaaactg	ttaaggtcct	ttctaaattc	2040
ctccattgtg	agataaggac	agtgtcaaag	tgataaagct	taacacttga	cctaaacttc	2100
tattttctta	aggaagaaga	gtattaaata	tatactgact	cctagaaatc	tattttattaa	2160
aaaaagacat	gaaaacttgc	tgtacatagg	ctagctattt	ctaaatatatt	taaatagct	2220
tttctaaaaa	aaaaatccag	cctcataaag	tagattagaa	aactagattg	ctagttttatt	2280
ttgttatcag	atatgtgaat	ctcttctccc	tttgaagaaa	ctatacattt	attgttacgg	2340
tatgaagtct	tctgtatagt	ttgtttttta	actaatattt	gtttcagtat	tttgtctgaa	2400
aagaaaacac	cactaattgt	gtacatatgt	attatataaa	cttaaccttt	taatactgtt	2460
tatttttagc	ccattgttta	aaaaataaaa	gttaaaaaaa	tttaactgct	taaaagtaa	2520
aaaaaaaaaa	aaaaaa	2536				

<210> 156
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004702

<400> 156	
gtttgtgaaa	ctgttaaggt ccttttctaaa ttccctccatt gtgagataag gacagtggtca 60

<210> 157
 <211> 1491
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004710

<400> 157	
gcggcgccgg	cagcgccggc gacggcgaca tggagagcgg ggcctacggc gcggccaagg 60
cgggcgccgc	cttcgacctg cggcgcttcc tgacgcagcc gcagggtggtg gcgcgcgccg 120
tgtgcttggt	cttcgccttg atcgtgttct cctgcactca tggtgagggc tacagcaatg 180
cccacgagtc	taagcagatg tactgcgtgt tcaaccgcaa cgaggatgcc tgccgctatg 240
gcagtgccat	cggggtgctg gccttcctgg cctcggcctt cttcttggtg gtcgacgcgt 300
atttcccca	gatcagcaac gccactgacc gcaagtacct ggtcattggt gacctgctct 360
tctcagctct	ctggaccttc ctgtggtttg ttggtttctg cttcctcacc aaccagtggg 420
cagtcaccaa	cccgaaggac gtgctggtgg gggccgactc tgtgagggca gccatcacct 480
tcagcttctt	ttccatcttc tccctgggtg tgcctggcctc cctggcctac cagcgctaca 540
aggctggcgt	ggacgacttc atccagaatt acgttgaccc cactccggac cccaacactg 600
cctacgcctc	ctaccaggtg gcactctgtg acaactacca acagccaccc ttcaccacga 660
acgcggagac	caccgagggc taccagccgc ccctgtgta ctgagcggcg gttagcgtgg 720
gaagggggac	agagagggcc ctccctctct ccctggactt tcccatgagc ctccctggaac 780
tgccagcccc	tctctttcac ctgttccatc ctgtgcagct gacacacagc taaggagcct 840
catagcctgg	cgggggctgg cagagccaca cccaagtgc ctgtgcccag agggcttcag 900
tcagccgctc	actcctccag ggcattttta ggaaagggtt ttcagctagt gtttttcctc 960
gcttttaatg	acctcagccc ggctagaagc cagcaggtgc ccatgtgcta 1020
ctgacaagtg	cctcagcttc cccccggccc gggtcaggcc gtgggagccg ctattatctg 1080
cgttctctgc	caaagactcg tggggggccat cacacctgcc ctgtgcagcg gagccggacc 1140
aggctcttgt	gtcctcactc aggtttgctt ccctgtgcc cactgctgta tgatctgggg 1200
gccaccacca	tgtgccggtg gcctctgggc tgcctcccgt ggtgtgaggg cggggctggg 1260
gctcatggca	cttcctcctt gctcccaccc ctggcagcag ggaagggtt tgcctgacaa 1320

cacccagctt	tatgtaaata	ttctgcagtt	gttacttagg	aagcctgggg	agggcagggg	1380
tgcccatgg	ctcccagact	ctgtctgtgc	cgagtgtatt	ataaaatcgt	gggggagatg	1440
cccggcctgg	gatgctgttt	ggagacggaa	taaatgtttt	ctcattcagt	a	1491

<210> 158
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004710

<400> 158	
ttgcctgaca	acacccagct ttatgtaaatt attctgcagtt tgttacttag gaagcctggg 60

<210> 159
 <211> 3324
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004856

<400> 159	
gcagagcacc	gcgccttagc cgcgaagttc tagttcttgc tgccggtcct aacgtcccgc 60
agtcttcgcc	agccagccgt cccgcatgcg cgtttggggc gcgtaggagcc tgctgccatg 120
aagtcagcga	gagctaagac accccggaaa cctaccgtga aaaaagggtc ccaaacgaac 180
cttaaagacc	cagttggggg atactgtagg gtgcgcccac tgggctttcc tgatcaagag 240
tggtgcatag	aagtgatcaa taatacaact gttcagcttc atactcctga gggctacaga 300
ctcaaccgaa	atggagacta taaggagact cagtattcat ttaaacaagt atttggcact 360
cacaccaccc	agaaggaaact ctttgatgtt gtggctaata ccttgggtcaa tgacctcatt 420
catggcaaaa	atggctcttct ttttacatat ggtgtgacgg gaagtggaaa aactcacaca 480
atgactgggt	ctccagggga aggagggctg cttcctcgtt gtttggacat gatctttaac 540
agtatagggt	catttcaagc taaacgatat gttttcaaat ctaatgatag gaatagtatg 600
gatatacagt	gtgaggttga tgccttatta gaacgtcaga aaagagaagc tatgcccaat 660
ccaaagactt	cttctagcaa acgacaagta gatccagagt ttgcagatat gataactgta 720
caagaattct	gcaaagcaga agaggttgat gaagatagtg tctatggtgt atttgtctct 780
tatattgaaa	tatataataa ttacatatat gatctattgg aagaggtgcc gtttgatccc 840
ataaaaccca	aacctccaca atctaaattg cttcgtgaag ataagaacca taacatgtat 900
gttgagcagg	gtacagaagt tgaagtgaat tctactgagg aggcctttga agttttcttg 960
agaggccaga	aaaagagacg tattgctaata acccatattga atcgtgagtc cagccgttcc 1020
catagcgtgt	tcaacattaa attagttcag gctcccttgg atgcagatgg agacaatgtc 1080
ttacaggaaa	aagaacaaat cactataagt cagttgtcct tggtagatct tgctggaagt 1140
gaaagaacta	accggaccag agcagaaggg aacagattac gtgaagctgg taatattaat 1200
cagtcactaa	tgacgctaag aacatgtatg gatgtcctaa gagagaacca aatgtatgga 1260
actaacaaga	tggttcataa tcgagattca aagttaaccc atctgttcaa gaactacttt 1320
gatggggaag	gaaaagtgcg gatgatcgtg tgtgtgaacc ccaaggctga agattatgaa 1380
gaaaacttgc	aagtcatgag atttgcgga gtagctcaag aagttgaagt agcaagacct 1440
gtagacaagg	caatatgtgg tttaacgcct gggaggagat acagaaacca gcctcgaggt 1500
ccagttggaa	atgaaccatt ggttactgac gtggttttgc agagttttcc acctttgccg 1560
tcatgcgaaa	ttttggatat caacgatgag cagacacttc caaggctgat tgaagcctta 1620
gagaaacgac	ataacttacg acaaatgatg attgatgagt ttaacaaaca atctaattgct 1680
tttaaagctt	tgttacaaga atttgacaat gctgttttaa gtaaagaaaa ccacatgcaa 1740
gggaaactaa	atgaaaagga gaagatgatc tcaggacaga aattggaaat agaacgactg 1800
gaaaagaaaa	acaaaacttt agaataataa attgagattt tagagaaaac aactactatc 1860
tatgaggaag	ataaacgcaa tttgcaacag gaacttgaaa ctcagaacca gaaacttcag 1920
cgacagtttt	ctgacaaaac cagattagaa gccaggttgc aaggcatggt gacagaaacg 1980
acaatgaagt	gggagaaaga atgtgagcgt agagtggcag ccaaacagct ggagatgcag 2040
aataaactct	gggttaaaga tgaaaagctg aaacaactga aggtctattgt tactgaacct 2100
aaaactgaga	agccagagag accctctcgg gagcgagatc gagaaaaagt tactcaaaga 2160
tctgtttctc	catcacctgt gcctttactc tttcaacctg atcagaacgc accaccaatt 2220

cgtctccgac	acagacgac	acgctctgca	ggagacagat	gggtagatca	taagcccgcc	2280
tctaaccatgc	aaactgaaac	agtcattgcag	ccacatgtcc	ctcatgccat	cacagtatct	2340
gttgcaaatg	aaaaggcact	agctaagtgt	gagaagtaca	tgctgaccca	ccaggaaacta	2400
gcctccgatg	gggagattga	aactaaacta	attaagggtg	atattttataa	aacaaggggt	2460
gggtggacaat	ctgttcagtt	tactgatatt	gagactttta	agcaagaatc	accaaattggt	2520
agtcgaaaac	gaagatcttc	cacagtagca	cctgcccac	cagatggtgc	agagtctgaa	2580
tggaccgatg	tagaaacaag	gtgttctgtg	gctgtggaga	tgagagcagg	atcccagctg	2640
ggacctggat	atcagcatca	cgcacaaccc	aagcgcaaaa	agccatgaac	tgacagtccc	2700
agtactgaaa	gaacattttc	atgtgtgtgg	atgattttctc	gaaagccatg	ccagaagcag	2760
tcttccaggt	catctttag	aactccagct	ttgttgaaaa	tcacggacct	cagctacatc	2820
atacactgac	ccagagcaaa	gctttcccta	tggttccaaa	gacaactagt	attcaacaaa	2880
ccttgtagatg	tatatgtttt	gccatattta	atattaatag	cagaggaaga	ctcctttttt	2940
catcactgta	tgaatttttt	ataatgtttt	tttaaaatat	atttcatgta	tacttataaa	3000
ctaattcaca	caagtgtttg	tcttagatga	ttaagggaaga	ctatatctag	atcatgtctg	3060
attttttatt	gtgacttctc	cagccctggg	ctgaattttct	taagggtttta	taaacaaatg	3120
ctgctattta	ttagctgcaa	gaatgcactt	tagaactatt	tgacaattca	gactttcaaa	3180
ataaagatgt	aaatgactgg	ccaataataa	ccatttttagg	aagggtgttt	gaattctgta	3240
tgtatatatt	cactttctga	catttagata	tgccaaaaga	attaaaatca	aaagcactaa	3300
gaaataaaaa	aaaaaaaaaa	aaaa	3324			

<210> 160
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004856

<400> 160
 caaagctttc cctatggttc aaagacaact agtattcaac aaaccttgta tagtgtatgt 60

<210> 161
 <211> 1536
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004900

<400> 161

acagagcttc	aaaaaaagag	cgggacaggg	acaagcgtat	ctaagaggct	gaacatgaat	60
ccacagatca	gaaatccgat	ggagcggatg	tatcgagaca	cattctacga	caactttgaa	120
aacgaacca	tcctctatgg	tcggagctac	acttggtgtg	gctatgaagt	gaaaataaag	180
aggggccgct	caaatctcct	ttgggacaca	ggggtctttc	gaggccaggt	gtattttcaag	240
cctcagtacc	acgcagaaat	gtgcttcctc	tcttggttct	gtggcaacca	gctgcctgct	300
tacaagtgtt	tccagatcac	ctggtttgta	tcttggaacc	cctgcccgga	ctgtgtggcg	360
aagctggccg	aattcctgtc	tgagcaaccc	aatgtcaccc	tgaccatctc	tgccgcccg	420
ctctactact	actgggaaag	agattaccga	agggcgctct	gcaggctgag	tcaggcagga	480
gcccgctga	cgatcatgga	ctatgaagaa	tttgcatact	gctgggaaaa	ctttgtgtac	540
aatgaaggtc	agcaattcat	gccttggtac	aaattcgatg	aaaattatgc	attcctgcac	600
cgcacgctaa	aggagattct	cagatacctg	atggatccag	acacattcac	tttcaacttt	660
aataatgacc	ctttggctct	tcgacggcgc	cagacctact	tgtgctatga	ggtggagcgc	720
ctggacaatg	gcacctgggt	cctgatggac	cagcacatgg	gctttctatg	caacgaggct	780
aagaatcttc	tctgtggctt	ttacggccgc	catgctggag	tgcgcttctt	ggacctggtt	840
ccttctttgc	agttggaccc	ggcccagatc	tacagggtca	cttggttcat	ctcctggagc	900
ccctgcttct	cctggggctg	tgccggggaa	gtgcgtgcgt	tccttcagga	gaacacacac	960
gtgagactgc	gcacttctgc	tgcccgcatc	tatgattacg	acccctata	taaggaggcg	1020
ctgcaaatgc	tgccgggatgc	tggggcccaa	gtctccatca	tgacctacga	tgagtttgag	1080
tactgctggg	acacctttgt	gtaccgccag	ggatgtccct	tccagccctg	ggatggacta	1140
gaggagcaca	gccaaagccct	gagtgaggag	ctgcggggcca	ttctccagaa	tcagggaaac	1200
tgaaggatgg	gcctcagtct	ctaaggaagg	cagagacctg	ggttgagcag	cagaataaaa	1260

gatcttcttc	caagaaatgc	aaacagaccg	ttcaccacca	tctccagctg	ctcacagaca	1320
ccagcaaagc	aatgtgctcc	tgatcaagta	gattttttta	aatcagagt	caattaattt	1380
taattgaaaa	tttctcttat	gttccaagt	tacaagagta	agattatgct	caatattccc	1440
agaatagttt	tcaatgtatt	aatgaagtga	ttaattggct	ccatatttag	actaataaaa	1500
cattaagaat	cttcataat	tgtttccaca	aacact	1536		

<210> 162
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004900

<400> 162
 tgctcacaga caccagcaaa gcaatgtgct cctgatcaag tagatttttt aaaaatcaga 60

<210> 163
 <211> 1722
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_004988

<400> 163

cgtagagttc	ggccgaagga	acctgaccca	ggctctgtga	ggaggcaagg	ttttcagggg	60
acaggccaac	ccagaggaca	ggattccctg	gaggccacag	aggagcacca	aggagaagat	120
ctgcctgtgg	gtcttcattg	cccagctcct	gcccacactc	ctgcctgctg	ccctgacgag	180
agtcatcatg	tctcttgagc	agaggagtct	gcactgcaag	cctgagggaag	cccttgaggc	240
ccaacaagag	gccctgggcc	tggtgtgtgt	gcaggetgcc	gcctcctcct	cctctcctct	300
ggctcctggg	accctggagg	aggtgcccac	tgctgggtca	acagatcctc	cccagagtcc	360
tcaggggagc	tccgcctttc	ccactaccat	caacttcaact	cgacagaggc	aaccagtgga	420
gggttccagc	agccgtgaag	aggagggggc	aagcacctct	tgtatcctgg	agtccttggt	480
ccgagcagta	atcactaaga	aggtggctga	tttggttggt	tttctgctcc	tcaaatatcg	540
agccagggag	ccagtcacaa	aggcagaaat	gctggagagt	gtcatcaaaa	attacaagca	600
ctgttttctc	gagatcttcg	gcaaagcctc	tgagtccttg	cagctgggtc	ttggcattga	660
cgtgaaggaa	gcagacccca	ccggccactc	ctatgtcctt	gtcacctgcc	taggtctctc	720
ctatgatggc	ctgctgggtg	ataatcagat	catgcccagg	acaggcttcc	tgataattgt	780
cctggtcatg	attgcaatgg	agggcggcca	tgctcctgag	gaggaaatct	gggaggagct	840
gagtgtgatg	gaggtgtatg	atgggaggga	gcacagtgcc	tatggggagc	ccaggaagct	900
gctcacccaa	gatttggtgc	aggaaaagta	cctggagtac	cggcaggtgc	cggacagtga	960
tcccgcacgc	tatgagttcc	tgtgggggtc	aagggccctt	gctgaaacca	gctatgtgaa	1020
agtccttgag	tatgtgatca	aggtcagtg	aagagttcgc	tttttcttcc	catccctgcg	1080
tgaagcagct	ttgagagagg	aggaagaggg	agtctgagca	tgagttgcag	ccagggccag	1140
tgggaggggg	actgggccag	tgcaccttcc	agggccgcgt	ccagcagctt	cccctgcctc	1200
gtgtgacatg	aggccatttc	ttcactctga	agagagcggt	cagtgttctc	agtagtaggt	1260
ttctgttcta	ttgggtgact	tggagattta	tctttgttct	cttttggaat	tgttcaaatg	1320
ttttttttta	agggatgggt	gaatgaactt	cagcatccaa	gtttatgaat	gacagcagtc	1380
acacagttct	gtgtatatag	tttaagggtg	agagtcttgt	gttttattca	gattgggaaa	1440
tccattctat	tttgtgaatt	gggataataa	cagcagtggg	ataagtactt	agaaatgtga	1500
aaaatgagca	gtaaaataga	tgagataaag	aactaaagaa	attaagagat	agtcaattct	1560
tgccattatac	ctcagttctat	tctgtaaaaa	ttttaaagat	atatgcatac	ctggatttcc	1620
ttggcttctt	tgagaatgta	agagaaaatta	aatctgaata	aagaattctt	cctgttaaaa	1680
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aa	1722	

<210> 164
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
<308> NM_004988

<400> 164
cagattggga aatccattct attttgtgaa ttgggataat aacagcagtg gaataagtac 60

<210> 165
<211> 2334
<212> DNA
<213> Homo sapiens

<300>
<308> NM_004994

<400> 165
agacacctct gccctcacca tgagcctctg gcagcccctg gtcctggtgc tcctggtgct 60
gggctgctgc tttgctgccc ccagacagcg ccagtcacc cttgtgctct tccctggaga 120
cctgagaacc aatctcaccc acaggcagct ggcagaggaa tacctgtacc gctatggtta 180
cactcgggtg gcagagatgc gtggagagtc gaaatctctg gggcctgcgc tgctgcttct 240
ccagaagcaa ctgtccctgc ccgagaccgg tgagctggat agcgccacgc tgaaggccat 300
gcgaacccca cgggtgcggg tcccagacct gggcagattc caaacctttg agggcgacct 360
caagtggcac caccacaaca tcacctattg gatccaaaac tactcggaag acttgccgcg 420
ggcgggtgatt gacgacgctt ttgcccgcgc cttcgcaactg tggagcgcgg tgacgccgct 480
caccttcaact cgcgtgtaca gccgggacgc agacatcgtc atccagtttg gtgtcgcgga 540
gcacggagac gggatatccct tcgacgggaa ggacgggctc ctggcacacg cctttcctcc 600
tggtcccgcg attcagggag acgcccattt cgacgatgac gaggttgtgt ccctgggcaa 660
gggcgtcgtg gttccaactc ggttttgaaa cgcagatggc gcggcctgcc acttcccctt 720
catcttcgag ggccgctcct actctgcctg caccaccgac ggtcgtctcc acggcttgcc 780
ctggtgcagt accacggcca actacgacac cgacgaccgg tttggcttct gccccagcga 840
gagactctac acccgggacg gcaatgctga tgggaaaacc tgccagtttc cattcatctt 900
ccaaggccaa tcctactccg cctgcaccac ggcgggtcgc tccgacggct accgctggtg 960
cgccaccacc gccaaactacg accgggacaa gctcttcggc ttctgcccga cccgagctga 1020
ctcgacgggtg atggggggca actcggcggg ggagctgtgc gtcttcccct tcactttcct 1080
gggtaaggag tactcgacct gtaccagcga gggcgcgcga gatgggcgcc tctggtgcgc 1140
taccacctcg aactttgaca gcgacaagaa gtggggcttc tgcccggacc aaggatacag 1200
tttgttccctc gtggcggcgc atgagttcgg ccacgcgctg ggcttagatc attcctcagt 1260
gccggaggcg ctcatgtacc ctatgtaccg cttaactgag gggccccctt tgcataagga 1320
cgacgtgaat ggcacccggc acctctatgg tccctgcctt gaacctgagc cacggcctcc 1380
aaccaccacc acaccgcagc ccacggctcc cccgacggtc tgccccaccg gacccccac 1440
tgtccacccc tcagagcgcc ccacagctgg cccacaggt ccccccctcag ctggccccac 1500
aggtcccccc actgctggcc cttctacggc cactactgtg cctttgagtc cgggtggacga 1560
tgctgcaac gtgaacatct tcgacgccat cgcggagatt gggaaccagc tgtatttgtt 1620
caaggatggg aagtactggc gattctctga gggcaggggg agccggccgc agggcccctt 1680
ccttatcgcc gacaagtggc ccgcgctgcc ccgcaagctg gactcggctt ttgaggagcc 1740
gctctccaag aagcttttct tcttctctgg gcgccaggtg tgggtgtaca caggcgcgctc 1800
ggtgctgggc ccgaggcgtc tggacaagct gggcctggga gccgacgtgg ccaggtgac 1860
cggggccctc cggagtggca gggggaagat gctgctgttc agcgggcggc gcctctggag 1920
gttcgacgtg aaggcgca tgggtggatcc ccggagcgcc agcgaggtgg accgatgtt 1980
ccccggggtg cctttggaca cgcaogacgt cttccagtac cgagagaaaag cctatttctg 2040
ccaggaccgc ttctactggc gcgtgagttc ccggagttag ttgaaccagg tggaccaagt 2100
gggctacgtg acctatgaca tcttgcagtg cctgaggac tagggctccc gtctgcttt 2160
gcagtgccat gtaaatcccc actgggacca accctgggga aggagccagt ttgccggata 2220
caaactggta ttctgttctg gaggaaaggg aggagtggag gtgggctggg cctctctctc 2280
tcacctttgt tttttgttgg agtgtttcta ataaacttgg attctctaac cttt 2334

<210> 166
<211> 60
<212> DNA
<213> Homo sapiens

<300>

<308> NM_004994

<400> 166

ggccctctct tctcaccttt gttttttggt ggagtgtttc taataaaactt ggattctctta 60

<210> 167

<211> 5329

<212> DNA

<213> Homo sapiens

<220>

<221> Modified_base

<222> 1 ... 5329

<223> n = a,c,g, or t

<300>

<308> NM_005063

<400> 167

gtggtgtcgg	tgtcggcagc	atccccggcg	ccctgctgcg	gtcgcgggag	ccctcggcct	60
ctgttctcct	ccccctccc	cccttacctc	cacgcgggac	cgcccgcgcc	agtcaactcc	120
tgcacttttg	ccctgcttg	gcagcggata	aaagggggct	gaggaaatac	cggacacgtc	180
cacccgttgc	cagctctagc	ctttaaattc	ccggctcggg	acctccacgc	accgggctag	240
cgccgacaac	cagctagcgt	gcaaggcgcc	gcggctcagc	gcgtaccggc	gggcttcgaa	300
accgcagtcc	tccggcgacc	ccgaactccg	ctccggagcc	tcagccccct	ggaaagtgat	360
cccggcatcg	gagagccaag	atgccggccc	acttgctgca	ggacgatatc	tctagctcct	420
ataccaccac	caccaccatt	acagcgccct	cctccagggt	cctgcagaat	ggaggagata	480
agttggagac	gatgccccct	tacttggaag	acgacattcg	ccctgatata	aaagatgata	540
tatatgacct	cacctacaag	gataaggaag	gccccagccc	caagggtgaa	tatgtctgga	600
gaaacatcat	ccttatgtct	ctgctacact	tgggagccct	gtatgggatc	actttgattc	660
ctacctgcaa	gttctacacc	tggctttggg	gggtattcta	ctattttgtc	agtgccttgg	720
gcataacagc	aggagctcat	cgtctgtgga	gccaccgctc	ttacaaagct	cggctgcccc	780
tacggctctt	tctgatcatt	gccaacacaa	tggcattcca	gaatgatgtc	tatgaatggg	840
ctcgtgacca	ccgtgcccac	cacaagtttt	cagaaacaca	tgctgatcct	cataattccc	900
gacgtggctt	tttcttctct	cacgtggggt	ggctgcttgt	gcgcaaacac	ccagctgtca	960
aagagaaggg	gagtacgcta	gacttgtctg	acctagaagc	tgagaaactg	gtgatgttcc	1020
agaggaggtg	ctacaaacct	ggcttgtctg	tgatgtgctt	catcctgccc	acgcttgtgc	1080
cctggtattt	ctggggtgaa	acttttcaaa	acagtgtggt	cgttgccact	ttcttgcgat	1140
atgctgtggt	gcttaatgcc	acctggctgg	tgaacagtgc	tgcccacctc	ttcggatata	1200
gtccttatga	caagaacatt	agccccgggg	agaatatcct	ggtttcactt	ggagctgtgg	1260
gtgagggctt	ccacaactac	caccactcct	ttccctatga	ctactctgcc	agtgagtacc	1320
gctggcacat	caacttcacc	acattcttca	ttgattgcat	ggccgcccct	ggtctggcct	1380
atgaccggaa	gaaagtctcc	aaggccggca	tcttgccag	gattaaaaga	accggagatg	1440
gaaactacaa	gagtggctga	gtttgggggc	cctcaggttc	ctttttcaaa	aaccagccag	1500
gcagagggtt	taatgtctgt	ttattaacta	ctgaataatg	ctaccaggat	gctaaagatg	1560
atgatgttaa	cccattccag	tacagtattc	ttttaaaatt	caaaagtatt	gaaagccaac	1620
aactctgcct	ttatgatgct	aagctgatat	tatttcttct	cttatcctct	ctctcttcta	1680
ggccccattgt	cctccttttc	actttaatcg	ccctcctttc	ccttattgcc	tcccaggcaa	1740
gcagctggtc	agtctttgct	cagtgtccag	cttccaaagc	ctagacaacc	tttctgtagc	1800
ctaaaacgaa	tggcttttgc	tccagataac	tctctttcct	tgagctgttg	tgagctttga	1860
agtaggtggc	ttgagctaga	gataaaacag	aatcttctgg	gtagtcccct	gttgattatc	1920
ttcagcccag	gcttttgcta	gatggaatgg	aaaagcaact	tcatttgaca	caaagcttct	1980
aaagcnaggt	aaattgtcgg	gggagagagt	tagcatgtat	gaatgtaagg	atgaggggaag	2040
cgaagggaacc	tctcgccatg	atcagacata	cagctgccta	cctaatgagg	acttcaagcc	2100
ccaccacata	gcatgcttcc	tttctctcct	ggctcggggg	aaaaagtggc	tgcgggtgtt	2160
ggcaatgcta	attcaatgcc	gcaacatata	gttgaggccg	aggataaaga	aaagacattt	2220
taagtttgta	gtaaaagtgg	tctctgtctg	ggaagggttt	tcttttcttt	ttttctttta	2280
taacaaggag	atttcttagt	tcatatatca	agaagtcttg	aagttgggtg	tttccagaat	2340
tggtaaaaaac	agcagctcat	agaattttga	gtattccatg	agctgctcat	tacagttctt	2400
tcctctttct	gctctgccat	cttcaggata	ttggttcttc	ccctcatagt	aataagatgg	2460
ctgtggcatt	tccaaacatc	caaaaaaagg	gaaggattta	aggaggtgaa	gtcgggtcaa	2520

aaataaaata	tatatacata	tatacattgc	ttagaacggt	aaactattag	agtatttccc	2580
ttccaaagag	ggatgtttgg	aaaaaactct	gaaggagagg	aggaattagt	tgggatgcca	2640
atttcctctc	cactgctgga	catgagatgg	agaggctgag	ggacaggatc	tataggcagc	2700
ttctaagagc	gaacttcaca	taggaaggga	tctgagaaca	cgttcagggg	ttgagaaggt	2760
tactgagtga	gttattggga	gtcttaataa	actagatatt	aggtccattc	attaattagt	2820
tccagtttct	ccttgaaatg	agtaaaaact	agaaggcttc	tctccacagt	gttgtgcccc	2880
ttcactcatt	tttttttgag	gagaaggggg	tctctgttaa	catctagcct	aaagtataca	2940
aactgcctgg	ggggcagggg	taggaatctc	ttcactaccc	tgattcttga	ttcctggctc	3000
taccctgtct	gtcccttttc	tttgaccaga	tctttctctt	ccctgaacgt	tttcttcttt	3060
ccctggacag	gcagcctcct	ttgtgtgtat	tcagaggcag	tgatgacttg	ctgtccaggc	3120
agctccctcc	tgcacacaga	atgctcaggg	tcactgaacc	actgcttctc	ttttgaaagt	3180
agagctagct	gccactttca	cgtggcctcc	gcagtgtctc	cacctacacc	cctgtgctcc	3240
cctgccacac	tgatggctca	agacaaggct	ggcaaacctc	cccagaaaac	tctctggccc	3300
agaaaagcctc	tctctccctc	cctctctcat	gagaagccaa	gcgctcatgt	tgagccagtg	3360
ggccagccac	agagcaaaaag	agggtttatt	ttcagtcccc	tctctctggg	tcagaaccag	3420
agggcatgct	gaatgcccc	tgcttacttg	gtgaggggtg	cccgctgag	tcagtgtctc	3480
cagctggcag	tgcaatgctt	gtagaagtag	gaggaaacag	ttctcactgg	gaagaagcaa	3540
gggcaagaac	ccaagtgcct	cacctcgaaa	ggaggccctg	ttccctggag	tcagggtgaa	3600
ctgcaaaagct	ttggctgaga	cctgggattt	gagataccac	aaacctgct	gaacacagtg	3660
tctgttcagc	aaactaacca	gcattcccta	cagcttaggg	cagacaatag	tatagaagtc	3720
tggaaaaaaa	caaaaacaga	atttgagaac	cctggaccac	tctgtccct	gtagctcagt	3780
catcaaaagca	gaagtctggc	tttgctctat	taagattgga	aatgtacact	accaaact	3840
cagtccactg	ttgagcccca	gtgctggaag	ggaggaaggc	ctttcttctg	tgtaattgct	3900
gtagaggcta	caggggttag	cctggactaa	aggcatcctt	gtctttgagc	tattcacctc	3960
agtagaaaag	gatctaaggg	aagatcactg	tagtttagtt	ctgttgacct	gtgcacctac	4020
cccttggaag	tgtctgctgg	tatttctaatt	tccacagggtc	atcagatgcc	tgcttgataa	4080
tatataaaaca	ataaaaacaa	ctttcacttc	ttcctattgt	aatcgtgtgc	catggatctg	4140
atctgtacca	tgacctaca	taaggctgga	tggcacctca	ggctgagggc	cccaatgtat	4200
gtgtggctgt	gggtgtgggt	gggagtgtgt	ctgctgagta	aggaacacga	ttttcaagat	4260
tctaaagctc	aattcaagtg	acacattaat	gataaactca	gatctgatca	agagtccgga	4320
tttctaaccag	tccttgcttt	ggggggtgtg	ctggcaactt	agctcagggtg	ccttacatct	4380
tttctaataca	cagtgttgca	tatgagcctg	ccctcactcc	ctctgcagaa	tccttttgca	4440
cctgagaccc	tactgaagtg	gctggtagaa	aaaggggcct	gagtggagga	ttatcagtat	4500
cacgatttgc	aggattccct	tctgggcttc	attctggaaa	cttttgtag	ggctgctttt	4560
cttaagtgcc	cacatttgat	ggaggggtgga	aataatttga	atgtatttga	tttataagtt	4620
tttttttttt	tttgggttaa	aagatggttg	tagcatttaa	aatggaaaat	tttctccttg	4680
gtttgctagt	atcttgggtg	tattctctgt	aagtgtagct	caaataagtc	atcatgaaag	4740
gttaaaaaag	cgaggtggcc	atgttatgct	ggtggttgcc	agggcctcca	accactgtgc	4800
cactgacttg	ctgtgtgacc	ctgggcaagt	cacttaacta	taagggtgct	cagttttcct	4860
tctgttaaaa	tggggataat	aatactgacc	tacctcaaa	ggcagttttg	aggcatgact	4920
aatgcttttt	agaaagcatt	ttgggatcct	tcagcacagg	aattctcaag	acctgagtat	4980
ttttttataat	aggaatgtcc	accatgaact	tgatacgtcc	gtgtgtccca	gatgctgtca	5040
ttagtctata	tggttctcca	agaaactgaa	tgaatccatt	ggagaagcgg	tggaataacta	5100
gccagacaaa	atttgagaat	acataaacia	cgcattgcc	cggaaacata	cagaggatgc	5160
cttttctgtg	attgggtggg	attttttccc	tttttatgtg	ggatatagta	gttacttgtg	5220
acaagaataa	ttttggaata	atttctatta	atatcaactc	tgaagctaata	tgtactaatc	5280
tgagattgtg	tttgttcata	ataaaagtga	agtgaatctg	attgcactg	5329	

<210> 168
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005063

<400> 168
 aataatgcta ccaggatgct aaagatgatg atgttaaccc attccagtac agtattcttt 60

<210> 169
 <211> 634

<212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005101

<400> 169
 cggtctgagag gcagcgaact catcttttggc agtacaggag cttgtgccgt ggcccacagc 60
 ccacagccca cagccatggg ctgggacctg acggtgaaga tgctggcggg caacgaattc 120
 caggtgtccc tgagcagctc catgtcgggtg tcagagctga aggcgcagat caccagaag 180
 attggcgtgc acgccttcca gcagcgtctg gctgtccacc cgagcgggtg ggcgctgcag 240
 gacagggtcc cccttgccag ccaggggcctg ggccctggca gcacggtcct gctgggtggtg 300
 gacaaatgcg acgaacctct gagcatcctg gtgaggaata acaagggccg cagcagcacc 360
 tacgaggtcc ggctgacgca gaccgtggcc cacctgaagc agcaagttag cgggctggag 420
 ggtgtgcagg acgacctgtt ctggctgacc ttcgagggga agcccttga ggaccagctc 480
 ccgctggggg agtacggcct caagccctg agcaccgtgt tcatgaatct gcgcctgcgg 540
 ggagggcgga cagagcctgg cgggcggagc taagggcctc caccagcatc cgagcaggat 600
 caagggccgg aaataaaggc tgttgtaaga gaat 634

<210> 170
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005101

<400> 170
 tgggtgtgga caaatgagac gaacctctga gcatcctggt gaggaataac aagggccgca 60

<210> 171
 <211> 1339
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005139

<400> 171
 gaattccgat tagtgtgacg tcagctcaag gcaaagggtg gatatcatgg catctatctg 60
 ggttggacac cgaggaacag taagagatta tccagacttt agcccatcag tggatgctga 120
 agctattcag aaagcaatca gaggaattgg aactgatgag aaaatgctca tcagcattct 180
 gactgagagg tcaaatgcac agcggcagct gattgttaag gaatatcaag cagcatatgg 240
 aaaggagctg aaagatgact tgaagggtga tctctctggc cactttgagc atctcatggt 300
 ggccctagtg actccaccag cagtctttga tgcaaagcag cttaaagaaat ccataaagg 360
 cgcggaaca aacgaagatg ccttgattga aatcttaact accaggacaa gcaggcaa 420
 gaagatatc tctcaagcct attatacagt atacaagaag agtcttgag atgacattag 480
 ttccgaaaca tctggtgact tccggaaagc tctgttgact ttggcagatg gcagaagaga 540
 tgaaagtctg aaagtggatg agcatctggc caaacaagat gccagattc tctataaagc 600
 tgggtgagaac agatggggca cggatgaaga caaattcact gagatcctgt gtttaaggag 660
 ctttcctcaa ttaaaactaa catttgatga atacagaaat atcagccaaa aggacattgt 720
 ggacagcata aaaggagaat tatctgggca ttttgaagac ttactgttgg ccatagttaa 780
 ttgtgtgagg aacacgccgg ccttttttagc cgaaagactg catcgagcct tgaagggtat 840
 tggaactgat gagtttactc tgaaccgaat aatggtgtcc agatcagaaa ttgacctttt 900
 ggacattcga acagagttca agaagcatta tggctatttc ctatattcag caattaaatc 960
 ggatacttct ggagactatg aaatcacact cttaaaaatc tgtggtggag atgactgaac 1020
 caagaagata atctccaaag gtccacgatg ggctttccca acagctccac cttacttctt 1080
 ctcatactat ttaagagaac aagcaaatat aaacagcaac ttgtgttctt aacaggaatt 1140
 ttcattgttc tataacaaca acaacaaaag cgattattat tttagagcat ctcatattata 1200
 atgtagcagc tcataaatga aattgaaaat ggtattaaag atctgcaact actatccaac 1260
 ttatatttct gctttcaaag ttaagaatct ttatagttct actccattaa atataaagca 1320

agataataaa acggaattc 1339

<210> 172

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_005139

<400> 172

ttcagcaatt aaatcggata cttctggaga ctatgaaatc acactcttaa aaatctgtgg 60

<210> 173

<211> 1582

<212> DNA

<213> Homo sapiens

<300>

<308> NM_005165

<400> 173

ccgagctgtg	cttgtggctg	cggtctgtaa	ctggctgcgc	acagggagct	gtcaccatgc	60
ctcactcgta	cccagccctt	tctgctgagc	agaagaagga	gttgtctgac	attgccctgc	120
ggattgtagc	cccgggcaaa	ggcattcttg	ctgcggatga	gtctgtaggc	agcatggcca	180
agcggctgag	ccaaattggg	gtggaaaaa	cagaggagaa	ccgccggctg	taccgccagg	240
tctgtttcag	tgctgatgac	cgtgtgaaaa	agtgcattgg	aggcgtcatt	ttcttccatg	300
agaccctcta	ccagaaagat	gataatggtg	ttcccttcgt	ccgaaccatc	caggataagg	360
gcatcgctgt	gggcatcaag	gttgacaagg	gtgtggtgcc	tctagctggg	actgatggag	420
aaaccaccac	tcaagggtcg	gatgggctct	cagaacgctg	tgcccaatac	aagaaggatg	480
gtgctgactt	tgccaagtgg	cgctgtgtgc	tgaaaatcag	tgagcgtaca	ccctctgcac	540
ttgccattct	ggagaacgcc	aacgtgctgg	cccgttatgc	cagtatctgc	cagcagaatg	600
gcattgtgcc	tattgtggaa	cctgaaatat	tgctgatggg	agaccacgac	ctcaaacgtt	660
gtcagtatgt	tacagagaag	gtcttggtcg	ctgtgtacaa	ggccctgagt	gaccatcatg	720
tatacctgga	ggggaccctg	ctcaagccca	acatggtgac	cccgggccat	gcctgtccca	780
tcaagtatac	cccagaggag	attgccatgg	caactgtcac	tgccctgcgt	cgactgtgc	840
ccccagctgt	cccaggagtg	accttctctg	ctgggggtca	gagcgaagaa	gaggcatcat	900
tcaacctcaa	tgccatcaac	cgctgcccc	ttccccgacc	ctgggcgctt	accttctcct	960
atgggcgtgc	cctgcaagcc	tctgcactca	atgcctggcg	agggcaacgg	gacaatgctg	1020
gggctgccac	tgaggagttc	atcaagcggg	ctgaggtgaa	tgggcttgca	gcccagggca	1080
agtatgaagg	cagtggagaa	gatggtggag	cagcagcaca	gtcactctac	attgccaaac	1140
atgcctactg	agtatccact	ccataaccaca	gcccttggcc	cagccatctg	caccactttt	1200
tgcttgtagt	catggccagg	gccaaatagc	tatgcagagc	agagatgcct	tcacctggca	1260
ccaacttgtc	ttcctttctc	tcttcccttc	ccctctctca	ttgctgcacc	tgggaccata	1320
ggatggggag	atagggagcc	cctcatgact	gagggcagaa	gaaattgcta	gaagtcagaa	1380
caggatggct	gggtctcccc	ctacctcttc	cagctcccac	aattttccca	tgatgaggta	1440
gcttctccct	gggtctcctc	tcttgcctgc	cctgtctcct	gggatcagag	ggtagtacag	1500
aagccctgac	tcatgccttg	agtacatacc	atacagcaaa	taaatggtag	caaaacaaaa	1560
aaaaaaaaaa	aaaaaaaaaa	aa	1582			

<210> 174

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_005165

<400> 174

gagggtagta cagaagccct gactcatgcc ttgagtacat accatacagc aaataaatgg 60

<210> 175
 <211> 451
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005213

<400> 175
 acttccctgt tcactttggt tccagcatcc tgtccagcaa agaagcaatc agccaaaatg 60
 atacctggag gcttatctga ggccaaaccc gccactccag aaatccagga gattgttgat 120
 aagggttaaac cacagcttga agaaaaaaca aatgagactt atggaaaatt ggaagctgtg 180
 cagtataaaa ctcaagttgt tgctggaaca aattactaca ttaaggtacg agcaggtgat 240
 aataaatata tgcacttgaa agtattcaaa agtcttcccg gacaaaatga ggacttggtg 300
 cttactggat accaggttga caaaaacaag gatgacgagc tgacgggctt ttagcagcat 360
 gtacccaaag tgttctgatt ccttcaactg gctactgagt catgacacct gctgataaat 420
 ataaccatca ataaagaagc attcttttcc a 451

<210> 176
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005213

<400> 176
 aactggctac tgagtcacga tccttgctga taaatataac catcaataaa gaagcattct 60

<210> 177
 <211> 366
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005218

<400> 177
 gtcagctcag cctccaaag agccagcctc tccccagttc ctgaaatcct gagtgttgcc 60
 tgccagtcgc catgagaact tcctaccttc tgctgtttac tctctgctta cttttgtctg 120
 agatggcctc aggtggtaac tttctcacag gccttggtcca cagatctgat cattacaatt 180
 gcgtcagcag tggagggcaa tgtctctatt ctgcctgccc gatctttacc aaaattcaag 240
 gcacctgtta cagaggggaag gccaaagtgc gcaagtgcgc tgggagtgac cagaagaaat 300
 gacgcagaag tgaaatgaac tttttataag cattctttta ataaaggaaa attgcttttg 360
 aagtat 366

<210> 178
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005218

<400> 178
 gggagtgacc agaagaaatg acgcagaagt gaaatgaact ttttataagc attcttttaa 60

<210> 179
 <211> 1519
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_005326

<400> 179

```
ctgcctcgga acgctgtccc ccgcagcgac ggcccgttcc acctcgcat ctgccgggta 60
ccccggcggc gtggcgctcg gcctccaggg atccactgtg cggtgccaaa aaagaggcgg 120
aggctcgcgg cacagctctc ccggcgcgac tctcggggcc cgcccgccgc tcccaggccc 180
gtctcccggc ccgtggcagt cggggctcgc ggacaaaaca agttgagcgc gagcgcgttg 240
attggttggc ggacggtgcg aggtggacgc tgattggctg agggcagcgc gaggcgggcg 300
ctgattggct gcgacgcgcc gacgccggtg ttttgagtc ctgggcagct cggcagtcca 360
gcccggcccc ggtcatggtg gtgggccgag ggctgctcgg ccgccgcagc ctgccgcgcg 420
tgggagccgc ctgcgccccg cgaggcctcg gtccagccct gctgggagtt ttctgccaca 480
cagatttgcg gaagaacctg accgtggacg agggcaccat gaaggtagag gtgctgcctg 540
ccctgaccga caactacatg tacctggtca ttgatgatga gaccaaggag gctgccattg 600
tggtaccggt gcagccccag aaggtcgtgg acgcggcgag aaagcacggg gtgaaactga 660
ccacagtgtc caccaccac caccactggg accatgctgg cgggaatgag aaactggtca 720
agctggagtc gggactgaag gtgtacgggg gtgacgaccg tatcggggcc ctgactcaca 780
agatcactca cctgtccaca ctgcaggtgg ggtctctgaa cgtcaagtgc ctggcgaccc 840
cgtgccacac ttcaggacac atttgttact tctgagcaa gcccgaggc tcggagcccc 900
ctgcggtgtt cacaggtgac acctgtttg tggtggctg cgggaagttc tatgaaggga 960
ctgcggatga gatgtgtaaa gctctgctgg aggtcttggg ccggctcccc ccggacacaa 1020
gagtctactg tggccacgag tacaccatca acaacctcaa gtttgacgc cacgtggagc 1080
ccggcaatgc cgccatccgg gagaagctgg cctgggcca ggagaagtac agcatcgggg 1140
agcccacagt gccatccacc ctggcagagg agtttaccta caacccttc atgagagtga 1200
gggagaagac ggtgcagcag cacgcaggtg agacggaccc ggtgaccacc atgcgggccg 1260
tgccgagggg gaaggaccag ttcaagatgc cccgggactg aggccgccct gcaccttcag 1320
cggatttggt gattaggtc ttttaggtaa ctggctttcc tgcgtggtccg tgcgggaaat 1380
tcagtcttga tttaacctta attttacagc ccttggttg tgttatcgga cattctaatt 1440
catatttata agagaagttt aacaagtatt tattcccata aaaaaaaaaa aaaaaaaaaa 1500
aaaaaaaaaa aaaaaaaaaa 1519
```

<210> 180

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_005326

<400> 180

```
cttgtgttat cggacattct aatgcatatt tataagagaa gtttaacaag tatttattcc 60
```

<210> 181

<211> 3378

<212> DNA

<213> Homo sapiens

<300>

<308> NM_005461

<400> 181

```
acagctgcac cgccgagctg cgagcggctg cgagcgagag agcgtaagag caagagagct 60
agagagcgag caacgggcac tcgccccacg cctccccca gccccaccgc gcgtccgct 120
tgctctcca ccccgccga ctctaccgg cccggtccct gcgcgggcac agcccagagc 180
tctggggcgg tgcaggcagc ctccggactc tccggcgcg cgccgcgtcc ccagacaaag 240
gcttgccgg cgccccggc ccgctgcgcc ctgcgtcccc gcctccccag ctcttctccg 300
ctcttcccc ccgcgcttgg ctccggcgcg tccggccggc cgcaaagttt cccggggcggc 360
agcggcggct gcgcctcgct tcagcgatgg ccgcggagct gagcatgggg ccagagctgc 420
ccaccagccc gctggccatg gagtatgtca acgacttcga cctgctcaag ttcgacgtga 480
agaaggagcc actggggcgc gcggagcgtc cgggcaggcc ctgcacacgc ctgcagccag 540
```

ccggctcggg	gtcctccaca	ccgctcagca	ctccgtgtag	ctccgtgccc	tcgtcgccca	600
gcttcagccc	gaccgaacag	aagacacacc	tcgaggatct	gtactggatg	gcgagcaact	660
accagcagat	gaaccccag	gcgctcaacc	tgacgcccg	ggacgcggtg	gaagcgctca	720
tcggctcgca	cccagtgcc	cagccgctgc	aaagcttcga	cagctttcgc	ggcgctcacc	780
accaccacca	tcaccaccac	cctcaccgcg	accacgcgta	cccgggcgcc	ggcgtagccc	840
acgacgagct	gggcccgcac	gctcaccgcg	accatcacca	tcatcaccaa	gcgtcgccgc	900
cgccgtccag	cgccgctagc	ccggcgcaac	agctgcccac	tagccacccc	gggcccgggc	960
cgcacgcgac	ggcctcggcg	acggcgggcg	gcggcaacgg	cagcgtggag	gaccgcttct	1020
ccgacgacca	gctcgtgtcc	atgtccgtgc	gcgagctgaa	ccgccacctg	cggggcttca	1080
ccaaggacga	ggtgatccgc	ctgaagcaga	agcggcgga	cctgaagaac	cggggctacg	1140
cccagtcttg	caggtataaa	cgcgctccagc	agaagcacca	cctggagaat	gagaagacgc	1200
agctcattca	gcaggtggag	cagcttaagc	aggaggtgtc	ccggctggcc	gcgagagag	1260
acgcctacaa	ggtcaagtgc	gagaaactcg	ccaactccgg	cttcagggag	gcgggctcca	1320
ccagcgacag	ccccctctct	cccagagttct	ttctgtgagt	cgtggccggt	cctggccccc	1380
gcccttgccc	cggcccggac	tccttgctcc	acgtccctag	tcccagacta	ccccggaccc	1440
tgtccctgcc	gcggccccag	ccttgacctg	tttgacttga	gcgagaggga	ggaagggcgc	1500
gcgggcccgc	ggcgacgggc	gggtgcgcgg	gcgggcaggg	gaccttggt	aaggcgagag	1560
tagcgcacgc	cagcgccgcc	tcctagactc	gagcagagcc	ggagagagag	acgagagggt	1620
gggaggtccc	ggagtaactt	ctctccaggc	tgaaggcgcg	cgaggcatag	tcccgagaag	1680
tcaccaaggc	catctggaga	ctcctggctt	tctgaacttt	gcgcgttaag	ccgggacagc	1740
tgctttgtcg	ccggagaggt	agtcgcgcgc	aggaagagag	caacgaggaa	aggagaggga	1800
ctctggcgct	ccggcaggcg	agaggcgagg	ctgagcgaaa	gaaggaaagg	cagacggacc	1860
tgtctgtcag	agttcggaga	acactggctc	tcagccctga	gacacaggcc	tcagttagga	1920
cgctcggcgc	ccaaatctca	tcagttttat	tgcctgctcg	attatataga	aaaatacaaa	1980
aaatctgcat	taaaaaatatt	aatcctgcat	gctggacatg	tatggtaata	atttctattt	2040
tgtaccattt	tcttgtttaa	ctttagcatg	ttgttgatca	tggatcatat	tccccttggt	2100
tctttgggtg	agaagggatc	gcagtttgga	aactccggcg	gctgcgtgcg	gggtttcagt	2160
cccagctgta	ggcttgtaaa	taccgcgcgc	gccaaaccgc	atagagaacg	tggcagcaag	2220
ctgagggtct	ttgtttggtg	ttattattac	ggtatttttg	tttgtaagtt	aaaaagaaaa	2280
aaaaaaagaa	aaagttccgg	gcattttgca	tcagaaaaca	actttgtctt	ggggcacact	2340
tggaagttgc	atgttttctt	tccttccctt	atccccattc	ggtcctcttt	ttcctctctc	2400
gcttttagtt	tcaaccttgt	tgggtgctgag	agagagaacc	gagagggtccc	agtacaaggg	2460
cagggcaggg	cagggaagct	gccaagctcc	gcaccccaga	ggagtgttct	ggactacagc	2520
cttgtcttat	ggtcaaattg	atacccttaa	taagaaagga	aaggaaagga	aaacagatcc	2580
tcccctctgc	tttttattgt	aaccagaatc	accctgaggt	cccttctgaa	ccctctgggc	2640
ctgcgcta	tgtaggagcc	acagcgctcc	taggggtgaga	ggcttagcca	tccttgaccc	2700
tggcagtgca	ctggtaaagc	gacactgcac	tgaaccaact	gctatgctca	gaatgtacca	2760
gaaacccaaa	cattggcaag	taattttgca	actttcaagt	gcgttcttta	gaccaatgca	2820
ttgcgtttct	ttccctgctt	ttgagatagt	aggaagagtt	cttgggtggtg	tccccccct	2880
tcaattcttc	agttgtatag	tagttatagg	gaagatatgg	gtgtttttct	ttattattac	2940
tttttttttt	ctgcagggtca	gtaaaaggat	ttaagttgca	ctgacaaaaa	taccaaata	3000
aaagtgtatt	tttaagttcc	catttgaaat	tgctggcgct	gctggccgga	tgcatttttg	3060
agtttgatt	agttgataaa	ttaacagtaa	taacaagatt	gtatgaaccg	catgggtgct	3120
gcagttttta	atattgtgga	tatttgcct	gcacagaaa	cgagcttttg	tttttacaga	3180
ttcaactgtg	ttgaaatcaa	acctgcgcga	acagaaattg	tttttatttc	atgtaaaata	3240
agggatcaat	ttcaaaccct	gcttatgata	tgaaaatatt	aaaacctagt	ctattgtagt	3300
tttattcaga	ctggtttctg	ttttttggtt	attaaaatgg	tttcctattt	tgcttattaa	3360
aaaaaaaaaa	aaaaaaaa	3378				

<210> 182
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005461

<400> 182
 atttgtcctg catcagaaac gagctttggt ttttacagat tcaactgtgt tgaaatcaaa 60

<210> 183

<211> 597
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005532

<400> 183
 agctgaagtt gaggatctct tactctctaa gccacggaat taacccgagc aggcattggag 60
 gcctctgctc tcacctcatc agcagtgacc agtgtggcca aagtggtcag ggtggcctct 120
 ggctctgccg tagttttgcc cctggccagg attgctacag ttgtgattgg aggagttgtg 180
 gccatggcgg ctgtgcccat ggtgctcagt gccatgggtc tcaactgcggc gggaatcgcc 240
 tcgtctctca tagcagccaa gatgatgtcc gcggcggcca ttgccaatgg ggggtggagt 300
 gcctcgggca gccttgtggg tactctgcag tcaactggag caactggact ctccggattg 360
 accaagttca tcctgggctc cattgggtct gccattgogg ctgtcattgc gaggttctac 420
 tagctccctg cccctcgccc tgcagagaag agaaccatgc caggggagaa ggcacccagc 480
 catcctgacc cagcgaggag ccaactatcc caaatatacc tgggtgaaat ataccaaatt 540
 ctgcatctcc agaggaaaat aagaaataaa gatgaattgt tgcaactctt aaaaaaa 597

<210> 184
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005532

<400> 184
 agccaactat cccaaatata cctgggtgaa atataccaaa ttctgcatct ccagaggaaa 60

<210> 185
 <211> 1661
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005566

<400> 185
 tgctgcagcc gctgccgccc attccggatc tcattgccac gcgcccccca cgaccgcccg 60
 acgtgcattc ccgattcctt ttggttccaa gtccaatatg gcaactctaa aggatcagct 120
 gatttataat cttctaaagg aagaacagac cccccagaat aagattacag ttgttggggg 180
 tgggtgctgt ggcatggcct gtgccatcag tatcttaatg aaggacttgg cagatgaact 240
 tgctcttgtt gatgtcatcg aagacaaatt gaaggggagag atgatggatc tccaacatgg 300
 cagccttttc cttagaacac caaagattgt ctctggcaaa gactataatg taactgcaaa 360
 ctccaagctg gtcattatca cggctggggc acgtcagcaa gagggagaaa gccgtcttaa 420
 tttggtccag cgtaacgtga acatatttaa attcatcatt cctaattgtg taaaatacag 480
 cccgaactgc aagttgctta ttgtttcaaa tccagtggat atcttgacct acgtggcttg 540
 gaagataagt ggttttccca aaaaccgtgt tattggaagt gggttgaatc tggattcagc 600
 ccgattccgt tacctgatgg gggaaaggct gggagttcac ccattaagct gtcattgggtg 660
 ggtccttggg gaacatggag attccagtgt gcctgtatgg agtggaatga atgttgctgg 720
 tgtctctctg aagactctgc acccagattt agggactgat aaagataagg aacagtggaa 780
 agaggttcac aagcagggtg ttgagagtgc ttatgagggt atcaaaactca aaggctacac 840
 atcctgggct attggactct ctgtagcaga tttggcagag agtataatga agaactctag 900
 gcgggtgcac ccagtttcca ccattgattaa gggcttttac ggaataaagg atgatgtctt 960
 ccttagtggt ccttgcatct tgggacagaa tggaatctca gaccttgtga aggtgactct 1020
 gacttctgag gaagaggccc gtttgaagaa gagtgcagat acactttggg ggatccaaaa 1080
 ggagctgcaa ttttaaagtc ttctgatgtc atatcatttc actgtctagg ctacaacagg 1140
 attctaggtg gaggttgtgc atgttgtcct ttttatctga tctgtgatta aagcagtaat 1200
 attttaagat ggactgggaa aaacatcaac tcctgaagtt agaaataaga atgggttgta 1260
 aaatccacag ctatatcctg atgctggatg gtattaatct tgtgtagtct tcaactgggt 1320

agtggtgaaat	agttctgccca	cctctgacgc	accactgccca	atgctgtacg	tactgcattt	1380
gcccccttag	ccagggtgat	gtttaccgtg	tggtatataa	cttcctggct	ccttactga	1440
acatgcctag	tccaacattt	tttcccagtg	agtcacatcc	tgggatccag	tgtataaatc	1500
caatatcatg	tcttgtgcat	aattcttcca	aaggatctta	ttttgtgaac	tatatcagta	1560
gtgtacatta	ccatataatg	taaaaagatc	tacatacaaa	caatgcaacc	aactatccaa	1620
gtgttatacc	aactaaaacc	ccaataaac	cttgaacagt	g	1661	

<210> 186
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005566

<400> 186
 catcaactcc tgaagttaga aataagaatg gtttgtaaaa tccacagcta tatcctgatg 60

<210> 187
 <211> 2993
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005689

<400> 187

gggcctgcag	ttggcagaag	gggtcccgggc	ccagagccag	cggggccgtg	ctgagacggc	60
gtacgtgccc	tgcgtgagtg	cgtggcggcg	gcgcgtgcgc	taggggagtg	ggcggtgagg	120
cctgggtccac	gtgcgtccct	tcccgggacc	cccgcagctt	ggcgcccagc	ggctacgtga	180
gccaaaggcac	ccggatgtcc	gcgcccctct	ccgagtgcac	agtcccggcc	tccgggtccc	240
cagtgtcccg	agcctcggcc	ggcgtccacg	cattgccatg	gtgactgtgg	gcaactactg	300
cgaggccgaa	gggcccgtgg	gtccggcctg	gatgcaggat	ggcctgagtc	cctgcttctt	360
cttcacgctc	gtgccctcga	cgcggtgggc	tctagggact	ctggccttgg	tgctggctct	420
tccctgcaga	cgccgggagc	ggcccgtctg	tgctgattcg	ctgtcttggg	gggcccggcc	480
tgcacatctc	ccctacgtgc	tgcagctgct	tctggccaca	cttcaggcgg	cgctgcccct	540
ggccggcctg	gctggccggg	tgggcaactg	ccggggggcc	ccactgccaa	gctatctact	600
tctggcctcc	gtgctggaga	gtctggccgg	cgccgtgggc	ctgtggctgc	ttgtcgtgga	660
gcggagccag	gcacgggagc	gtctggcaat	gggcatctgg	atcaagttca	ggcacagccc	720
tggtctcctg	ctcctctgga	ctgtggcggt	tgcagctgag	aacttggccc	tggtgtcttg	780
gaacagccca	cagtgggtgt	gggcaagggc	agacttgggc	caacagggtc	agtttagcct	840
gtgggtgctg	cggtatgtgg	tctctggagg	gctgtttgtc	ctgggtctct	gggcccctgg	900
acttcgtccc	cagtcctata	cattgcaggt	tcatgaagag	gaccaagatg	tggaaaggag	960
ccagggttcgg	tcagcagccc	aacagtctac	ctggcgagat	tttggcagga	agctccgcct	1020
cctgagtggt	tacctgtggc	ctcgaggggg	tccagctctg	cagctgggtg	tgctcatctg	1080
cctggggctc	atgggtttgg	aacgggcact	caatgtgttg	gtgcctatat	tctataggaa	1140
cattgtgaac	ttgctgactg	agaaggcacc	ttggaactct	ctggcctgga	ctgttaccag	1200
ttacgtcttc	ctcaagttcc	tccagggggg	tggcaactgg	agtacaggct	tcgtgagcaa	1260
cctgcgcacc	ttcctgtgga	tccgggtgca	gcagttcaag	tctcggcggg	tggagctgct	1320
catcttctcc	cacctgcacg	agctctcact	gcgctggcac	ctggggcgcc	gcacagggga	1380
ggtgctgcgg	atcgcggatc	ggggcacatc	cagtgtcaca	gggctgctca	gctacctggt	1440
gttcaatgtc	atccccacgc	tggccgacat	catcattggc	atcatctact	tcagcatgtt	1500
cttcaacgcc	tggtttggcc	tcattgtgtt	cctgtgcatg	agtctttacc	tcaccctgac	1560
catttgtgtc	actgagtgga	gaaccaagtt	togtctgtgt	atgaacacac	aggagaacgc	1620
taccggggca	cgagcagtg	actctctgct	aaacttcgag	acggtgaagt	attacaacgc	1680
cgagagttac	gaagtggaa	gctatcgaga	ggccatcatc	aaatatcagg	gtttggagtg	1740
gaagtgcgag	gcttcaactg	ttttaactaa	tcagacccag	aacctggtga	ttgggctcgg	1800
gctcctcgcc	ggctccctgc	tttgccgata	ctttgtcact	gagcagaagc	tacaggttgg	1860
ggactatgtg	ctctttggca	cctacattat	ccagctgtac	atgcccctca	attggtttgg	1920
cacctactac	aggatgatcc	agaccaactt	cattgacatg	gagaacatgt	ttgacttgct	1980
gaaagaggag	acagaagtga	aggaccttcc	tggagcaggg	ccccttcgct	ttcagaaggg	2040

ccgtattgag	tttgagaacg	tgcacttcag	ctatgccgat	gggcgggaga	ctctgcagga	2100
cgtgtctttc	actgtgatgc	ctggacagac	acttgccctg	gtgggcccac	ctggggcagg	2160
gaagagcaca	attttgcgcc	tgctgtttcg	cttctacgac	atcagctctg	gctgcatccg	2220
aatagatggg	caggacattt	cacaggtgac	ccaggcctct	ctccggtctc	acattggagt	2280
tgtgccccaa	gacactgtcc	tctttaatga	caccatcgcc	gacaatatcc	gttacggccg	2340
tgtcacagct	gggaatgatg	aggtggaggc	tgctgctcag	gctgcaggca	tccatgatgc	2400
cattatggct	ttccctgaag	ggtacaggac	acaggtgggc	gagcggggac	tgaagctgag	2460
cggcggggag	aagcagcgcg	tgcgcattgc	ccgcaccatc	ctcaaggctc	cgggcatcat	2520
tctgctggat	gaggcaacgt	cagcgctgga	tacatctaata	gagagggcca	tccaggcttc	2580
tctggccaaa	gtctgtgcc	accgcaccac	catcgtagtg	gcacacaggc	tctcaactgt	2640
ggtcaatgct	gaccagatcc	tcgtcatcaa	ggatggctgc	atcgtggaga	ggggacgaca	2700
cgaagctctg	ttgtcccag	gtgggggtga	tgctgacatg	tggcagctgc	agcagggaca	2760
ggaagaaaacc	tctgaagaca	ctaagcctca	gaccatggaa	cggtgacaaa	agtttggcca	2820
cttccctctc	aaagactaac	ccagaaggga	ataagatgtg	tctcctttcc	ctggcttatt	2880
tcattcctgg	cttgggggat	ggtgctagct	atggtaaggg	aaagggacct	ttccgaaaaa	2940
catcttttgg	ggaaataaaa	atgtggactg	tgaaaaaaaaa	aaaaaaaaaa	aaa	2993

<210> 188
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005689

<400> 188	ggaaaggggac	ctttccgaaa	aacatctttt	ggggaaataa	aaatgtggac	tgtgaaaaaa	60
-----------	-------------	------------	------------	------------	------------	------------	----

<210> 189
 <211> 1830
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005749

<400> 189	ggggagttga	aacctaattt	tgtggcgtag	cagctatgca	gcttgaaatc	caagtagcac	60
	taaattttat	tatttcgtat	ttgtacaata	agcttcccag	gagacgtgtc	aacatttttg	120
	gtgaagaact	tgaagactt	cttaagaaga	aatatgaagg	gcaactggat	cctgaaaagc	180
	catacaaagg	atcgggggtt	agatgtatac	acatagggga	gaaagtggac	ccagtgattg	240
	aacaagcatc	caaagagagt	ggtttggaca	ttgatgatgt	tcgtggcaat	ctgccacagg	300
	atcttagtgt	ttggatcgac	ccatttgagg	tttcttacca	aattggtgaa	aagggaccag	360
	tgaagggtgct	ttacgtggat	gataataatg	aaaatggatg	tgagttggat	aaggagatca	420
	aaaacagctt	taaccagag	gcccagggtt	ttatgcccac	aagtgaccca	gcctcatcag	480
	tgtccagctc	tccatcgctt	ccttttggtc	actctgctgc	tgtaagccct	accttcatgc	540
	cccgtgccac	tcagccttta	acctttacca	ctgccacttt	tgctgccacc	aagttcggct	600
	ctaccaaaaat	gaagaatagt	ggcgcgtagc	acaagggttg	acgtacttct	cccatcaacc	660
	tcggcttgaa	tgtgaatgac	ctcttgaagc	agaaagccat	ctcttcctca	atgcactctc	720
	tgtatgggct	tggttgggt	agccagcagc	agccacagca	acagcagcag	ccagcccagc	780
	cgccaccgcc	accaccacca	ccacagcagc	aacaacagca	gaaaacctct	gctctttctc	840
	ctaattgccaa	ggaattttatt	tttcctaata	tgcagggtca	aggtagtagt	accaatggaa	900
	tgttcccagg	tgacagcccc	cttaacctca	gtcctctcca	gtacagtaat	gcctttgatg	960
	tgtttgcagc	ctatggaggc	ctcaatgaga	agtcttttgt	agatggcttg	aatttttagct	1020
	ttaaataacat	gcagtattct	aaccagcaat	tcagccctgt	tatggctaac	taaaaaaaag	1080
	aaaatgtatc	gtacaagtta	aaatgcacgg	gcccgaaggg	gatttttttt	ttcacctcct	1140
	tgagaatttt	tttttttaag	cttatagtaa	ggatacatc	aagcttggtt	aaaaaaaata	1200
	taataaaaaca	tgcattcatt	ttcatttgcc	aaccaagcac	aaagttattt	tatactgact	1260
	gtatatattta	aagtatactc	tcagatatgg	cctcttacag	tatttaagat	atagcaagga	1320
	catggctgat	ttttttttat	aaaaattggc	actaataagt	gggtttattg	gtcttttcta	1380
	attgtataat	ttaatttagt	acaaagtttg	taaaatatca	gaggatatat	atatattgtt	1440

tctacgacat	ggtattgcat	ttatatcttt	ttactacagt	gatctgtgac	agcagcagct	1500
tcatgttgta	ttttttttac	tgaaattgta	aaatatccat	cttaaagaca	tcaactattc	1560
taaaaattgt	gtacaggata	ttccttttagt	ggtggaatta	aaatgtacga	atacttgctt	1620
tttcaaaaaa	atgtattttc	tgttaaaagt	ttaaagattt	ttgctatata	ttatggaaga	1680
aaaatgtaat	cgtaaataatt	aattttgtac	ctatatgttg	caatacttga	aaaaaacggt	1740
ataaaagtat	tttgagtcag	tgtctttacat	gttaagaggg	actgaaatag	tttatattaa	1800
gtttgtatta	aaattcctta	aaattaaaaa	1830			

<210> 190
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005749

<400> 190	
aaacctctgc	tctttctcct aatgccaaagg aatttatattt tcctaatatg caggggtcaag 60

<210> 191
 <211> 1534
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_005804

<400> 191	
ggaagcgcag	caactcgtgt ctgagcgccc ggcggaaaac cgaagttgga agtgtctctt 60
agcagcgcgc	ggagaagaac ggggagccag catcatggca gaacaggatg tggaaaacga 120
tcttttggat	tacgatgaag aggaagagcc ccaggctcct caagagagca caccagctcc 180
ccctaagaaa	gacatcaagg gatcctaagt ttccatccac agctctggct tccgggactt 240
tctgctgaag	ccggagctcc tgcggggccat cgtggactgt ggctttgagc atccttctga 300
ggtccagcat	gagtgcattc cccaggccat cctgggcatg gacgtcctgt gccaggccaa 360
gtccgggatg	ggcaagacag cggctcttcgt gctggccacc ctacagcaga ttgagcctgt 420
caacggacag	gtgacggtcc tggatcatgtg ccacacgagg gagctggcct tccagatcag 480
caaggaatat	gagcgctttt ccaagtacat gccacgctc aaggtgtctg tgttcttcgg 540
tggctctctc	atcaagaagg atgaagaagt gttgaagaag aactgtcccc atgtcgtggt 600
ggggaccccc	ggccgcatcc tggcgctcgt gcggaatagg agcttcagcc taaagaatgt 660
gaagcacttt	gtgctggacg agtgtgacaa gatgctggag cagctggaca tgcggcgggg 720
tgtgcaggag	atcttccgcc tgacaccaca cgagaagcag tgcattgatgt tcagcgccac 780
cctgagcaag	gacatccggc ctgtgtgcag gaagttcatg caggatccca tggaggtgtt 840
tgtggacgac	gagaccaagc tcacgctgca cggcctgcag cagtactacg tcaaactcaa 900
agacagtgag	aagaaccgca agctctttga tctcttggat gtgctggagt ttaaccaggt 960
gataatcttc	gtcaagtcag tgcagcgtg catggccctg gccagctcc tcgtggagca 1020
gaacttcccc	gccatcgcca tccaccgggg catggcccag gaggagcgcc tgtcacgcta 1080
tcagcagttc	aaggatttcc agcggcggtt cctggtggcc accaatctgt ttggccgggg 1140
gatggacatc	gagcaggtca acatcgtctt taactacgac atgcctgagg actcggacac 1200
ctacctgcac	cgggtggccc gggcggttcg ctttggcacc aaaggcctag ccatcacttt 1260
tgtgtctgac	gagaatgatg ccaaaatcct caatgacgtc caggaccggt ttgaagttaa 1320
tgtggcagaa	cttccagagg aaatcgacat ctccacatac atcgagcaga gccggtaacc 1380
accacgtgcc	agagccgccc acccgagagc gcccgcatgc agcttcacct cccctttcca 1440
ggcgccactg	ttgagaagct agagattgta tgagaataaa cttgttatta tggaaaaaaa 1500
aaaaaaaaaa	aaaaaaaaaa aaaaaaaaaa aaaa 1534

<210> 192
 <211> 60
 <212> DNA
 <213> Homo sapiens

```

<300>
<308> NM_005804

<400> 192
gttgagaagc tagagattgt atgagaataa agtggtatta tgaaatgaag aagcctcacc 60

<210> 193
<211> 1416
<212> DNA
<213> Homo sapiens

<220>
<221> Modified_base
<222> 1 ... 1416
<223> n = a,c,g, or t

<300>
<308> NM_005945

<400> 193
aggaattccg gaattccgga attccgatgg atggaacaga aaataaatct aagtttggtg 60
cgaacgccat tctgggggtg tcccttgccg tctgcaaagc tgggtgccgtt gagaaggggg 120
tcccctgtac cgccacatcg cgtacttggc tggcaacttc gaagtcatcc tgccagtccc 180
ggcgttcaag tgtcatcatc aatggcggtt ctcatgctgg caacaagctg gccatgcaga 240
gtctgtcctc ccagtcggtg cagcaaactc aggggaagcca tgccgcattg gagcagaggt 300
ttaccacaac ctgaagaatg tcatcaagga gaaatatggg aaagatgcc acaatgtggg 360
gatttgccgc ggtttgctcc caacatcctg gagaataaag aaggcctgga gctgctgaag 420
actgctattg gaaagcctgg cctacactgt aaagggtggc atggcatgga cgtagcggcc 480
tccgagtctc tcaggtcagg gaactatgac ctggacttca agtctcccga tgaccccgag 540
agggtacatc cgctgacca gctggctgac ctgtacaagt ccttcacaa ggactaccca 600
gtggtgtcta tcgaagatcc ctttgaccag gatgactggg gagcttcaga agttcacagc 660
cagtgcagga atccaggtag tgggggggatg actcacagt accaacccaa agaggatcgc 720
caaggcgtga acgagaagtc ctgcaactgc ctctgctca aagtcaacca gattggctcc 780
gtgaccgagt ctcttcaggc gtgcaagctg gcccaggcca atggttgggg cgtcatggtg 840
tctcatcggt cgggggagac tgaagatacc ttcacgctg acctggttgt ggggctgtgc 900
actggggcag atcaagactg gtgccccttg ccgatcacgc gcttgggcaa gtacaaccag 960
ctcctcagaa ttgaagagga gctgggcagc aaggctaagt ttgccggcag gaacttcaga 1020
aacccttgg ccaagtaagc tgtgggcagg caagccttcg gtcacctgtt ggctacagac 1080
ccctcccctg gtgtcagctc aggcagctcg agggccccga ccaacacttg caggggtccc 1140
tgctagttag cgcccaccgc cgtggagttc gtaccgcttc cttagaactc tacagaagcc 1200
aagctccctg gaagccctgt tggcagctct agctttgcag ttgtgtaatt ggcccaagtc 1260
attgtttttc tcgccttact ttccaccaag tgtctagagt catgtgagcc tngtgtcatc 1320
tccgggggtg ccacaggcta gatccccggt ggttttgtgc tcaaaataaa aagcctcagt 1380
gacccatgaa aaaaaaaaaa gaattccgga attccg 1416

<210> 194
<211> 60
<212> DNA
<213> Homo sapiens

<300> .
<308> NM_005945

<400> 194
ttgtgtaatt ggcccaagtc attgtttttc tcgccttact ttccaccaag tgtctagagt 60

<210> 195
<211> 961
<212> DNA
<213> Homo sapiens

```

<300>

<308> NM_006014

<400> 195

```
ggcgaccacg gtgtcttcaa aagccccgtc aggggttggct tcctggggcc ggaccgactg 60
tgggtcagtt tgcaccagcg ctctggaatc gagttacgcg cgaaagggca gagtttcttg 120
aggaaaccgc agcctctcaa ccgctgaccg ggtctcagaa ggcccccgcc agggccgctt 180
ggcgggaaact gaccacgcgc cagtcaggct ctccagggac ctgcgcaggc gcgtgtgggc 240
ggagtcgtgc gcagggggcg gggcttcggg aaggagccac agagagggcg gggcgtagga 300
cctgcgcttc gggggtggag tcggagcggc gcggcgggcg tcatgcggga cgcggatgca 360
gacgcaggcg gaggcgctga cggcggggat ggccgggggtg gccacagctg ccgcgggggc 420
gtggacacag ccgcagctcc ggccggtgga gctccccag cgcacgcgcc aggtccgggc 480
agagacgcgc cgtctgcggc cagggggtca cgaatgcggc cgcacatatt caccctcagc 540
gtgcctttcc cgacccccctt ggaggcggaa atcgcccatg ggtccctggc accagatgcc 600
gagccccacc aaaggggtgtg tgggaaggat ctacacagtga gtggcaggat cctggtcgtc 660
cgctggaaaag ctgaagactg tcgcctgctc cgaatttccg tcatcaactt tcttgaccag 720
ctttccctgg tggcgcgac catgcagcgc tttgggcccc ccgtttcccg ctaagcctgg 780
cctgggcaaa tggagcgagg tcccactttg cgtctccttg taggcagtgc gtccatcctt 840
ccctagggca ggaattccca cagttgctac tttcctggga gggcctcatg ttttatcttg 900
ttcttaaatg tttgttacta cagaaaataa aactgcgcta ctaaaaaaaa aaaaaaaaaa 960
a 961
```

<210> 196

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006014

<400> 196

```
ggcctcatgt tttatctggt tcttaaatgt ttgttactac agaaaaataaa actgaggtat 60
```

<210> 197

<211> 1648

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006086

<400> 197

```
atgcgggaga tcgtgcacat ccaggccggc cagtgcggca accagatcgg ggccaagttc 60
tgggaagtca tcagtgatga gcatggcatc gaccccgagc gcaactacgt gggcgactcg 120
gacttgacgc tggagcggat cagcgtctac tacaacgagg cctcttctca caagtacgtg 180
cctcgagcca ttctggtgga cctggaacct ggaacctatg acagtgtccg ctgaggggcc 240
tttgacatc tcttcaggcc tgacaatttc atctttggtc agagtggggc cggcaacaac 300
tgggccaagg gtcactacac ggagggggcg gagctggtgg attcggtcct ggatgtggtg 360
cggaaggagt gtgaaaactg cgactgcctg cagggcttcc agctgaccca ctgctgggg 420
ggggggacgg gctccggcat gggcacgttg ctcatcagca aggtgcgtga ggagtatccc 480
gaccgcatca tgaacacctt cagcgtcgtg cctcaccaca aggtgtcaga cacggtggtg 540
gaaccctaca acgccacgct gtccatccac cagctggtgg aaaacacgga tgaaacctac 600
tgcacgcaca acgaggcgct ctacgacatc tgettcgcga cctcaagct ggccacgccc 660
acctacgggg acctcaacca cctggtatcg gccacatga gcggagtcac cacctccttg 720
cgcttcccgg gccagctcaa cgctgacctg cgcaagctgg ccgtcaacat ggtgcccttc 780
ccgcgcctgc acttcttcac gcccgcttc gccccctca ccaggcggg cagccagcag 840
taccgggccc tgaccgtgcc cgagctcacc cagcagatgt tcgatgccaa gaacatgatg 900
gccgcctgcg accgcgcca cgcccgctac ctgacggtgg ccaccgtgtt ccggggccgc 960
atgtccatga aggaggtgga cgagcagatg ctggccatcc agagcaagaa cagcagctac 1020
ttcgtggagt ggatcccaa caacgtgaag gtggccgtgt gtgacatccc gcccccgggc 1080
ctcaagatgt cctccacctt catcggggaa agcacggcca tccaggagct gttcaagcgc 1140
```


atctccgagc	agttcacggc	catgttccgg	cgcaaggcct	tcctgcactg	gtacacgggc	1200
gagggcatgg	acgagatgga	gttcaccgag	gccgagagca	acatgaacga	cctgggtgtcc	1260
gagtaccagc	agtaccagga	cgccacggcc	gaggaagagg	gcgagatgta	cgaagacgac	1320
gaggaggagt	cggaggccca	gggccccaa	tgaaactgct	cgagctgga	gtgagaggca	1380
ggtggcggcc	ggggccgaag	ccagcagtgt	ctaaaccccc	ggagccatct	tgctgccgac	1440
accctgcttt	ccccatcgcc	ctagggctcc	cttgccggccc	tcctgcagta	tttatggcct	1500
cgctctcccc	cacctagggc	acgtgtgagc	tgctcctgtc	tctgtcttat	tgagctcca	1560
ggcctgacgt	tttacgggtt	tggtttttac	tggtttgtgt	ttatatatttc	ggggatactt	1620
aataaatcta	ttgctgtcag	ataccctt	1648			

<210> 198

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006086

<400> 198

tttttactgg	tttgtgttta	tatttttcggg	gatacttaat	aaatctattg	ctgtcagata	60
------------	------------	-------------	------------	------------	------------	----

<210> 199

<211> 3074

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006096

<400> 199

aacaaacctc	gcctggctcc	cagctgggtgc	tgaagctcgt	cagttcacca	tccgcctctg	60
gcttccgcgg	ggcgctgggc	cgccagcctc	ggcaccgtcc	tttcctttct	ccctcgcggt	120
aggcagggtga	cagcaggggac	atgtctcggg	agatgcagga	tgtagacctc	gctgagggtga	180
agccttttgt	ggagaaagg	gagaccatca	ccggcctcct	gcaagagttt	gatgtccagg	240
agcaggacat	cgagacttta	catggctctg	ttcacgtcac	gctgtgtggg	actcccaagg	300
gaaaccggcc	tgatcatcctc	acctaccatg	acatcggcac	gaaccacaaa	acctgctaca	360
acccccctct	caactacgag	gacatgcagg	agatcaccca	gcactttgcc	gtctgccacg	420
tggacgcccc	tgccagcag	gacggcgcag	cctccttccc	cgcagggtac	atgtaccctc	480
ccatggatca	gctggctgaa	atgcttctct	gagtccttca	acagtttggg	ctgaaaagca	540
ttattggcat	gggaacagga	gcaggcgcct	acatcctaac	tcgatttgct	ctaaacaacc	600
ctgagatggg	ggagggcctt	gtccttatca	acgtgaaccc	ttgtgcggaa	ggctggatgg	660
actgggccgc	ctccaagatc	tcaggatgga	cccaagctct	gccggacatg	gtgggtgtcc	720
acctttttgg	gaaggaagaa	atgcagagta	acgtggaagt	ggtccacacc	taccgccagc	780
acattgtgaa	tgacatgaac	cccggcaacc	tgacactggt	catcaatgcc	tacaacagcc	840
ggcgcgacct	ggagattgag	cgaccaatgc	cggaaccca	cacagtcacc	ctgcagtgcc	900
ctgctctgtt	ggtggttggg	gacagctcgc	ctgcagtgga	tgccgtgggt	gagtgaact	960
caaaattgga	cccaacaaag	accactctcc	tcaagatggc	ggactgtggc	ggcctcccgc	1020
agatctccca	gccggccaag	ctcgctgagg	ccttcaagta	cttcgtgcag	ggcatgggat	1080
acatgccctc	ggctagcatg	acccgcctga	tgcggtcccc	cacagcctct	ggttccagcg	1140
tcacttctct	ggatggcacc	cgcagccgct	cccacaccag	cgagggcacc	cgaagccgct	1200
cccacaccag	cgagggcacc	cgcagccgct	cgcacaccag	cgagggggcc	cacctggaca	1260
tcacccccaa	ctcgggtgct	gctgggaaca	gcgcggggcc	caagtccatg	gaggtctcct	1320
gctaggcgcc	ctgcccagct	gccgcccccg	gactctgato	tctgtagtgg	ccccctcctc	1380
cccgggccct	tttcgcccc	tgcttgcct	actgcgccta	actcggtatt	aatccaaagc	1440
ttattttgta	agagtgaagt	ctggtggaga	caaatgaggt	ctattacgtg	ggtgcctctc	1500
ccaaaggcgt	ggtggcggtg	gaccaaagga	aggaagcaag	catctccgca	tcgcactctc	1560
ttccattaac	cagtggccgg	ttgccactct	cctccccctc	ctcagagaca	ccaaactgcc	1620
aaaaacaaga	cgcgtagcag	cacacacttc	acaaagccaa	gcctaggccg	ccctgagcat	1680
cctggttcaa	acgggtgcct	ggtcagaagg	ccagccggccc	acttcccgtt	tcctctttta	1740
ctgaggagaa	gctgatccag	tttccggaaa	caaaatcctt	ttctcatttg	gggagggggg	1800
taatagtgc	atgcaggcac	ctctttttaa	caggcaaaac	aggaaggggg	aaaaggtggg	1860

attcatgtcg	aggctagagg	catttggaaac	aacaaatcta	cgtagttaac	ttgaagaaac	1920
cgatttttaa	agttgggtgca	tctagaaaagc	tttgaatgca	gaagcaaaca	agcttgattt	1980
ttctagcatc	ctcttaatgt	gcagcaaaaag	caggcgacaa	aatctcctgg	ctttacagac	2040
aaaaatat	cagcaaacgt	tgggcatcat	ggtttttgaa	ggcttttagt	ctgctttctg	2100
cctctcctcc	acagcccca	cctcccaccc	ctgatacatg	agccagtgat	tattcttggt	2160
cagggagaag	atcatttaga	tttgttttgc	attccttaga	atggagggca	acattccaca	2220
gctgccctgg	ctgtgatgag	tgtccttgca	ggggccggag	taggagcact	ggggtggggg	2280
tggaattggg	gttactcgat	gtaagggtatt	ccttggtgtt	gtgttgagat	ccagtgcagt	2340
tgtgatttct	gtggatccca	gcttggttcc	aggaattttg	tgtgattggc	ttaaatccag	2400
ttttcaatct	tgcacagctg	ggctggaacg	tgaactcagt	agctgaacct	gtctgacctg	2460
gtcacgttct	tggatcctca	gaactccttg	ctcttgctgg	ggtgggggtg	ggaactcacg	2520
tggggagcgg	tggctgagaa	aatgtaagga	ttctggaata	catattccat	gggactttcc	2580
ttcctctctc	tgcctcctct	tttcctgctc	cctaaccctt	cgccgaatgg	ggcagcacca	2640
ctgacgtttc	tgggcgccca	gtgcggtctg	caggttcctg	tactactgcc	ttgtactttt	2700
cattttgggt	caccgtggat	tttctcatag	gaagtttggg	cagagtgaat	tgaatattgt	2760
aagtcagcca	ctgggacccg	aggatttctg	ggaccccgca	gttggggagg	ggaagtagtc	2820
cagccttcca	ggtggcgtga	gaggcaatga	ctcgttacct	gccgcccac	accttgagg	2880
ccttccttgg	ccttgagtag	aaaagtcggg	gatcggggca	agagaggctg	agtacggatg	2940
ggaaaactatt	gtgcacaagt	ctttccagag	gagtttctta	atgagatat	tgtattttatt	3000
tccagaccaa	taaatttcta	actttgcagc	ggaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	3060
aaaaaaaaaa	aaaa	3074				

<210> 200
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006096

<400> 200
 gagtacggat gggaaactat tgtgcacaag tctttccaga ggagtttctt aatgagatat 60

<210> 201
 <211> 2148
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006115

<400> 201

gcttcagggt	acagctcccc	cgcagccaga	agccgggcct	gcagcgcttc	agcaccgctc	60
cgggacaccc	caccgcttc	ccaggcgtga	cctgtcaaca	gcaacttcgc	ggtgtgggtga	120
actctctgag	gaaaaacat	tttgattatt	actctcagac	gtgcgtggca	acaagtgact	180
gagacctaga	aatccaagcg	ttggagggtcc	tgaggccagc	ctaagtcgct	tcaaaatgga	240
acgaaggcgt	ttgtgggggt	ccattcagag	ccgatacatc	agcatgagtg	tgtggacaag	300
cccacggaga	cttgtggagc	tggcagggca	gagcctgctg	aaggatgagg	ccctggccat	360
tgccgccttg	gagttgctgc	ccaggggagct	cttcccgcga	ctcttcatgg	cagcctttga	420
cgggagacac	agccagaccc	tgaaggcaat	ggtgcaggcc	tggcccttca	cctgcctccc	480
tctgggagtg	ctgatgaagg	gacaacatct	tcacctggag	accttcaaag	ctgtgcttga	540
tggacttgat	gtgctccttg	cccaggaggt	tcgccccagg	aggtggaaac	ttcaagtgtc	600
ggatttacgg	aagaactctc	atcaggactt	ctggactgta	tggctctggaa	acagggccag	660
tctgtactca	tttccagagc	cagaagcagc	tcagcccattg	acaaagaagc	gaaaagtaga	720
tgttttgagc	acagagccag	agcagccctt	cattccagta	gaggtgctcg	tagacctgtt	780
cctcaaggaa	ggtgcctgtg	atgaattgtt	ctcttacctc	attgagaaaag	tgaagcgaag	840
gaaaaatgta	ctacgcctgt	gctgtaagaa	gctgaagatt	tttgcaatgc	ccatgcagga	900
tatcaagatg	atcctgaaaa	tgggtgcagct	ggactctatt	gaagatttgg	aagtgacttg	960
tacctggaag	ctaccacact	tggcgaaatt	ttctccttac	ctggggccaga	tgattaatct	1020
gcgtagactc	ctcctctccc	acatccatgc	atcttcctac	atttccccgg	agaaggaaga	1080
gcagtatatc	gccagttca	cctctcagtt	cctcagttctg	cagtgccctgc	aggctctcta	1140

tgtggactct	ttattttttc	ttagaggccg	cctggatcag	ttgctcaggc	acgtgatgaa	1200
ccccctggaa	accctctcaa	taactaactg	ccggctttcg	gaaggggatg	tgatgcatct	1260
gtcccagagt	cccagcgta	gtcagctaag	tgctctgagt	ctaagtggg	tcatgctgac	1320
cgatgtaagt	cccagcccc	tccaagctct	gctggagaga	gcctctgcca	ccctccagga	1380
cctggtcttt	gatgagtgtg	ggatcacgga	tgatcagctc	cttgccctcc	tgccttccct	1440
gagccactgc	tcccagctta	caaccttaag	cttctacggg	aattccatct	ccatatctgc	1500
cttgacagagt	ctcctgcagc	acctcatcgg	gctgagcaat	ctgacccacg	tgctgtatcc	1560
tgtccccctg	gagagttatg	aggacatcca	tggtaccctc	cacctggaga	ggcttgcccta	1620
tctgcatgcc	aggctcaggg	agttgctgtg	tgagttgggg	cggcccagca	tggtctggct	1680
tagtgccaac	ccctgtcctc	actgtgggga	cagaaccttc	tatgaccccg	agccccatcct	1740
gtgcccctgt	ttcatgccta	actagctggg	tgacacatat	aaatgcttca	ttctgcatag	1800
ttggacacta	aagccaggat	gtgcatgcat	cttgaagcaa	caaagcagcc	acagtttcag	1860
acaaatgttc	agtgtgagtg	aggaaaacat	gttcagtga	gaaaaaacat	tcagacaaat	1920
gttcagtga	gaaaaaaaag	ggaagtggg	gataggcaga	tggtgacttg	aggagttaat	1980
gtgatctttg	gggagataca	tcttatagag	ttagaaatag	aatctgaatt	tctaaaggga	2040
gattctggct	tgggaagtac	atgtaggagt	taatccctgt	gtagactgtt	gtaaagaaac	2100
tggtgaaaat	aaagagaagc	aatgtgaagc	aaaaaaaaa	aaaaaaaaa	2148	

<210> 202
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006115

<400> 202	
tggggagata	catcttatag agttagaaat agaatctgaa tttctaaagg gagattctgg 60

<210> 203
 <211> 1051
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006332

<400> 203	
ggaccgccgc	ctggttaaaag gcgcttattt cccaggcagc cgctgcagtc gccacacctt 60
tgcccctgct	gcgatgacct tgctgccaact tctgctgttc ctgccaccgc tgctgctgct 120
gctggacgtc	cccacggcgg cggtgcaggc gtcccctctg caagcgtag acttctttgg 180
gaatgggcca	ccagtttaact acaagacagg caatctatac ctgcgggggc ccctgaagaa 240
gtccaatgca	ccgcttgta atgtgacct ctactatgaa gcactgtgcy gtggctgccg 300
agccttcctg	atccgggagc tcttcccaac atggctgttg gtcattggaga tctcaatgt 360
cacgtgggtg	ccctacggaa acgcacagga acaaaatgtc agtggcaggt gggagttcaa 420
gtgccagcat	ggagaagagg agtgcaaat caacaagggt gaggcctgcg tgttgatga 480
acttgacatg	gagctagcct tcctgacct tgtctgcatg gaagagtttg aggacatgga 540
gagaagtctg	ccactatgcc tgcagctcta cggcccaggg ctgtcgccag acactatcat 600
ggagtgtgca	atgggggacc gcggcatgca gctcatgcac gccaacgccc agcggacaga 660
tgctctccag	ccaccacacg agtatgtgcc ctgggtcacc gtcaatggga aacccttgga 720
agatcagacc	cagctcctta cccttgctctg ccagttgtac cagggcaaga agccggatgt 780
ctgcccttcc	tcaaccagct ccctcaggag tgtttgcttc aagtgatggc cggtagagctg 840
cggagagctc	atggaaggcg agtggaacc cggtgcctg ccttttttcc tgatccagac 900
cctcggcacc	tgctacttac caactggaaa attttatgca tccatgaag ccagataca 960
caaaattcca	ccccatgac aagaatcctg ctccactaag aatggtgcta aagtaaaact 1020
agtttaataa	gcaaaaaaaaa aaaaaaaaaa a 1051

<210> 204
 <211> 60
 <212> DNA

<213> Homo sapiens

<300>

<308> NM_006332

<400> 204

aaattccacc cctagatcaa gaatcctgct ccactaagaa tgggtgctaaa gtaaaactag 60

<210> 205

<211> 1714

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006417

<400> 205

```
ggggcatttt gtgcctgcct agctatccag acagagcagc taccctcagc tctagctgat 60
actacagaca gtacaacaga tcaagaagta tggcagtgac aactcgtttg acacggttgc 120
acgaaaagat cctgcaaaat cattttggag ggaagcggct tagccttctc tataagggtg 180
gtgtccatgg attccgtaat ggagttttgc ttgacagatg ttgtaatcaa gggcctactc 240
taacagtgat ttatagttaa gatcatatta ttggagcata tgcggaagag agttaccagg 300
aaggaaaagta tgcttccatc atcctttttg cacttcaaga tactaaaatt tcagaatgga 360
aactaggact atgtacacca gaaacactgt tttgttgtga tgttacaaaa tataactccc 420
caactaattt ccagatagat ggaagaaata gaaaagtgat tatggactta aagacaatgg 480
aaaatccttg acttgctcaa aattgtacta tctctattca ggattatgaa gtttttcgat 540
gcgaagattc actggatgaa agaaagataa aaggggtcat tgagctcagg aagagcttac 600
tgtctgcctt gagaacttat gaaccatatg gatccctggt tcaacaaata cgaattctgc 660
tgctgggtcc aattggagct gggaagtcca gctttttcaa ctcagtgagg tctgttttcc 720
aagggcattg aacgcatcag gctttgggtg gcactaatac aactgggata tctgagaagt 780
ataggacata ctctattaga gacgggaaag atggcaaata cctgccgttt attctgtgtg 840
actcactggg gctgagttag aaagaaggcg gcctgtgcag ggatgacata ttctatatct 900
tgaacggtaa cattcgtgat agataccagt ttaatcccat ggaatcaatc aaattaaatc 960
atcatgacta cattgattcc ccacgctga aggacagaat tcatttgtgt gcatttgtat 1020
ttgatgccag ctctattcaa tacttctcct ctacagatgat agtaaaagatc aaaagaattc 1080
gaagggagtt ggtaaacgct ggtgtggtac atgtggcttt gctcactcat gtggatagca 1140
tggaatttgat tacaaaaggt gaccttatag aaatagagag atgtgagcct gtgaggtcca 1200
agctagagga agtccaaaga aaacttggtt ttgctctttc tgacatctcg gtggttagca 1260
attattcctc tgagtgggag ctggaccctg taaaggatgt tctaattcct tctgctctga 1320
gacgaatgct atgggctgca gatgacttct tagaggattt gccttttgag caaataggga 1380
atctaaggga ggaaattatc aactgtgcac aaggaaaaaa atagatatgt gaaagggttc 1440
cgtaaatctc ctacatcac agaagattaa aattcagaaa ggagaaaaca cagaccaaag 1500
agaagtatct aagaccaaag ggatgtgttt tattaatgtc taggatgaag aaatgcatag 1560
aacattgtag tacttgtaaa taactagaaa taacatgatt tagtcataat tgtgaaaaat 1620
agtaataatt tttcttggtt ttatgttctg tatctgtgaa aaaataaatt tcttataaaa 1680
ctcggaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 1714
```

<210> 206

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006417

<400> 206

atgacatatt ctatatcttg aacggtaaca ttcgtgatag ataccagttt aatcccatgg 60

<210> 207

<211> 3791

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006461

<400> 207

acagacggcg	ggtgaacatg	gcgtcctcga	cttgggtctga	gacgtgatag	gcctgccttc	60
tggttgaaga	tgtggcgagt	gaaaaaactg	agcctcagcc	tgtcgccttc	gccccagacg	120
ggaaaacccat	ctatgagaac	tcctctccgt	gaacttaccc	tgcagcccgg	tgccctcacc	180
acctctggaa	aaagatcccc	cgcttgctcc	tcgctgaccc	catcactgtg	caagctgggg	240
ctgcaggaag	gcagcaacaa	ctcgtctcca	gtggattttg	taaataacaa	gaggacagac	300
ttatcttcag	aacatttcag	tcattcctca	aagtggctag	aaacttgcca	gcatgaatca	360
gatgagcagc	ctctagatcc	aattcccca	attagctcta	ctcctaaaac	gtctgaggaa	420
gcagtagacc	cactgggcaa	ttatatgggt	aaaaccatcg	tccttgtaac	atctccactg	480
gggcagcaac	aagacatgat	atttgaggcc	cgtttagata	ccatggcaga	gacaaacagc	540
atatctttaa	atggaccttt	gagaacagac	gatctggtga	gagaggaggt	ggcaccctgc	600
atgggagaca	ggttttcaga	agttgctgct	gtatctgaga	aacctatctt	tcaggaatct	660
ccgtcccatc	tcttagagga	gtctccacca	aatccctggt	ctgaacaact	acattgctcc	720
aaggaaagcc	tgagcagtag	aactgaggct	gtgcgtgagg	acttagtacc	ttctgaaagt	780
aacgccttct	tgcttctctc	tgttctctgg	ctttccctct	caactgcctt	ggcagcagat	840
ttcgtgtcag	atcatgtgga	cccagaggag	agcaattgtag	agcatggagc	tatggaggaa	900
agagaaaatga	ggtttcccac	acatcctaag	gagtctgaaa	cagaagatca	agcacttgct	960
tcaagtgtgg	aagatattct	gtccacatgc	ctgacaccaa	atctagtaga	aatggaatcc	1020
caagaagctc	caggcccagc	agtagaagat	gttggtagga	ttcttggtct	tgatacagag	1080
tcttgatgt	cccactggc	ctggctggaa	aaaggtgtaa	atacctccgt	catgctggaa	1140
aatctccgcc	aaagcttatc	ccttccctcg	atgcttcggg	atgctgcaat	tggcactacc	1200
cctttctcta	cttgctcggg	ggggacttgg	tttactcctt	cagcaccaca	ggaaaagagt	1260
acaaacacat	cccagacagg	cctggttggc	accaagcaca	gtacttctga	gacagagcag	1320
ctcctgtgtg	gccggcctcc	agatctgact	gccttgtctc	gacatgactt	ggaagataac	1380
ctgctgagct	ctcttgtcat	tgtggagtct	ctctcccgcc	agcttcggga	ctggaagagc	1440
cagctggctg	tccctcaccc	agaaaccag	gacagtagca	cacagactga	cacatctcac	1500
agtgggataa	ctaataaact	tcagcatctt	aaggagagcc	atgagatggg	acaggcccta	1560
cagcaggcca	gaaatgtcat	gcaatcatgg	gtgcttatct	ctaaagagct	gatatecttg	1620
cttcacctat	ccctgttgca	tttagaagaa	gataagacta	ctgtgaatca	ggagtctcgg	1680
cgtgcagaaa	cattggtctg	ttgctgtttt	gatttgctga	agaaattgag	ggcaaagctc	1740
cagagcctca	aagcagaaa	ggaggaggca	aggcacagag	aggaaatggc	tctcagaggc	1800
aaggatgcgg	cagagatagt	gttggaggct	ttctgtgcac	acgccagcca	gcgcacagc	1860
cagctggaac	aggacctagc	atccatgcgg	gaattcagag	gccttctgaa	ggatgccag	1920
acccaactgg	tagggcttca	tgccaagcaa	gaagagctgg	ttcagcagac	agtgagtctt	1980
acttctacct	tgcaacaaga	ctggagggtcc	atgcaactgg	attatacaac	atggacagct	2040
ttgctgagtc	ggtcccgaca	actcacagag	aaactcacag	tcaagagcca	gcaagccctg	2100
caggaaacgtg	atgtggcaat	tgaggaaaag	caggagggtt	ctagggtgct	ggaacaagtc	2160
tctgccagct	tagaggagtg	caaaggccaa	acagaacaac	tggagttgga	aaacattcgt	2220
ctagcaacag	atctccgggc	tcagttgcag	attctggcca	acatggacag	ccagctaaaa	2280
gagctacaga	gtcagcatac	ccattgtgcc	caggacctgg	ctatgaagga	tgagttactc	2340
tgccagctta	cccagagcaa	tgaggagcag	gctgctcaat	gcgtaaagga	agagatggca	2400
ctaaaacaca	tgaggcaga	actgcagcag	caacagctg	tcctggccaa	agaggtgcgg	2460
gacctgaaa	agaccttggg	gtttgcagac	caggagaatc	aggttgctca	cctggagctg	2520
ggctcaggtt	agtgtcaatt	gaaaaccaca	ctggaagtgc	tccgggagcg	cagcttgacg	2580
tgtgagaacc	tcaaggacac	tgtagagaac	ctaacggcta	aactggccag	caccatagca	2640
gataaccagg	agcaagatct	ggagaaaaca	cggcagtact	ctcaaaagct	agggctgctg	2700
actgagcaac	tacagagcct	gactctcttt	ctacagacaa	aactaaagga	gaagactgaa	2760
caagagacccc	ttctgctgag	tacagcctgt	cctcccaccc	aggaacaccc	tctgcctaata	2820
gacaggacct	tcctgggaag	catcttgaca	gcagtggcag	atgaagagcc	agaatcaact	2880
cctgtgcccc	tgcttgaag	tgacaagagt	gctttcaccc	gagtagcatc	aatgggtttcc	2940
cttcagcccc	cagagacccc	aggcatggag	gagagcctgg	cagaaatgag	tattatgact	3000
actgagcttc	agagtctttg	ttccctgcta	caagagtcta	aagaagaagc	catcaggact	3060
ctgcagcgaa	aaattttgtga	gctgcaagct	aggctgcagg	cccaggaaga	acagcatcag	3120
gaagtccaga	aggcaaaaaga	agcagacata	gagaagctga	accaggcctt	gtgcttgccg	3180
tacaagaatg	aaaaggagct	ccagggaagt	atacagcaga	atgagaagat	cctagaacag	3240
atagacaaga	gtggcgagct	cataagcctt	agagaggagg	tgaccacact	taccgctca	3300

cttcggcgtg	cggagacaga	gaccaaagtg	ctccaggagg	cctggcaggc	cagctggact	3360
ccaactgcca	gcctatggcc	accaattgga	tccaggagaa	agtgtggctc	tctcaggagg	3420
tggacaaact	gagagtgatg	ttcctggaga	tgaaaaatga	gaaggaaaac	tcctgatcaa	3480
gttccagagc	ccatagaaat	atcctagagg	agaaccttcg	gcgctctgac	aaggagttag	3540
aaaaactaga	tgacattggt	cagcatattt	ataagacctt	gctctctatt	ccagaggttg	3600
tgaggggatg	caaagaacta	cagggattgc	tggaaatttct	gagctaagaa	actgaaagcc	3660
agaatttggt	tcacctcttt	ttacctgcaa	taccccttta	ccccaatacc	aagaccaact	3720
ggcatagagc	caactgagat	aaatgctatt	taaataaagt	gtattttaatg	aaaaaaaaaa	3780
aaaaaaaaaa	a	3791				

<210> 208
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006461

<400> 208	
ctgacaagga	gtagaaaaa ctagatgaca ttgttcagca tatttataag accctgctct 60

<210> 209
 <211> 2856
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006516

<400> 209	
tagtcgcggg	tccccgagtg agcacgccag ggagcaggag accaaacgac gggggtcgga 60
gtcagagtcg	cagtgggagt ccccggaaccg gagcacgagc ctgagcggga gagcgccgct 120
cgcacgcccg	tcgccacccg cgtacccggc gcagccagag ccaccagcgc agcgtgcca 180
tggagcccag	cagcaagaag ctgacgggtc gcctcatgct ggctgtggga ggagcagtgc 240
ttggctccct	gcagtttggc tacaacactg gagtcatcaa tgccccccag aagggtgatcg 300
aggagttcta	caaccagaca tgggtccacc gctatgggga gagcatcctg cccaccacgc 360
tcaccacgct	ctggtccctc tcagtggcca tcttttctgt tgggggcatg attggctcct 420
tctctgtggg	ccttttcggt aaccgctttg gccggcggaa ttcaatgctg atgatgaacc 480
tgctggcctt	cgtgtccgcc gtgctcatgg gcttctcgaa actgggcaag tcctttgaga 540
tgctgatcct	gggccgcttc atcatcggtg tgtactgcgg cctgaccaca ggcttcgtgc 600
ccatgtatgt	gggtgaagtg tcaccacacag cctttcgtgg ggccctgggc accctgcacc 660
agctgggcat	cgtcgtcggc atcctcatcg ccaggtgtt cggcctggac tccatcatgg 720
gcaacaagga	cctgtggccc ctgctgetga gcatcatctt catcccggcc ctgctgcagt 780
gcatcgtgct	gcccttctgc cccgagagtc cccgcttctt gctcatcaac cgcaacgagg 840
agaaccgggc	caagagtgtg ctaaagaagc tgcgcgggac agctgacgtg acccatgacc 900
tgcaggagat	gaaggaagag agtcggcaga tgatgcggga gaagaaggtc accatcctgtg 960
agctgttccg	ctcccccgcc taccgccagc ccactcctcat cgctgtgggtg ctgcagctgt 1020
cccagcagct	gtctggcatc aacgctgtct tctattactc cacgagcatc ttcgagaagg 1080
cgggggtgca	gcagcctgtg tatgccacca ttggctccgg tatcgtcaac acggccttca 1140
ctgtcgtgtc	gtgttttgtg gtggagcgag caggccggcg gaccctgcac ctcataggcc 1200
tcgctggcat	ggcgggttgt gccatactca tgaccatcgc gctagcactg ctggagcagc 1260
taccctggat	gtcctatctg agcatcgtgg ccactcttgg ctttgtggcc ttctttgaag 1320
tgggtcctgg	ccccatccca tggttcatcg ttggtgaact cttcagccag ggtccacgtc 1380
cagctgccat	tgcggttgca ggcttctcca actggacctc aaatttcatt gtgggcatgt 1440
gcttccagta	tgtggagcaa ctgtgtggtc cctacgtctt catcatcttc actgtgcttc 1500
tggttctgtt	cttcatcttc acctacttca aagttcctga gactaaaggc cggaccttcg 1560
atgagatcgc	ttccggcttc cggcaggggg gagccagcca aagtgataag acaccgagg 1620
agctgttcca	tcccctgggg gctgattccc aagtgtgagt cgccccagat caccagcccg 1680
gcctgtctcc	agcagcccta aggatctctc aggagcacag gcagctggat gagacttcca 1740
aacctgacag	atgtcagccg agccgggccc ggggctcctt tctccagcca gcaatgatgt 1800
ccagaagaat	attcaggact taacggctcc aggatttttaa caaaagcaag actgttgctc 1860

aaatctattc	agacaagcaa	cagggttttat	aatttttttta	ttactgattt	tggtattttt	1920
atatcagcct	gagtctcctg	tgcccacatc	ccaggcttca	ccctgaatgg	ttccatgcct	1980
gagggtagag	actaagccct	gtcgagacac	ttgccttctt	cacccagcta	atctgtaggg	2040
ctggacctat	gtcctaagga	cacactaatc	gaactatgaa	ctacaaagct	tctatcccag	2100
gaggtggcta	tggccacccg	ttctgctggc	ctggatctcc	ccactctagg	ggtcaggctc	2160
cattaggatt	tgcccttcc	catctcttcc	tacccaacca	ctcaaattaa	tctttcttta	2220
cctgagacca	gttgggagca	ctggagtgca	gggaggagag	gggaagggcc	agtctgggct	2280
gccgggttct	agtctccttt	gcactgaggg	ccacactatt	accatgagaa	gagggcctgt	2340
gggagcctgc	aaactcactg	ctcaagaaga	catggagact	cctgccctgt	tgtgtataga	2400
tgcaagatat	ttatatatat	ttttggttgt	caatattaaa	tacagacact	aagttatagt	2460
atatctggac	aagccaactt	gtaaatacac	cacctcactc	ctgttactta	cctaaacaga	2520
tataaatggc	tgggttttag	aaacatggtt	ttgaaatgct	tgtggattga	gggtaggagg	2580
tttggatggg	agtgagacag	aagtaagtgg	ggttgcaacc	actgcaacgg	cttagacttc	2640
gactcaggat	ccagtccctt	acacgtacct	ctcatcagtg	tcctcttgct	caaaaatctg	2700
tttgatccct	gttaccacaga	gaatatatac	attctttatc	ttgacattca	aggcatttct	2760
atcacatatt	tgatagtgtg	tgttcaaaaa	aacactagtt	ttgtgccagc	cgtgatgctc	2820
aggcttgaaa	tcgcattatt	ttgaatgtga	agggaa	2856		

<210> 210
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006516

<400> 210	aaacagatat	aaatggctgg	tttttagaaa	catggttttg	aaatgcttgt	ggattgaggg	60
-----------	------------	------------	------------	------------	------------	------------	----

<210> 211
 <211> 576
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006607

<400> 211	atggctactc	tgatctacgt	tgataaggaa	attggagAAC	caggcaccgc	tgtggctgcc	60
	aaggatgtgc	tgaagctgga	gtctagacct	tcaatcaaag	cattagatgg	gatattctcaa	120
	gttttaaacac	cacgttttgg	caaaacatac	gatgctccat	cagccttacc	taaagctacc	180
	agaaaggctt	tgggcaactgt	caacagagct	acagaaaagt	cagtaaagac	caatggaccc	240
	agaaaacaaa	aacagccaag	cttttctgcc	aaaaagatga	ccgagaagac	tgttaaaaca	300
	aaaagtctctg	ttcctgcctc	agatgacgcc	tatccagaaa	tagaaaaatt	ctttcccttc	360
	aatcttctag	actttgagag	ttttgacctg	cctgaagagc	gccagattgc	acacctcccc	420
	ttgagtggag	tgcctctcat	gacctttgat	gaggagggag	agcttgaaaa	gctgtttcag	480
	ctgggcccc	cttcacctgt	gaaaatgcc	tctccacct	gggaatgcaa	tctgtttgca	540
	gtctccttca	agcattctgt	cgaccctgga	tgttga	576		

<210> 212
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006607

<400> 212	cgcctatcca	gaaatagaaa	aattctttcc	cttcaatctt	ctagactttg	agagttttga	60
-----------	------------	------------	------------	------------	------------	------------	----

<210> 213

<211> 2058
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006820

<400> 213

gcacgaggaa	gccacagatc	tcttaagaac	tttctgtctc	caaaccgtgg	ctgctcgata	60
aatcagacag	aacagttaat	cctcaattta	agcctgatct	aacccctaga	aacagatata	120
gaacaatgga	agtgacaaca	agattgacat	ggaatgatga	aatcatctcg	cgcaactgct	180
tggaaatggt	tctttgagtc	ttctctataa	gtctagtgtt	catggaggta	gcattgaaga	240
tatggttgaa	agatgcagcc	gtcagggatg	tactataaca	atggcttaca	ttgattacaa	300
tatgattgta	gcctttatgc	ttggaaatta	tattaattta	cgtgaaagtt	ctacagagcc	360
aaatgattcc	ctatggtttt	cacttcaaaa	gaaaaatgac	accactgaaa	tagaaacttt	420
actcttaaat	acagcaccaa	aaattattga	tgagcaactg	gtgtgtcggt	tatcgaaaac	480
ggatattttc	attatatgtc	gagataataa	aatttatcta	gataaaatga	taacaagaaa	540
cttgaaaacta	aggttttatg	gccaccgtca	gtatttggaa	tgtgaagttt	ttcgagttga	600
aggaattaag	gataacctag	acgacataaa	gaggataatt	aaagccagag	agcacagaaa	660
taggcttcta	gcagacatca	gagactatag	gccctatgca	gacttggttt	cagaaattcg	720
tattcttttg	gtgggtccag	ttgggtctgg	aaagtccagt	tttttcaatt	cagtcaagtc	780
tatttttcat	ggccatgtga	ctggccaagc	cgtagtgggg	tctgatacca	ccagcataac	840
cgagcgggtat	aggatatatt	ctgttaaaga	tggaaaaaat	ggaaaatctc	tgccatttat	900
gttgtgtgac	actatggggc	tagatggggc	agaaggagca	ggactgtgca	tggatgacat	960
tccccacatc	ttaaaaggtt	gtatgccaga	cagatatcag	tttaattccc	gtaaaccaat	1020
tacacctgag	cattctactt	ttatcacctc	tccatctctg	aaggacagga	ttcactgtgt	1080
ggcttatgtc	ttagacatca	actctattga	caatctctac	tctaaaatgt	tggcaaaagt	1140
gaagcaagtt	cacaaagaag	tattaaactg	tggtatagca	tatgtggcct	tgcttactaa	1200
agtggatgat	tgcagtgagg	ttcttcaaga	caacttttta	aacatgagta	gatctatgac	1260
ttctcaaagc	cgggtcatga	atgtccataa	aatgctaggc	attcctattt	ccaatatttt	1320
gatggttgga	aattatgctt	cagatttggg	actggacccc	atgaaggata	ttctcatcct	1380
ctctgcaactg	aggcagatgc	tgcgggctgc	agatgatatt	ttagaagatt	tgccctcttga	1440
ggaaactggt	gcaattgaga	gagcgttaca	gccctgcatt	tgagataagt	tgcccttgatt	1500
ctgacatttg	gccagcctg	tactggtgtg	cgcgaatgag	agtcaatctc	tattgacagc	1560
ctgcttcaga	ttttgctttt	gttcgttttg	ccttctgtcc	ttggaacagt	catatctcaa	1620
gttcaaaagc	caaaacctga	gaagcgggtg	gctaagatag	gtcctactgc	aaaccacccc	1680
tccatatttc	cgtaccattt	acaattcagt	ttctgtgaca	tcttttttaa	ccactggagg	1740
aaaaatgaga	tattctctaa	tttattcttc	tataacactc	tatatagagc	tatgtgagta	1800
ctaatacat	tgaataatag	ttataaaatt	attgtataga	catctgcttc	ttaaacagat	1860
tgtgagttct	ttgagaaaca	gcgtggattt	tacttatctg	tgtattcaca	gagcttagca	1920
cagtgcctgg	taatgagcaa	gcataacttg	cattactttt	ccttcccact	ctctccaaca	1980
tcacattcac	tttaaatatt	tctgtatata	gaaaggaaaa	ctagcctggg	caacatgatg	2040
aaaccccatc	tccactgc	2058				

<210> 214
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_006820

<400> 214

tgagttcttt	gagaaacagc	gtggatttta	cttatctgtg	tattcacaga	gcttagcaca	60
------------	------------	------------	------------	------------	------------	----

<210> 215
 <211> 2825
 <212> DNA
 <213> Homo sapiens

<300>

<308> NM_006845

<400> 215

```
gcgaaattga ggtttcttgg tattgcgcgt ttctcttctt tgctgactct ccgaatggcc 60
atggactcgt cgcttcaggc ccgcctgttt cccggtctcg ctatcaagat ccaacgcagt 120
aatggtttta ttacacagtgc caatgtaagg actgtgaact tggagaaatc ctgtgtttca 180
gtggaatggg cagaaggagg tgccacaaaag ggcaaagaga ttgattttga tgatgtggct 240
gcaataaacc cagaactctt acagcttctt cccttacatc cgaaggacaa tctgcccttg 300
caggaaaatg taacaatcca gaaacaaaaa cggagatccg tcaactccaa aattcctgct 360
ccaaaagaaa gtcttcgaag ccgctccact cgcatgtcca ctgtctcaga gcttcgcata 420
acggctcagg agaatgacat ggaggtggag ctgcctgcag ctgcaaaact ccgcaagcag 480
ttttcagttc ctctgcccc cactaggcct tctgcccctg cagtggctga aataccattg 540
aggatggtca gcgaggagat ggaagagcaa gtccattcca tccgtggcag ctcttctgca 600
aaccctgtga actcagttcg gaggaaatca tgtcttgtga aggaagtgga aaaaatgaag 660
aacaagcgag aagagaagaa ggcccagaac tctgaaatga gaatgaagag agctcaggag 720
tatgacagta gttttccaaa ctgggaatgt gcccgaaatg ttaaagaatt tcgggctact 780
ttggaatgtc atccacttac tatgactgat cctatcgaag agcacagaat atgtgtctgt 840
gttaggaaac gccactgaa taagcaagaa ttggccaaga aagaaattga tgtgatttcc 900
attcctagca agtgtctctt ctgtgttctt gaacccaagt tgaaagtgga cttacaacaa 960
tatctggaga accaagcatt ctgctttgac ttgtcatttg atgaaacagc ttcgaatgaa 1020
gttgtctaca ggttcacagc aaggccactg gtacagacaa tctttgaagg tggaaaagca 1080
acttgttttg catatggcca gacaggaagt ggcaagacac atactatggg cggagacctc 1140
tctgggaaag ccagaatgc atccaaaggg atctatgcca tggcctcccg ggacgtcttc 1200
ctcctgaaga atcaaccctg ctaccggaag ttgggcctgg aagtctatgt gacattcttc 1260
gagatctaca atgggaagct gtttgacctg ctcaacaaga aggccaagct gcgcgtgctg 1320
gaggacggca agcaacaggt gcaagtgggt gggctgcagg agcatctggt taactctgct 1380
gatgatgtca tcaagatgct cgacatgggc agcgcctgca gaacctctgg gcagacattt 1440
gccaactcca attcctcccg ctcccacgag tgcttccaaa ttattcttcg agctaaaggg 1500
agaatgcatg gcaagttctc tttggtagat ctggcaggga atgagcgagg cgcagacact 1560
tccagtgtcg accgtagac ccgcatggag ggcgcagaaa tcaacaagag tctcttagcc 1620
ctgaaggagt gcatcagggc cctgggacag aacaaggctc acaccccgtt ccgtgagagc 1680
aagctgacac aggtgctgag ggactccttc attggggaga actctaggac ttgcatgatt 1740
gccacgatct caccaggcat aagctcctgt gaataactt taaacaccct gagatatgca 1800
gacagggcca aggagctgag ccccccacag gggcccagtg gagagcagtt gattcaaatg 1860
gaaacagaag agatggaagc ctgctctaac ggggctgcta ttccaggcaa tttatccaag 1920
gaagaggagg aactgtcttc ccagatgtcc agctttaacg aagccatgac tcagatcagg 1980
gagctggagg agaaggctat ggaagagctc aaggagatca tacagcaagg accagactgg 2040
cttgagctct ctgagatgac cgagcagcca gactatgacc tggagacctt tgtgaacaaa 2100
cggaatctg ctctggccca gcaagccaag catttctcag ccctgcgaga tgtcatcaag 2160
gccttacgcc tggccatgca gctggaagag caggctagca gacaaataag cagcaagaaa 2220
cggccccagt gacgactgca aataaaaaatc tgtttggttt gacaccacgc ctcttccctg 2280
gccctcccca gagaactttg ggtacctggt gggcttaggc agggctctgag ctgggacagg 2340
ttctggtaaa tgccaagtat gggggcatct gggcccaggg cagctgggga gggggtcaga 2400
gtgacatggg aactcctttt tctgttcttc agttgtcgcc ctacagagag gaaggagctc 2460
ttagttaccc ttttgtgttg cccttctttc catcaagggg aatgtttctc gcatagagct 2520
ttctccgcag catcctgcct gcgtggactg gctgctaatt gagagctccc tggggttgct 2580
ctggctctgg ggagagagac ggagccttta gtacagctat ctgctggctc taaaccttct 2640
acgcctttgg gccgagcact gaatgtcttg tactttaaaa aaatgtttct gagacctctt 2700
tctactttac tgtctcccta gagtccctaga ggatccctac tgttttctgt tttatgtgtt 2760
tatacattgt atgtaacaat aaagagaaaa aataaaaaaa aaaaaaaaaa aaaaaaaaaa 2820
aaaaa 2825
```

<210> 216

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_006845

<400> 216

aaatgtttct gagacctctt tctactttac tgtctcccta gagtcctaga ggatccctac 60

<210> 217

<211> 823

<212> DNA

<213> Homo sapiens

<300>

<308> NM_007019

<400> 217

aaacgcgggc	gggcggggccc	gcagtcctgc	agttgcagtc	gtgttctccg	agttcctgtc	60
tctctgccaa	cgccgcccgg	atggcttccc	aaaaccgcga	cccagccgcc	actagcgtcg	120
ccgcccggcg	taaaggagct	gagccgagcg	ggggcgccgc	ccgggggtccg	gtgggcaaaa	180
ggctacagca	ggagctgatg	accctcatga	tgtctggcga	taaagggtatt	tctgccttcc	240
ctgaatcaga	caaccttttc	aaatgggtag	ggaccatcca	tggagcagct	ggaacagtat	300
atgaagacct	gaggtataag	ctctcgctag	agttccccag	tggctaccct	tacaatgcgc	360
ccacagtga	gttcctcacg	ccctgctatc	accccaacgt	ggacacccag	ggtaacatat	420
gcctggacat	cctgaaggaa	aagtgggtctg	ccctgtatga	tgtcaggacc	attctgctct	480
ccatccagag	ccttctagga	gaacccaaca	ttgatagtcc	cttgaacaca	catgctgccg	540
agctctggaa	aaaccccaca	gcttttaaga	agtacctgca	agaaacctac	tcaaagcagg	600
tcaccagcca	ggagccctga	cccaggctgc	ccagcctgtc	cttgtgtcgt	ctttttaatt	660
tttccttaga	tggctctgtc	tttttgtgat	ttctgtatag	gactctttat	cttgagctgt	720
ggtatttttg	ttttgttttt	gtctttttaa	ttaagcctcg	gttgagccct	tgtatattaa	780
ataaatgcat	ttttgtcctt	tttttagaaa	aaaaaaaaaa	aaa	823	

<210> 218

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_007019

<400> 218

tggaaaaacc	ccacagcttt	taagaagtag	ctgcaagaaa	cctactcaaa	gcaggtcacc	60
------------	------------	------------	------------	------------	------------	----

<210> 219

<211> 2831

<212> DNA

<213> Homo sapiens

<300>

<308> NM_007183

<400> 219

gaattccgga	caggacgtga	agatagttgg	gtttggaggc	ggccgccagg	cccaggcccg	60
gtggacctgc	cgccatgcag	gacggtaact	tcctgctgtc	ggccctgcag	cctgaggccg	120
gcgtgtgtct	cctggcgctg	ccctctgacc	tgcagctgga	ccgcccgggg	gccgaggggc	180
cggaggccga	gcggctgcgg	gcagcccgcg	tccaggagca	ggtccgcgcc	cgctcttgc	240
agctgggaca	gcagccgcgg	cacaacgggg	ccgctgagcc	cgagcctgag	gccgagactg	300
ccagaggcac	atccaggggg	cagtaccaca	ccctgcaggc	tggcttcagc	tctcgctctc	360
agggcctgag	tggggacaag	acctcggggt	tccggcccat	cgccaagccg	gcctacagcc	420
cagcctcctg	gtcctcccgc	tccgcctggg	atctgagctg	cagtcggagg	ctgagttcag	480
cccacaatgg	gggcagcgcc	tttggggccg	ctgggtacgg	gggtgcccag	cccacccctc	540
ccatgcccac	caggcccgtg	tccttccatg	agcgcgtggg	ggttgggagc	cgggcccact	600
atgacacact	ctccctgcgc	tcgtctgcgg	tggggcccgg	gggcctggac	gaccgctaca	660
gcctgggtgt	tgagcagctg	gagcccgcgg	ccacctccac	ctacagggcc	tttgctgacg	720
agcgcacagg	cagctccagc	tccagccggg	caggggggct	ggactggccc	gaggccactg	780
aggtttcccc	gagccggacc	atccgtgccc	ctgccgtgcg	gaccctgcag	cgattccaga	840
gcagccaccg	gagccgcggg	gtaggcgggg	cagtgcgggg	ggccgtcctg	gagccagtgg	900

ctcgagcgcc	atctgtgcgc	agcctcagcc	tcagcctggc	tgactcgggc	cacctgccgg	960
acgtgcatgg	gttcaacagc	tacggtagcc	accgaaccct	gcagagactc	agcagcggtt	1020
ttgatgacat	tgacctgccc	tcagcagtc	agtagctcat	ggcttcagac	cccaacctgc	1080
aggtgctggg	agcggcctac	atccagcaca	agtgtacag	cgatgcagcc	gccaagaagc	1140
aggcccgag	ccttcaggcc	gtgcctagcc	tggtgaagct	cttcaaccac	gccaaccagg	1200
aagtgcagcg	ccatgccaca	ggtgccatgc	gcaacctcat	ctacgacaac	gctgacaaca	1260
agctggccct	ggtggaggag	aacgggatct	tcagagctgt	gcggacactg	cgggagcagg	1320
atgatgagct	tcgcaaaaat	gtcacaggga	tcctgtggaa	cctttcatcc	agcgaccacc	1380
tgaaggaccg	cctggccaga	gacacgctgg	agcagctcac	ggacctggtg	ttgagccccc	1440
tgctgggggc	tgggggtccc	cccctcatcc	agcagaacgc	ctcggaggcg	gagatcttct	1500
acaacgccac	cggcttcctc	aggaacctca	gtcagcctc	tcaggccact	cgccagaaga	1560
tgcgggagtg	ccacgggctg	gtggacgcc	tggtcacctc	tatcaaccac	gccctggacg	1620
cgggcaaatg	cgaggacaag	agcgtggaga	acgcggtgtg	cgctcctgcg	aacctgtcct	1680
accgcctcta	cgacgagatg	ccgccgtccg	cgctgcagcg	gctggagggt	cgcgcccgca	1740
gggacctggc	gggggcgcgc	ccgggagagg	tcgtgggctg	cttcacgccg	cagagccggc	1800
ggctgcgcga	gctgcccctc	gccgccgatg	cgctcacctt	cgcgagggtg	tccaaggacc	1860
ccaagggcct	cgagtggctg	tggagccccc	agatcgtggg	gctgtacaac	cggctgctgc	1920
agcgtgcga	gctcaaccgg	cacacgacgg	aggcgccgcg	cggggcgctg	cagaacatca	1980
cggcaggcga	ccgcagggtg	gcgggggtgc	tgagccgcct	ggccctggag	caggagcgta	2040
ttctgaaccc	cctgctagac	cgtgtcagga	ccgcgcacca	ccaccagctg	cgctcactga	2100
ctggcctcat	ccgaacctgt	tctcggaacg	ctaggaacaa	ggacgagatg	tccacgaagg	2160
tggtgagcca	cctgatcgag	aagctgccag	gcagcgtggg	tgagaagtcg	ccccagccg	2220
aggtgctggt	caacatcata	gctgtgctca	acaacctggt	ggtggccagc	cccatcgctg	2280
cccagacact	gctgtatctt	gacggactcc	gaaagctcat	cttcatcaag	aagaagcggg	2340
acagccccga	cagtgagaag	tcctcccggg	cagcatccag	cctcctggcc	aacctgtggc	2400
agtacaacaa	gctccaccgt	gactttcggg	cgaagggtca	tcggaaggag	gacttcctgg	2460
gcccataagg	gaagccttct	ggaggagaag	gtgacgtggc	ccagcgtcca	agggacagac	2520
tcagctccag	gctgcttggc	agcccagcct	ggaggagaag	gctaattgac	gaggggcccc	2580
tcgctggggc	ccctgtgtgc	atctttgagg	gtcctggggc	accaggaggg	gcagggtctt	2640
atagctgggg	acttgcttc	cgcagggcag	ggggtggggc	agggtcctca	gctgctctgg	2700
tgatgggggt	ggtgaccag	tcacattggc	agaggtgggg	gttggtgtgt	gcctggcagt	2760
atcttgggat	agccagcact	gggaataaag	atggccatga	acagtcacaa	aaaaaaaaaa	2820
aaaaggaatt	c	2831				

<210> 220
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_007183

<400> 220	
ctggcagtat	cttgggatag ccagcactgg gaataaagat ggccatgaac agtcacaaaa 60

<210> 221
 <211> 2815
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_007267

<400> 221	
aggaagcgga	ggaaggtgaa gtaggaccga attcctgtgc cgaagaggcc tgcagtggga 60
gagcaggatg	ggggctccgg aggtggcgcc caggctctga gctaccctag gtctgcagac 120
tagcgggcat	tggccagaga catggcccag ccactggcct tcatcctcga tgtccctgag 180
accccagggg	accagggcca gggccccagc ccctatgatg aaagcgaagt gcacgactcc 240
ttccagcagc	tcatccagga gcagagccag tgcacggccc aggaggggct ggagctgcag 300
cagagagagc	gggaggtgac aggaagtagc cagcagacac tctggcgggc cgagggcacc 360
cagagcacgg	ccacactccg catcctggcc agcatgcccc gccgcaccat tggccgcagc 420

cgaggtgcc	tcattccca	gtactacaac	cgcaagggtgc	agcttcgggtg	caggagcagc	480
cgggccctgc	tcgggaactt	tgtccgctcc	gcctggccca	gcctccgcct	gtacgacctg	540
gagctggacc	ccaggccct	ggaggaggag	gagaagcaga	gcctcctggt	gaaggagtgc	600
cagagcctgg	cagtggcaca	gcgggaccac	atgcttcgcg	ggatgccctt	aagcctggct	660
gagaaacgca	gcctgcgaga	gaagagcagg	accccgaggg	ggaagtggag	gggccagccg	720
ggcagcgcg	gggtctgtct	ctgctgtggc	cggtcagat	atgcctgcgt	gctggccttg	780
cacagcctgg	gcctggcgct	gctctccgcc	ctgcaggccc	tgatgccgtg	gcgctacgcc	840
ctgaagcgca	tcggggggcca	gttcggctcc	agcgtgctct	cctacttcct	ctttctcaag	900
accctgctgg	ctttcaatgc	cctcctgctg	ctgctgctgg	tggccttcat	catgggcccct	960
caggctcgct	tcccaccgcg	cctgcggggc	cctgcccccg	tctgcacagg	cctggagctc	1020
ctcacaggcg	cgggttgctt	caccacacc	gtcatgtact	acggccacta	cagtaacgcc	1080
acgctgaacc	agcgtgtgg	cagccccctg	gatggcagcc	agtgcacacc	cagggtggtg	1140
ggcctgccct	acaacatgcc	cctggcctac	ctctccactg	tgggcgtgag	cttctttatc	1200
acctgcatca	ccctggtgta	cagcatggct	cactctttcg	gggagagcta	ccgggtgggc	1260
agcacctctg	gcatccacgc	catcacctgc	ttctgtctct	gggactacaa	ggtgacgcag	1320
aagcgggcct	cccgcctcca	gcaggacaat	attcgacccc	ggctgaagga	gctgctggcc	1380
gagtggcagc	tgcggcacag	ccccaggagc	gtgtgcggga	ggctgcggca	ggcggctgtg	1440
ctggggcctg	tgtggctgct	gtgtctgggg	accgcgctgg	gctgcgccgt	ggcgcctcac	1500
gtctttctcg	agttcatgat	ccagagtcca	gaggtgctg	gccaggaggc	tgtgctgctg	1560
gtcctgcccc	tgggtggttg	cctcctcaac	ctggggggccc	cctacctgtg	ccgtgtcctg	1620
gccgccttgg	agccgcata	ctccccgcta	ctggagggtg	acgtggccat	ctgcaggaac	1680
ctcatcctca	agctggccat	cctggggaca	ctgtgctacc	actggctggg	ccgcagggtg	1740
ggcgtcctgc	agggccagtg	ctgggaggat	tttgtgggcc	aggagctgta	ccggttcctg	1800
gtgatggact	tcgtctcat	gttgctggac	acgttttttg	gggaactggt	gtggaggatt	1860
atctccgaga	agaagctgaa	gaggaggcgg	aagccggagt	ttgacattgc	ccggaatgtc	1920
ctggagctga	tttatgggca	gactctgacc	tggtgggggg	tgctcttctc	gccccctctc	1980
cccgcctgtc	agatcatcaa	gctgctgctc	gtcttctatg	tcaagaagac	cagccttctg	2040
gccaactgcc	agggcccgcg	ccggccctgg	ctggcctcac	acatgagcac	cgtcttctct	2100
acgtgctctg	gcttccccgc	cttctctggg	gocgtgtct	tcctctgcta	cgccgtctgg	2160
caggtgaacc	cctcgagcac	ctgcggcccc	ttccggaccc	tggacaccat	gtacgaggcc	2220
ggcagggtgt	gggtgcgcca	cctggaggcg	gcaggcccca	gggtctcctg	gctgccctgg	2280
gtgcaccggg	acctgatgga	aaacaccttc	tttgtcttcc	tgggtgtcagc	cctgctgctg	2340
gccgtgatct	acctcaacat	ccagggtggtg	cgggggccagc	gcaaggctcat	ctgcctgctc	2400
aaggagcaga	tcagcaatga	gggtgaggac	aaaatcttct	taatcaacaa	gcttcaactcc	2460
atctacgaga	ggaaggagag	ggaggagagg	agcagggttg	ggacaaccga	ggaggctgcg	2520
gcacccccctg	ccctgctcac	agatgaacag	gatgcctagg	gggacggcga	tgggcctcac	2580
gggccccgcc	agcacctga	gaccacactg	ttgcctccca	gtgacctgc	tgggacacca	2640
ggacaaggaa	gacagtttgc	cctctcgaaa	gocgcagctg	cgcttaggct	ggagctggaa	2700
gggtgggtga	atccgcttg	ggcatcccca	atgaactctg	ccctgcctgg	gactctatct	2760
attctgatta	aaggggtttt	gcaaattggga	aaaaaaaaaa	aaaaaaaaaa	aaaaa	2815

<210> 222
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_007267

<400> 222
 ggtgaggaca aaatcttctt aatcaacaag cttcactcca tctacgagag gaaggagagg 60

<210> 223
 <211> 1893
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_007274

<400> 223

atttaccgccc	gcgcgggagag	tgaggggccc	agtcgcgcct	gctccgccc	ttagggccgccc	60
ccagacgctt	ccctcggggc	tgccaccggg	tcgggcgcgg	ctgccgcggc	tagcgggcct	120
tccccgcacc	ggcgcggccc	aaccgccacc	gaaccttctg	gaagcggcgg	ctgcctgggg	180
ccccacgccc	ccagaatcgt	acgcccgcgc	gagctctctg	cagccttggc	ggcctggggag	240
gcgggggctcg	gggtggggcc	ggcgcggggg	cggggtcggc	gcggggaggc	cgcgttcgat	300
tcgcccccg	cgcgcaggcc	ccgcctcacc	agccccatcg	ctccacctct	gccctcccc	360
tttatggcgc	ggcccgggct	cattcattcc	gcgcggggcc	tgccagacac	ctgcgcctt	420
ctgcagccgc	ccgccgcctc	cgccgcgcga	gccccagca	tgtcggggccc	agacgtcgag	480
acgccgtccg	ccatccagat	ctgccggatc	atgccggccag	atgatgccaa	cgtggccggc	540
aatgtccacg	gggggaccat	cctgaagatg	atcgaggagg	caggcgccat	catcagcacc	600
cggcattgca	acagccagaa	cggggagcgc	tgtgtggcgg	ccctggctcg	tgtcgagcgc	660
accgacttcc	tgtctcccat	gtgcatcggt	gaggtggcgc	atgtcagcgc	ggagatcacc	720
tacacctcca	agcactctgt	ggaggtgcag	gtcaacgtga	tgtccgaaaa	catcctcaca	780
ggtgccaaaa	agctgaccaa	taaggccacc	ctgtggtatg	tgccccctgtc	gctgaagaat	840
gtggacaagg	tcctcgaggt	gcctcctgtt	gtgtattccc	ggcaggagca	ggaggaggag	900
ggccggaagc	ggtatgaagc	ccagaagctg	gagcgcctgg	agaccaagtg	gaggaacggg	960
gacatcgctc	agccagtcct	caaccagag	ccgaacactg	tcagctacag	ccagtccagc	1020
ttgatccacc	tggtggggcc	ttcagactgc	accctgcacg	gctttgtgca	cggaggtgtg	1080
accatgaagc	tcattggatga	ggtcgcgggg	atcgtggctg	cacgccactg	caagaccaac	1140
atcgtcacag	cttcctgtga	cgcattaat	tttcatgaca	agatcagaaa	aggctgcgtc	1200
atcaccatct	cgggacgcat	gaccttcacg	agcaataagt	ccatggagat	cagggtgttg	1260
gtggacgccc	accctgttgt	ggacagctct	cagaagcgct	accggggccgc	cagtgccttc	1320
ttcacctacg	tgtcgtctgag	ccaggaaggc	aggctcgtgc	ctgtgcccc	gctggtgcc	1380
gagaccgagg	acgagaagaa	gcgctttgag	gaaggcaaa	ggcgggtacct	gcagatgaag	1440
gcgaagcgac	agggccacgc	ggagcctcag	ccctagactc	cctcctcctg	ccactgggtc	1500
ctcgagtagc	catggcaacg	ggcccagtgt	ccagtcactt	agaagttccc	cccttgcca	1560
aaaacccaat	tcacattgag	agctggtgtt	gtctgaagtt	ttcgtatcac	agtgttaacc	1620
tgtactctct	cctgcaaacc	tacacaccaa	agctttat	atatcattcc	agtatcaatg	1680
ctacacagtg	ttgtcccag	cgcggggagg	cgttgggcag	aaaccctcgg	gaatgcttcc	1740
gagcacgctg	tagggtatgg	gaagaaccca	gcaccactaa	taaagctgct	gcttggctgg	1800
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	1860
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaa	1893		

<210> 224
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_007274

<400> 224
 acctacacac caaagcttta tttatatcat tccagtatca atgctacaca gtgttgtccc 60

<210> 225
 <211> 4157
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_007315

<400> 225
 agcggggcgg ggccgcagcg ctgccttttc tctgcgcggg tagtttcgct ttcctgcgca 60
 gagtctgcgg aggggctcgg ctgcaccggg gggatcgcgc ctggcagacc ccagaccgag 120
 cagaggcgac ccagcgcgct cgggagaggc tgcaccgccc cgccccgcgc tagcccttcc 180
 ggatcctgcg cgcagaaaag tttcatttgc tgtatgccat cctcgagagc tgtctagggt 240
 aacgttcgca ctctgtgtat ataacctoga cagtcttggc acctaacgtg ctgtgcgtag 300
 ctgctccttt ggttgaatcc ccaggccctt gttggggcac aagggtggcag gatgtctcag 360
 tggtagaac ttcagcagct tgactcaaaa ttctgggagc aggttcacca gctttatgat 420
 gacagttttc ccatggaaat cagacagtac ctggcacagt ggttagaaaa gcaagactgg 480

gagcacgctg	ccaatgatgt	ttcattttgcc	accatccgtt	ttcatgacct	cctgtcacag	540
ctggatgatc	aatatagtct	cttttctttg	gagaataact	tcttgctaca	gcataacata	600
aggaaaaagca	agcgtaatct	tcaggataat	tttcagggaag	acccaatcca	gatgtctatg	660
atcattttaca	gctgtctgaa	ggaagaaagg	aaaattctgg	aaaacgcca	gagattttaat	720
caggctcagt	cggggaatat	tcagagcaca	gtgatgttag	acaaacagaa	agagcttgac	780
agtaaagtca	gaaatgtgaa	ggacaagggt	atgtgtatag	agcatgaaat	caagagcctg	840
gaagatttac	aagatgaata	tgacttcaaa	tgcaaaacct	tgcagaacag	agaacacgag	900
accaatgggtg	tggcaaagag	tgatcagaaa	caagaacagc	tggtactcaa	gaagatgtat	960
ttaatgcttg	acaataagag	aaaggaagta	gttcacaaaa	taatagagtt	gctgaatgtc	1020
actgaactta	cccagaatgc	cctgattaat	gatgaactag	tggagtggaa	gcggagacag	1080
cagagcgctt	gtattggggg	gccgcccaat	gcttgcttgg	atcagctgca	gaactgggtc	1140
actatagtgt	cggagagtct	gcagcaagtt	cggcagcagc	ttaaaaaagt	ggaggaattg	1200
gaacagaaaat	acacctacga	acatgaccct	atcacaaaaa	acaaacaagt	gttatgggac	1260
cgcaccttca	gtctttttcca	gcagctcatt	cagagctcgt	ttgtgggtgga	aagacagccc	1320
tgcatgccaa	cgcaccttca	gaggccgctg	gtcttgaaga	caggggtcca	gttactgtg	1380
aagttgagac	tggttggtgaa	attgcaagag	ctgaattata	atttgaaagt	caaagtctta	1440
tttgataaaag	atgtgaatga	gagaaatata	gtaaaaggat	ttaggaagtt	caacattttg	1500
ggcacgcaca	caaaagtgat	gaacatggag	gagtcacca	atggcagctc	ggcggctgaa	1560
tttcggcacc	tgcaattgaa	agaacagaaa	aatgctggca	ccagaacgaa	tgagggtcct	1620
ctcatcgtaa	ctgaagagct	tcactccctt	agttttgaaa	cccaattgtg	ccagcctggg	1680
ttggtaattg	acctcgagac	gacctctctg	ccogttgtgg	tgatctccaa	cgtcagccag	1740
ctcccagcgg	gttgggcctc	catecttttg	tacaacatgc	tggtggcgga	accagggaat	1800
ctgtccttct	tcctgactcc	accatgtgca	cgatgggctc	agctttcaga	agtgtctgag	1860
tggcagtttt	cttctgtcac	caaaagaggt	ctcaatgtgg	accagctgaa	catgttggga	1920
gagaagcttc	ttggtcctaa	cgccagcccc	gatggtctca	ttccgtggac	gaggttttgt	1980
aaggaaaaata	taaatgataa	aaattttccc	ttctggcttt	ggattgaaag	catcctagaa	2040
ctcattaaaa	aacacctgct	ccctctctgg	aatgatgggt	gcatcatggg	cttcatcagc	2100
aaggagcgag	agcgtgccct	gttgaaggac	cagcagccgg	ggaccttcc	gctgcgggtc	2160
agtgaagctg	cccgggaagg	ggccatcaca	ttcacatggg	tggagcggtc	ccagaacgga	2220
ggcgaacctg	acttccatgc	ggttgaaccc	tacacgaaga	aagaactttc	tgctgttact	2280
ttccctgaca	tcattcgcaa	ttacaaagtc	atggctgctg	agaatatattc	tgagaatccc	2340
ctgaagtatc	tgtatccaaa	tattgacaaa	gaccatgcct	ttggaaagta	ttactccagg	2400
ccaaaggaag	caccagagcc	aatggaactt	gatggcccta	aaggaaactg	atatatcaag	2460
actgagttga	tttctgtgtc	tgaagttcac	ccttctagac	ttcagaccac	agacaacctg	2520
ctccccatgt	ctcctgagga	gtttgacgag	gtgtctcgga	tagtgggctc	tgtagaattc	2580
gacagtatga	tgaacacagt	atagagcatg	aatttttttc	atcttctctg	gcgacagttt	2640
tccttctcat	ctgtgattcc	ctcctgctac	tctgttcctt	cacatcctgt	gtttctaggg	2700
aaatgaaaga	aaggccagca	aattcgtctg	aacctgttga	tagcaagtga	atttttctct	2760
aactcagaaa	catcagttac	tctgaagggc	atcatgcata	ttactgaagg	taaaattgaa	2820
aggcattctc	tgaagagtgg	gtttcacaa	tgaaaaacat	ccagatacac	ccaaagtatc	2880
aggacgagaa	tgagggtcct	ttgggaaagg	agaagttaag	caacatctag	caaagtattt	2940
gcataaaagtc	agtgcccaac	tgttataggt	tggttgataa	atcagtgggt	atttagggaa	3000
ctgcttgacg	taggaacggt	aaatttctgt	gggagaattc	ttacatgttt	tctttgcttt	3060
aagtgtaaact	ggcagttttc	cattggttta	cctgtgaaat	agttcaaagc	caagtttata	3120
tacaattata	tcagtcctct	ttcaaaggta	gccatcatgg	atctggtagg	gggaaaatgt	3180
gtattttatt	acatctttca	cattggctat	ttaaagacaa	agacaaattc	tgtttcttga	3240
gaagagaata	ttagctttac	tgtttgttat	ggcttaatga	cactagctaa	tatcaataga	3300
aggatgtaca	tttccaaatt	cacaagttgt	gtttgatata	caaagctgaa	tacattctgc	3360
tttcatcttg	gtcacatata	attattttta	cagttctccc	aaggaggatta	ggctattcac	3420
aaccactcat	tcaaaagttg	aaattaacca	tagatgtaga	taaactcaga	aatttaattc	3480
atgtttctta	aatgggctac	tttgtccttt	ttgttattag	ggtggtat	agtctattag	3540
ccacaaaatt	gggaaaggag	tagaaaaagc	agtaactgac	aacttgaata	atacaccaga	3600
gataaatatga	gaatcagatc	atttcaaaa	tcatttccta	tgtaactgca	ttgagaactg	3660
catatgtttc	gctgatata	gtgtttttca	catttgogaa	tggttccatt	ctctctcctg	3720
tactttttcc	agacactttt	ttgagtggat	gatgtttcgt	gaagtatact	gtatttttac	3780
ctttttcctt	ccttatcact	gacacaaaaa	gtagattaa	agatgggttt	gacaagggtt	3840
ttccctttta	catactgctg	tctatgtggc	tgtatcttgt	ttttccacta	ctgctaccac	3900
aactatatta	tcatgcaaat	gctgtattct	tctttggtgg	agataaagat	ttcttgagtt	3960
ttgttttaaa	attaaagcta	aagtatctgt	attgcattaa	atataatatg	cacacagtgc	4020
tttccgtggc	actgcataca	atctgaggcc	tcctctctca	gtttttatat	agatggcgag	4080
aacctaagtt	tcagttgatt	ttacaattga	aatgactaaa	aaacaaagaa	gacaacatta	4140

aaacaatatt gtttcta 4157

<210> 226

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_007315

<400> 226

atcagatcat ttcaaaactc atttcctatg taactgcatt gagaactgca tatgtttcgc 60

<210> 227

<211> 1696

<212> DNA

<213> Homo sapiens

<300>

<308> NM_009587

<400> 227

caaaggactt	cctagtgggt	gtgaaaggca	gcggtggcca	cagaggcggc	ggagagatgg	60
ccttcagcgg	ttcccagget	ccctacctga	gtccagctgt	ccccctttct	gggactattc	120
aaggagggtc	ccaggacgga	cttcagatca	ctgtcaatgg	gaccgttctc	agctccagtg	180
gaaccaggtt	tgctgtgaac	tttcagactg	gcttcagtg	aaatgacatt	gccttccact	240
tcaacctctg	gtttgaagat	ggagggtacg	tggtgtgcaa	cacgaggcag	aacggaagct	300
ggggggccga	ggagaggaag	acacacatgc	ctttccagaa	ggggatgccc	tttgacctct	360
gcttcctggt	gcagagctca	gatttcaagg	tgatggtgaa	cgggatcctc	ttcgtgcagt	420
acttccaccg	cgtgcccttc	caccgtgtgg	acaccatctc	cgtcaatggc	tctgtgcagc	480
tgctctacat	cagcttccag	aacccccgca	cagtcctgtg	tcagcctgcc	ttctccacgg	540
tgccgttctc	ccagcctgtc	tgtttccca	ccaggccag	ggggcgagca	caaaaacctc	600
ccggcgtgtg	gcctgccaac	ccggctccca	ttaccagac	agtcacccac	acagtgcaga	660
gcgcccctgg	acagatgttc	tctactcccg	ccatcccacc	tatgatgtac	ccccaccccg	720
cctatccgat	gcctttcatc	accaccattc	tgggagggct	gtacccatcc	aagtccatcc	780
tcctgtcagg	cactgtcctg	cccagtgctc	agagggtcca	catcaacctg	tgctctggga	840
accacatcgc	cttccacctg	aacccccgtt	ttgatgagaa	tgctgtggtc	cgcaacaccc	900
agatcgacaa	ctcctggggg	tctgaggagc	gaagtctgcc	ccgaaaaatg	cccttcgtcc	960
gtggccagag	cttctcagtg	tggatcttgt	gtgaagctca	ctgcctcaag	gtggccgtgg	1020
atgggtcagca	cctgtttgaa	tactaccatc	gcctgaggaa	cctgcccacc	atcaacagac	1080
tggaagtggg	gggagacatc	cagctgaccc	atgtgcagac	ataggcggct	tcctggccct	1140
ggggccgggg	gctgggggtg	ggggcagctc	gggtcctctc	atcatcccca	cttcccaggc	1200
ccagcctttc	caaccctgcc	tgggatctgg	gctttaatgc	agaggccatg	tccttgtctg	1260
gtcctgcttc	tggctacagc	caccctggaa	cggagaaggc	agctgacggg	gattgccttc	1320
ctcagccgca	gcagcacctg	gggctccagc	tgctggaatc	ctaccatccc	aggaggcagg	1380
cacagccagg	gagaggggag	gagtgggcag	tgaagatgaa	gccccatgct	cagtcccctc	1440
ccatccccca	cgcagctcca	ccccagtccc	aagccaccag	ctgtctgctc	ctgggtgggag	1500
gtggcctcct	cagccccctc	tctctgacct	ttaacctcac	tctcaccttg	caccgtgcac	1560
caacccttca	ccccctcctg	aaagcaggcc	tgatggcttc	ccactggcct	ccaccacctg	1620
accagagtgt	tctcttcaga	ggactggctc	ctttcccagt	gtccttaaaa	taaagaaatg	1680
aaaatgcttg	ttggca					1696

<210> 228

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_009587

<400> 228

cagaggactg gctcctttcc cagtgtcctt aaaataaaga aatgaaaatg cttgttggca 60

<210> 229

<211> 6552

<212> DNA

<213> Homo sapiens

<300>

<308> NM_012291

<400> 229

atgaggagct	tcaaaaagagt	caactttggg	actctgctaa	gcagccagaa	ggaggctgaa	60
gagttgctgc	ccgacttgaa	ggagttcctg	tccaaccctc	cagctgggtt	tcccagcagc	120
cgatctgatg	ctgagaggag	acaagcttgt	gatgccatcc	tgagggcttg	caaccagcag	180
ctgactgcta	agctagcttg	ccctagggat	ctggggagcc	tgctggagct	ggcagagctg	240
gcctgtgatg	gctacttagt	gtctacccca	cagcgtcctc	ccctctacct	ggaacgaatt	300
ctctttgtct	tactgcggaa	tgctgctgca	caaggaagcc	cagaggccac	actccgcctt	360
gctcagcccc	tccatgcctg	cttgggtgcag	tgctctcgcg	aggtgctcc	ccaggactat	420
gaggccgtgg	ctcggggcag	cttttctctg	ctttggaagg	gggcagaagc	cctgttggaa	480
cggcgagctg	catttgcagc	tcggctgaag	gccttgagct	tcctagtact	cttgaggat	540
gaaagtaccc	cttgtgaggt	tcctcacttt	gcttctccaa	cagcctgtcg	agcggtagct	600
gcccatacgc	tatttgatgc	cagtggccat	ggtctaaatg	aagcagatgc	tgatttccta	660
gatgacctgc	tctccaggca	cgtgatcaga	gccttggtgg	gtgagagagg	gagctcttct	720
gggcttcttt	ctccccagag	ggcctctctg	ctcttgagc	tcaccttga	acactgccgt	780
cgcttttgct	ggagccgcca	ccatgacaaa	gccatcagcg	cagtggagaa	ggctcacagt	840
tacctaaagg	acaccaatct	agcccctagc	cttcagctat	gtcagctggg	ggttaagctg	900
ctgcaggttg	gggaggaagg	acctcaggca	gtggccaagc	ttctgatcaa	ggcatcagct	960
gtcctgagca	agagtatgga	ggcaccatca	ccccacttc	gggcattgta	tgagagctgc	1020
cagttcttcc	tttcaggcct	ggaacgaggg	accaagaggg	gctatagact	tgatgccatt	1080
ctgagctctc	tgtcttttct	tggagggtac	tgctctcttc	tgacagcagc	gcgggatgat	1140
ggtgtgtatg	ggggtcctc	caagcaacag	cagtcttttc	ttcagatgta	ctttcaggga	1200
cttcacctct	acactgtggt	ggtttatgac	tttgcccaag	gctgtcagat	agttgatttg	1260
gctgacctga	cccaactagt	ggacagttgt	aaatctaccg	ttgtctggat	gctggaggcc	1320
ttagagggcc	tgctgggcca	agagctgacg	gaccacatgg	ggatgaccgc	ttcttacacc	1380
agtaatttgg	cctacagctt	ctatagtcac	aagctctatg	ccgaggcctg	tgccatctct	1440
gagccgctct	gtcagcacct	gggtttggtg	aagccaggca	cttatcccga	ggtgcctcct	1500
gagaagtgtc	acaggtgctt	ccggctacaa	gtagagagtt	tgaagaaact	gggtaaacag	1560
gccaggggct	gcaagatggt	gattttgtgg	ctggcagccc	tgcaaccctg	tagccctgaa	1620
cacatggctg	agccagtcac	tttctgggtt	cgggtcaaga	tggatgcggc	cagggtgga	1680
gacaaggagc	tacagctaaa	gactctgcga	gacagcctca	gtggctggga	cccggagacc	1740
ctggccctcc	tgttgaggga	ggagctgcag	gcctacaagg	cgggtgcgggc	cgacactgga	1800
cagggaacgct	tcaacatcat	ctgtgacctc	ctggagctga	gccccgagga	gacaccagcc	1860
ggggcctggg	cacgagccac	ccacctggta	gaactggctc	aggtgctctg	ctaccacgac	1920
tttacgcagc	agaccaactg	ctctgctctg	gatgctatcc	gggaagccct	gcagcttctg	1980
gactctgtga	ggcctgaggc	ccaggccaga	gatcagcttc	tggacgataa	agcacaggcc	2040
ttgctgtggc	tttacatctg	tactctggaa	gcaaaaatac	aggaaggat	cgagcgggat	2100
cggagagccc	aggcccctgg	taacttggag	gaatttgaag	tcaatgacct	gaactatgaa	2160
gataaaactcc	aggaagatcg	tttcctatac	agtaaacattg	ccttcaacct	ggctgcagat	2220
gctgctcagt	ccaaatgcct	ggaccaagcc	ctggccctgt	ggaaggagct	gcttacaaag	2280
gggcaggccc	cagctgtacg	gtgtctccag	cagacagcag	cctcactgca	gaccttagca	2340
gccctctacc	agctggtggc	aaagcccatg	caggctctgg	aggtcctcct	gctgctacgg	2400
attgtctctg	agagactgaa	ggaccactcg	aaggcagctg	gctcctcctg	ccacatcacc	2460
cagctcctcc	tgaccctcgg	ctgtcccagc	tatgccagct	tacacctgga	agaggcagca	2520
tcgagcctga	agcatctcga	tcagactact	gacacatacc	tgctccttcc	cctgacctgt	2580
gatctgtctc	gaagtcaact	ctactggact	caccagaagg	tgaccaaggg	tgctctctctg	2640
ctgctgtctg	tgcttcggga	tcctgcctcc	cagaagtcct	ccaaggcttg	gtacttgctg	2700
cgtgtccagg	tcctgcagct	ggtggcagct	taccttagcc	tcccgtcaaa	caacctctca	2760
cactccctgt	gggagcagct	ctgtgcccga	ggctggcaga	cacctgagat	agctctcata	2820
gactcccata	agctcctccg	aagcatcatc	ctcctgctga	tgggcagtg	cattctctca	2880
actcagaaa	cagctgtgga	gacatcggtt	ttggactatg	gtgaaaatct	ggtacaaaaa	2940
tggcaggttc	tttcagaggt	gctgagctgc	tcagagaagc	tggtctgcca	cctgggcccgc	3000

ctgggtagtg	tgagtgaagc	caaggccttt	tgcttgagg	ccctaaaact	tacaacaaag	3060
ctgcagatac	cacgccagt	tgccctgttc	ctgggtgctga	agggcgagct	ggagctggcc	3120
cgcaatgaca	ttgatctctg	tcagtcggac	ctgcagcagg	ttctgttctt	gcttgagtct	3180
tgacacagag	ttgggtgggt	gactcagcac	ctggactctg	tgaagaaggt	ccacctgcag	3240
aaggggaagc	agcaggccca	ggtccctgt	cctccacagc	tcccagagga	ggagctcttc	3300
ctaagaggcc	ctgctctaga	gctgggtggc	actgtggcca	aggagcctgg	ccccatagca	3360
ccttctacaa	actcctcccc	agtcttgaaa	accaagcccc	agcccatacc	caacttctctg	3420
tcccatcac	ccacctgtga	ctgctcgctc	tgcgccagcc	ctgtcctcac	agcagtctgt	3480
ctgcgctggg	tatttggtcac	ggcaggggtg	aggctggcca	tgggccacca	agcccagggt	3540
ctggatctgc	tgcaggctgt	gctgaagggc	tgtcctgaag	ccgctgagcg	cctcacccaa	3600
gctctccaag	cttccctgaa	tcataaaaca	ccccctcct	tggttccaag	cctcttggtat	3660
gagatcttgg	ctcaagcata	cacactgttg	gcactggagg	gcctgaacca	gccatcaaac	3720
gagagcctgc	agaaggttct	acagtcaggg	ctgaagtgtg	tagcagcacg	gataccccac	3780
ctagagccct	ggcgagccag	cctgctcttg	atttggggcc	tcacaaaact	aggtggcctc	3840
agctgctgta	ctacccaact	ttttgcaagc	tctgggggt	ggcagccacc	attaataaaa	3900
agtgtccctg	gctcagagcc	ctctaagact	cagggccaaa	aacgttcttg	acgagggcgc	3960
caaaagttag	cctctgctcc	cctgcgcctc	aataatacct	ctcagaaagg	tctggaaggt	4020
agaggactgc	cctgcacacc	taaaccccca	gaccggatca	ggcaagctgg	ccctcatgtc	4080
cccttcacgg	tgtttgagga	agtctgcct	acagagagca	agcctgaagt	accccaggcc	4140
cccagggtag	aacagagagt	ccagacgcgc	ctcaagggtga	acttcagtga	tgacagtgc	4200
ttggaagacc	ctgtctcagc	tgaggcctgg	ctggcagagg	agcctaagag	acggggcact	4260
gcttcccggg	gcccggggcg	agcaagggaag	ggcctgagcc	taaagacgga	tgccgtggtt	4320
gccccaggta	gtgcccctgg	gaaccctggc	ctgaatggca	ggagccggag	ggccaagaag	4380
gtggcatcaa	gacattgtga	ggagcggcgt	ccccagaggg	ccagtgacca	ggccaggcct	4440
ggccctgaga	tcatgaggac	catccctgag	gaagaactga	ctgaccaactg	gagaaaaatg	4500
agctttgaga	tcctcagggg	ctctgacggg	gaagactcag	cctcaggtgg	gaagactcca	4560
gctccggggc	ctgaggcagc	ttctggagaa	tgggagctgc	tgaggctgga	ttccagcaag	4620
aagaagctgc	ccagcccatg	cccagacaa	gagagtgcac	aggaccttgg	tcctcggtct	4680
cagctccctc	cagcccccgt	agccactggt	ctttctaccc	tggactccat	ctgtgactcc	4740
ctgagtgttg	ctttccgggg	cattagtcac	tgtcctccta	gtgggctcta	tgccacctc	4800
tgcgcttcc	tggccttggt	cctggggccac	cgggatacct	atgccactgc	tttcttctgtc	4860
accgagtctg	tctccatcac	ctgtcgccac	cagctgctca	cccacctcca	cagacagctc	4920
agcaaggccc	agaagcaccg	aggatcactt	gaaatagcag	accagctgca	ggggctgagc	4980
cttcaggaga	tgcctggaga	tgtccccctg	gcccgcaccc	agcgcctctt	ttccttcagg	5040
gctttggaat	ctggccactt	cccccagcct	gaaaaggaga	gtttccagga	gcgcctggct	5100
ctgatcccca	gtgggggtgac	tgtgtgtgtg	ttggccctgg	ccaccctcca	gcccggaaac	5160
gtgggcaaca	cctcctgtct	gacccggctg	gaaaaggaca	gtccccagct	cagtgtgcag	5220
attcccactg	gccagaacaa	gcttcactctg	cgttcagttcc	tgaatgagtt	tgatggcattc	5280
cagaaggcac	agaaagagaa	cagcagctgt	actgacaagc	gagaatgggtg	gacagggcgg	5340
ctggcactgg	accacaggat	ggaggtttct	atcgttccc	tagagaagtc	tgtgctgggc	5400
tgtgtgaagg	ggctgctgct	gccgtccagt	gaggagcccg	gccctgcccc	ggaggcctcc	5460
cgcctacagg	agctgtctaca	ggactgtggc	tggaaatatc	ctgaccgcac	tctgctgaaa	5520
atcatgctca	gtggtgcccg	tgcctcacc	cctcaggaca	ttcaggccct	ggcctacggg	5580
ctgtgcccac	cccagccaga	gcgagcccag	gagctcctga	atgaggcagt	aggacgtcta	5640
cagggcctga	cagtaccaag	caatagccac	cttgtcttgg	tcctagacaa	ggacttgacg	5700
aagctgccgt	gggaaagcat	gcccagcctc	caagcactgc	ctgtcaccgg	gctgccctcc	5760
ttccgcttcc	tactcagcta	ctccatcacc	aaagagtatg	gggcctcgcc	agtgtgagt	5820
caaggggtgg	atccacgaag	taccttctat	gtcctgaacc	ctcacaataa	cctgtcaagc	5880
acagaggagc	aatttctgagc	caatttctagc	agtgaagctg	gctggagagg	agtgggtggg	5940
gaggtgccaa	gacctgaaca	ggtgcaggaa	gccctgacaa	agcatgattt	gtatatctat	6000
gcagggcatg	gggctggtgc	ccgttctctt	gatgggcagg	ctgtcctgcg	gctgagctgt	6060
cgggcagtgg	ccctgctggt	tggctgtagc	agtgcggccc	tggctgtgca	tggaaacctg	6120
gagggggctg	gcacgtgtct	caagtacatc	atggctgggt	gccccttggt	tctgggtaat	6180
ctctgggatg	tgactgaccg	cgacattgac	cgctacacgg	aagctctgct	gcaaggctgg	6240
cttgagcag	ccccaggggc	cccccttctc	tactatgtaa	accaggcccg	ccaagctccc	6300
cgactcaagt	atcttatttg	ggctgcacct	atagcctatg	gcttgctgt	ctctctgcgg	6360
taaccccatg	gagctgtctt	attgatgcta	gaagcctcat	aactgttcta	cctccaaggt	6420
tagatttaat	ccttaggata	actcttttaa	agtgattttc	cccagtgttt	tatatgaaac	6480
atttcctttt	gatttaacct	cagtataata	aagatacatc	atttaaacc	tgaaaaaaaaa	6540
aaaaaaaaaa	aa	6552				

<210> 230
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_012291

<400> 230
 agcctcataa ctgttctacc tccaagggtta gattttaatcc ttaggataac tcttttaaag 60

<210> 231
 <211> 6317
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_013261

<400> 231
 tagtaagaca ggtgccttca gttcactctc agtaaggggc tggttgcctg catgagtgtg 60
 tgctctgtgt cactgtggat tggagttgaa aaagcttgac tggcgtcatt caggagctgg 120
 atggcggtggg acatgtgcaa ccaggactct gagtctgtat ggagtgcacat cgagtgtgct 180
 gctctggttg gtgaagacca gcctctttgc ccagatcttc ctgaacttga tctttctgaa 240
 ctagatgtga acgacttgga tacagacagc tttctgggtg gactcaagtgt gtgcagtgtg 300
 caatcagaaa taatatccaa tcagtacaac aatgagcctt caaacatatt tgagaagata 360
 gatgaagaga atgaggcaaa cttgctagca gtccctcacag agacactaga cagtctccct 420
 gtggatgaag acggattgcc ctcatattgat gcgctgacag atggagacgt gaccactgac 480
 aatgaggcta gtccttcctc catgcctgac ggcacccctc caccocagga ggcagaagag 540
 ccgtctctac ttaagaagct cttactggca ccagccaaca ctgagctaag ttataatgaa 600
 tgcagtggtc tcagtaccca gaaccatgca aatcacatc acaggatcag aacaaaccct 660
 gcaattgtta agactgagaa ttcattggagc aataaagcga agagtatttg tcaacagcaa 720
 aagccacaaa gacgtccctg ctcgagactt ctcaaatac tgaccacaaa cgatgaccct 780
 cctcacacca aaccacaga gaacagaaac agcagcagag acaaatgcac ctccaaaaag 840
 aagtcccaca cacagtcgca gtcacaacac ttacaagcca aaccaacaac tttatctctt 900
 cctctgacct cacagtcacc aaatgacccc aagggttccc catttgagaa caagactatt 960
 gaacgcacct taagtgtgga actctctgga actgcaggcc taactccacc caccactcct 1020
 cctcataaag ccaaccaaga taaccctttt agggcttctc caaagctgaa gtcctcttgc 1080
 aagactgtgg tgccaccacc atcaaagaag ccaggtaca gtgagtcttc tggtagacaa 1140
 ggcaataact ccaccaagaa agggccggag caatccgagt tgtatgcaca actcagcaag 1200
 tctcagtcct tcaactggtg acacgaggaa aggaagacca agcggcccag tctgaggctg 1260
 tttggtgacc atgactattg ccagtcaatt aattccaaaa cagaaatact cattaatata 1320
 tcacaggagc tccaagactc tagacaacta gaaaataaag atgtctctc tgattggcag 1380
 gggcagattt gttcttccac agattcagac cagtgtctac tgagagagac tttggaggca 1440
 agcaagcagg tctctccttg cagcacaaga aaacagctcc aagaccagga aatccgagcc 1500
 gagctgaaca agcacttcgg tcatccagc caagctgttt ttgacgacga agcagacaag 1560
 accggtgaac tgaggggacag tgatttcagt aatgaacaat tctccaaact acctatgttt 1620

 ataaattcag gactagccat ggatggcctg tttgatgaca gcgaagatga aagtataaaa 1680
 ctgagctacc cttgggatgg cacgcaatcc tattcattgt tcaatgtgtc tccttcttgt 1740
 tcttctttta actctccatg tagagattct gtgtcaccac ccaaactcctt attttctcaa 1800
 agaccccaaa ggatgcgtc tcgttcaagg tccctttctc gacacaggtc gtgttcccga 1860
 tcaccatatt ccaggtcaag atcaaggctc ccaggcagta gatcctcttc aagatcctgc 1920
 tattactatg agtcaagcca ctacagacac cgcacgcacc gaaattctcc cttgtatgtg 1980
 agatcacgtt caagatcgcc ctacagccgt cggcccagggt atgacagcta cgaggaatat 2040
 cagcacgaga ggctgaagag ggaagaatat cgcagagagt atgagaagcg agagtctgag 2100
 agggccaagc aaaggagag gacagaggcag aaggcaattg aagagcgccg tgtgatttat 2160
 gtcggtaaaa tcagacctga cacaacacgg acagaactga gggaccgttt tgaagttttt 2220
 ggtgaaaattg aggagtgcac agtaaattctg cgggatgatg gagacagcta tggtttcatt 2280

acctaccgtt	atacctgtga	tgcttttgc	gctcttgaaa	atggatacac	tttgccgagg	2340
tcaaacgaaa	ctgactttga	gctgtacttt	tgtggagcga	agcaattttt	caagtctaac	2400
tatgcagacc	tagattcaaa	ctcagatgac	tttgacctg	cttcaccaa	gagcaagtat	2460
gactctctgg	atthttgatag	tttactgaaa	gaagctcaga	gaagcttgcg	caggtaacat	2520
gttccctagc	tgaggatgac	agagggatgg	cgaatacctc	atgggacagc	gcgtcccttc	2580
ctaaagacta	ttgcaagtca	tacttaggaa	tttctctact	tttactactct	ctgtacaaaa	2640
acaaaacaaa	acaacaacaa	tacaacaaga	acaacaacaa	caataacaac	aatgggtttac	2700
atgaacacag	ctgctgaaga	ggcaagagac	agaatgatat	ccagtaagca	catgtttatt	2760
catgggtgtc	agctttgctt	ttcctggagt	ctcttggtga	tggagtgtgc	gtgtgtgcat	2820
gtatgtgtgt	gtgtatgtat	gtgtgtggtg	tgtgtgcttg	gtttagggga	agtatgtgtg	2880
ggtacatgtg	aggactgggg	gcacctgacc	agaatgcgca	agggcaaac	atttcaaattg	2940
gcagcagttc	catgaagaca	cgcttaaaac	ctagaacttc	aaaatgttcg	tattctattc	3000
aaaaggaaat	atatatatat	atatatatat	atatatatat	atatataaat	taaaaaggaa	3060
agaaaactaa	caaccaacca	accaaccaac	caaccacaaa	ccaccctaata	atgacagccg	3120
ctgatgtctg	ggcatcagcc	tttgtactct	gttttttttaa	gaaagtgcag	aatcaacttg	3180
aagcaagctt	tctctcataa	cgtaattgatt	atatgacaat	cctgaagaaa	ccacaggttc	3240
catagaacta	atatcctgtc	tctctctctc	tctctctctc	tctctttttt	ttttcttttt	3300
ccttttgcca	tggaaatctgg	gtgggagagg	atactgcggg	caccagaatg	ctaaagtttc	3360
ctaacatttt	gaagtttctg	tagttcatcc	ttaatcctga	cacccatgta	aatgtccaaa	3420
atggtgatct	tccactgcaa	atttcaaaa	ccttgtcaat	ggtcaagcgt	gcagcttggt	3480
cagcgggtct	ttctgaggag	cggacaccgg	gttacattac	taatgagagt	tgggtagaac	3540
tctctgagat	gtgttcagat	agtgttaattg	ctacattctc	tgatgtagtt	aagtatttac	3600
agatgttaaa	tggagtattt	ttatttttatg	tatatactat	acaacaatgt	tcttttttgt	3660
tacagctatg	cactgtaaat	gcagccttct	tttcaaaact	gctaaatttt	tcttaataca	3720
gaatattcaa	atgtaattat	gaggtgaaac	aattattgta	cactaacata	tttagaagct	3780
gaacttactg	cttatatata	tttgattgta	aaaacaaaaa	gacagtgtgt	gtgtctgttg	3840
agtgaacaaa	gagcaaaatg	atgctttccg	cacatccatc	ccttaggtga	gcttcaatct	3900
aagcatcttg	tcaagaaata	tcctagtccc	ctaaaggat	taaccacttc	tgcgatattt	3960
ttccacattt	tcttgcgct	tgtttttctt	tgaagtttta	tacactggat	ttgtagggg	4020
aatgaaattt	tctcatataa	aatttttcta	gaagatatca	tgattttatg	taaagtctct	4080
caatgggtaa	ccattaagaa	atgtttttat	tttctctatc	aacagtagtt	ttgaaactag	4140
aagtcaaaaa	tcttttttaa	atgctgtttt	gttttaattt	ttgtgatttt	aatttgatac	4200
aaaatgctga	ggtaataatt	atagtatgat	ttttacaata	attaatgtgt	gtctgaagac	4260
tatctttgaa	gccagtattt	ctttcccttg	gcagagtatg	acgatggat	ttatctgtat	4320
tttttacagt	tatgcacctc	gtataaatac	tgatatttca	ttcctttgtt	tactaaagag	4380
acatatattat	cagttgcaga	tagcctattt	attataaatt	atgagatgat	gaaaaataata	4440
aagccagtg	aaattttcta	cctaggatgc	atgacaattg	tcaggttga	gtgtaagtgc	4500
ttcatttg	aaattcagct	tttgacagaag	cagtgtttct	acttgcacta	gcatggcctc	4560
tgacgtgacc	atgggtgtgt	tcttgatgac	attgcttctg	ctaaatttaa	taaaaacttc	4620
agaaaaacct	ccattttgat	catcaggatt	tcatctgagt	gtggagtccc	tggaaatgaa	4680
ttcagtaaca	tttgagtggt	gtattcaagt	ttctaaattg	agattcagatt	actgtttggc	4740
tgacatgact	tttctggaag	acatgatata	cctactactc	aattgttctt	ttcctttctc	4800
tcgccaaca	cgatcttgta	agatggattt	cacccccagg	ccaatgcagc	taattttgat	4860
agctgcattc	atthtatcacc	agcatattgt	gttctgagtg	aatccactgt	ttgtcctgtc	4920
ggatgcttgc	ttgatttttt	ggcttcttat	ttctaagtag	atagaaagca	ataaaaaatac	4980
tatgaaatga	aagaacttgt	tcacaggttc	tgcgttacaa	cagtaacaca	tcttttaatcc	5040
gcctaattct	tggtgttctg	taggttaaat	gcaggtattt	taactgtgtg	aacgcaaac	5100
taaagtttac	agtctttctt	tctgaatttt	gagtatcttc	tgttgtagaa	taataataaaa	5160
aagactatta	agagcaataa	attatthttta	agaaatcgag	atttagtaaa	tcctattatg	5220
tgttcaagga	ccacatgtgt	tctctatthtt	gcctthtaaat	ttttgtgaac	caattthtaaa	5280
tacattctcc	tttttgccct	ggattgttga	catgagtga	atacttggtt	tcttttctta	5340
cttatcaaaa	gacagcacta	cagatatcat	attgaggatt	aatttatccc	ccctaccccc	5400
agcctgacaa	atattgtttac	catgaagata	gttttctctca	atggacttca	aattgcatct	5460
agaattagtg	gagcttttgt	atcttctgca	gacactgtgg	gtagcccatc	aaaatgtaag	5520
ctgtgctcct	ctcattthtt	tttttatthtt	tttgggagag	aatatttcaa	atgaacacgt	5580
gcaccccatc	atcactggag	gcaaatttca	gcatactct	gtaggatttt	tagaagaccg	5640
tgggccattg	ccttcatgcc	gtggtaagta	ccacatctac	aatttttggt	accgaactgg	5700
tgcttttagta	atgtggattt	ttttctthtt	taaaagagat	gtagcagaat	aattcttcca	5760
gtgcaacaaa	atcaattthtt	tgctaaacga	ctccgagaa	aacagttggg	ctgtcaacat	5820
tcaaagcagc	agagagggaa	ctttgcacta	ttggggtatg	atgtttgggt	cagttgataa	5880
aaggaaacct	tttcatgcct	ttagatgtga	gcttccagta	ggtaatgatt	atgtgtcctt	5940

tcttgatggc	tgtaatgaga	acttcaatca	ctgtagtcta	agacctgac	tatagatgac	6000
ctagaatagc	catgtactat	aatgtgatga	ttctaaattt	gtacctatgt	gacagacatt	6060
ttcaataaatg	tgaactgctg	atttgatgga	gctactttaa	gatttgtagg	tgaaagtgtg	6120
atactgttgg	ttgaactatg	ctgaagaggg	aaagtgagcg	attagttgag	cccttgccgg	6180
gccttttttc	cacctgccaa	ttctacatgt	attgttgtgg	ttttattcat	tgtatgaaaa	6240
ttcctgtgat	tttttttaaa	tgtgcagtac	acatcagcct	cactgagcta	ataaagggaa	6300
acgaatgttt	caaactct	6317				

<210> 232
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_013261

<400> 232	
ctgtagtcta	agacctgac tatagatacc tagaatagcc atgtactata atgtgatgat 60

<210> 233
 <211> 3237
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_013277

<400> 233	
gcgaagtga	gggtggccca ggtggggcca ggctgactga atgtatctcc tagctatgga 60
ctaaataata	catgggggga aataaacaag tattcatgag ggtgaaaatg tgacccagca 120
ggaaaattac	aactattttc aattgacgtt gaataggatg agtcatggaa tttaagtgat 180
ttactgaaga	ttatactact ggtagataga agagctaaag aaagatggat actatgatgc 240
tgaatgtgcg	gaatctgttt gagcagcttg tgcgccgggt ggagattctc agtgaaggaa 300
atgaagtcca	atztatccag ttggcgaagg actttgagga tttccgtaaa aagtggcaga 360
ggactgacca	tgagctgggg aaatacaagg atcttttgat gaaagcagag actgagcgaa 420
gtgctctgga	tgtaaagctg aagcatgcac gtaatcagggt ggatgtagag atcaaacgga 480
gacagagagc	tgaggctgac tgcgaaaagc tggaacgaca gattcagctg attcgagaga 540
tgctcatgtg	tgacacatct ggcagcattc aactaagcga ggagcaaaaa tcagctctgg 600
cttttctcaa	cagaggccaa ccatccagca gcaatgctgg gaacaaaaga ctatcaacca 660
ttgatgaatc	tggttccatt ttatcagata tcagctttga caagactgat gaatcactgg 720
attgggactc	ttcttttggtg aagactttca aactgaagaa gagagaaaag aggcgctcta 780
ctagccgaca	gtttgttgat ggtccccctg gacctgtaaa gaaaactcgt tccattggct 840
ctgcagtaga	ccaggggaat gaatccatag ttgcaaaaac tacagtgact gttcccaatg 900
atggcggggc	catcgaagct gtgtccacta ttgagactgt gccatattgg accaggagcc 960
gaaggaaaac	aggtacttta caaccttggg acagtgaact caccctgaac agcaggcagc 1020
tggagccaa	aactgagaca gacagtgtgg gcacgccaca gagtaatgga gggatgcgcc 1080
tgcagtactt	tgtttctaag acggttatta aacctgaatc ctgtgttcca tgtggaaaagc 1140
ggataaaaatt	tggcaaatga tctctgaagt gtcgagactg tcgtgtgggtc tctcatccag 1200

aatgtcggga	ccgctgtccc	cttccctgca	ttcctaccct	gataggaaca	cctgtcaaga	1260
ttggagaggg	aatgctggca	gactttgtgt	cccagacttc	tccaatgatc	ccctccattg	1320
ttgtgcattg	tgtaaattgag	attgagcaaa	gaggtctgac	tgagacaggc	ctgtatagga	1380
tctctggctg	tgaccgcaca	gtaaaagagc	tgaaagagaa	attcctcaga	gtgaaaactg	1440
taccctcct	cagcaaagtg	gatgatatac	atgctatctg	tagccttcta	aaagactttc	1500
ttcgaacac	caaagaacct	cttctgacat	ttcgccttaa	cagagccttt	atggaagcag	1560
cagaaatcac	agatgaagac	aacagcatag	ctgccatgta	ccaagctgtt	ggtgaactgc	1620
cccaggccaa	cagggacaca	ttagctttcc	tcatgattca	cttgagagaa	gtggctcaga	1680
gtccacatac	taaaatggat	gttgccaatc	tggctaaagt	ctttggccct	acaatagtgg	1740
cccattgctg	gccaatcca	gacccagtga	caatgttaca	ggacatcaag	cgtcaacca	1800
agtggttga	gcgcctgctt	tccttgcttc	tggagtattg	gagtcagttc	atgatggtgg	1860
agcaagagaa	cattgacccc	ctacatgtca	ttgaaaactc	aaatgccttt	tcaacaccac	1920

agacaccaga	tattaaagt	agtttactgg	gacctgtgac	cactcctgaa	catcagcttc	1980
tcaagactcc	ttcatctagt	tccctgtcac	agagagtcog	ttccaccctc	accaagaaca	2040
ctcctagatt	tgggagcaaa	agcaagtctg	ccactaacct	aggacgacaa	ggcaactttt	2100
ttgcttctcc	aatgctcaag	tgaagtcaca	tctgcctggt	acttcccagc	attgactgac	2160
tataagaaa	gacacatctg	tactctgctc	tgcagcctcc	tgtactcatt	actactttta	2220
gcattctcca	ggcttttact	caagtttaat	tgtgcatgag	ggttttatta	aaactatata	2280
tatctcccct	tccttctcct	caagtcacat	aatatcagca	ctttgtgctg	gtcattgttg	2340
ggagctttta	gatgagacat	ctttccaggg	gtagaagggt	tagtatggaa	ttggttggtga	2400
ttcttttttg	ggaaggggt	tattgttcct	ttggcttaaa	gccaaatgct	gctcatagaa	2460
tgatctttct	ctagtttcat	ttagaactga	tttccgtgag	acaatgacag	aaaccctacc	2520
tatctgataa	gattagcttg	tctcaggggt	ggaagtggga	gggcagggca	aagaaaggat	2580
tagaccagag	gatttaggat	gcctccttct	aagaaccaga	agttctcatt	cccattatg	2640
aatgagctta	taatatggag	ctttcataaa	aatgggatgc	attgaggaca	gaactagtga	2700
tgggagtatg	cgtagctttg	atttgatga	ttaggctctt	aatagtgttg	agtggcacia	2760
ccttgtaaat	gtgaaagtac	aactcgtatt	tatctctgat	gtgccgctgg	ctgaactttg	2820
ggttcatttg	gggtcaaagc	cagtttttct	tttaaaattg	aattcattct	gatgcttggc	2880
ccccataccc	ccaaccttgt	ccagtggagc	ccaacttcta	aagggtcaata	tatcatcctt	2940
tggcatccca	actaacaata	aagagtaggc	tataagggaa	gattgtcaat	attttgtggt	3000
aagaaaagct	acagtcatct	tttcttttga	ctttggatgc	tgaaattttt	cccattgaac	3060
atagccacat	ctagatagat	gtgagctttt	tcttctgtta	aaattattct	taatgtctgt	3120
aaaaacgatt	ttcttctgta	gaatgtttga	cttcgtattg	acccttatct	gtaaaacacc	3180
tatttgggat	aatatttga	aaaaaagtaa	atagcttttt	caaaatgaaa	aaaaaaa	3237

<210> 234
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_013277

<400> 234	ctcattcccc	attatgaact	gagctataat	atggagcttt	cataaaaaatg	ggatgcattg	60
-----------	------------	------------	------------	------------	-------------	------------	----

<210> 235
 <211> 1122
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_013409

<400> 235	gctcctcgcc	ccgcgcctgc	ccccaggatg	gtccgcgcga	ggcaccagcc	gggtgggctt	60
	tgctcctgc	tgctgctgct	ctgccagttc	atggaggacc	gcagtgccca	ggctgggaac	120
	tgctggctcc	gtcaagcgaa	gaacggccgc	tgccaggctc	tgtacaagac	cgaactgagc	180
	aaggaggagt	gctgcagcac	cggccggctg	agcacctcgt	ggaccgagga	ggacgtgaat	240
	gacaacacac	tcttcaagt	gatgattttc	aacgggggog	cccccaactg	catcccctgt	300
	aaagaaacgt	gtgagaacgt	ggactgtgga	cctgggaaaa	aatgccgaat	gaacaagaag	360
	aacaaacccc	gctgcgtctg	cgccccggat	tgttccaaca	tcacctggaa	gggtccagtc	420
	tgccgggctg	atgggaaaac	ctaccgcaat	gaatgtgcac	tcctaaaggc	aagatgtaaa	480
	gagcagccag	aactggaagt	ccagtaccaa	ggcagatgta	aaaagacttg	tcgggatgtt	540
	ttctgtccag	gcagctccac	atgtgtgggt	gaccagacca	ataatgccta	ctgtgtgacc	600
	tgtaatcgga	tttgcccaga	gcctgcttcc	tctgagcaat	atctctgtgg	gaatgatgga	660
	gtcacctact	ccagtgcctg	ccacctgaga	aaggctacct	gcctgctggg	cagatctatt	720
	ggattagcct	atgagggaaa	gtgtatcaaa	gcaaagtcc	gtgaagatat	ccagtgcact	780
	gggtgggaaa	aatgtttatg	ggatttcaag	gttgggagag	gccggtgttc	cctctgtgat	840
	gagctgtgcc	ctgacagtaa	gtcggatgag	cctgtctgtg	ccagtgcaca	tgccacttat	900
	gccagcgagt	gtgccatgaa	ggaagctgcc	tgctcctcag	gtgtgctact	ggaagtaaa	960
	cactccggat	cttgcaactc	catttcggaa	gacaccgagg	aagaggagga	agatgaagac	1020

caggactaca gcttttctat atctttctatt ctagagtggg aaactctcta taagtgttca 1080
gtgttcacat agcctttgtg caaaaaaaaa aaaaaaaaaa aa 1122

<210> 236
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_013409

<400> 236
gaagatgaag accaggacta cagcttttct atatcttcta ttctagagtg gtaaactctc 60

<210> 237
<211> 11389
<212> DNA
<213> Homo sapiens

<300>
<308> NM_014246

<400> 237
atggcgccgc cgccgcgcgc cgtgctgccc gtgctgctgc tccctggccgc cgccgcgcgc 60
ctgccggcga tggggctgcg agcggccgcgc tgggagccgc gcgtacccgc cgggacccgc 120
gccttcgccc tccggcccggt ctgtacctac gcggtgggcg ccgcttgacg gccccgggcg 180
ccgcgggagc tgctggacgt gggccgcgat gggcggtgg caggacgtcg gcgctctcg 240
ggcgcggggc gcccgtgccc gctgcaagtc cgttgggtgg ccgcgagtc cccgacggcg 300
ctgagccgcg gcctgcgggc gcgcacgcac ctcccggtc gcggagcccg tgcccggtc 360
tgcggaaccg gtgcccggct ctgcggggcg ctctgtctcc ccgtcccgcg cggtgcgcg 420
gccgcgcagc attcggcgtc cgcagctccg accaccttac ccgcctgcgc ctgcccgcgc 480
cgccccaggc cccgtgtccc cgcccgctcc atctgcctgc cgccggggcg ctcggtccgc 540
ctgcgtctgc tgtgcgccc ggcgcgcgcg gctggcgccg tccgggtggg actggcgctg 600
gaggccgcca ccgcggggac gccctccgcg tgcctatccc catcgccgc cctgcgcgcg 660
aacttgcccc aagcccgggc ggggcggcg cgacggggccc ggccggggcac gagcggcaga 720
gggagcctga agtttccgat gcccaactac cagggtggcg tgtttgagaa cgaaccggcg 780
ggcaccctca tccctccagc gcacgcgcac tacaccatcg agggcgagga ggagcgcggtg 840
agctattaca tggaggggt gttcgacgag cgctcccggt gctacttccg aatcgactct 900
gccacgggcg ccgtgagcac ggacagcgta ctggaccgcg agaccaagga gacgcacgtc 960
ctcaggggtga aagccgtgga ctacagtagc ccgcgcgcgt cgccaccac ctacatcact 1020
gtcttggtca aagacaccaa cgaccacagc ccggtcttcg agcagtcgga gtaccgcgag 1080
cgcggtgcggg agaacctgga ggtgggctac gaggtgctga ccatccgcgc cagcgaccgc 1140
gactcgccca tcaacgcca cttgcgttac cgcgtgttg ggggcgcgtg ggacgtcttc 1200
cagctcaacg agagctctgg cgtggtgagc acacgggcgg tgctggaccg ggaggaggcg 1260
gccgagtacc agctcctggt ggaggccaac gaccaggggc gcaatccggg cccgctcagt 1320
gccacggcca ccgtgtacat cgaggtggag gacgagaacg acaactacc cagttcagc 1380
gagcagaact acgtggtcca ggtgcccag gacgtggggc tcaacacggc tgtgctgcga 1440
gtgcaggcca cggaccggga ccagggccag aacggggcca ttactacag catcctcagc 1500
gggaacgtgg ccggccagtt ctacctgcac tcgctgagcg ggatcctgga tgtgatcaac 1560
cccttggtat tcgaggatgt ccagaaatac tcgctgagca ttaaggcca ggatgggggc 1620
cggccccgcg tcatcaattc ttcaggggtg gtgtctgtgc aggtgctgga tgtcaacgac 1680
aacgagccta tctttgtgag cagcccttc caggccacgg tgctggagaa tgtgcccctg 1740
ggctaccccc tgggtgcacat tcaggcggtg gacgcggact ctggagagaa cgcccggtg 1800
cactatcgcc tgggtgacac ggcctccacc tttctggggg gcggcagcgc tgggcctaag 1860
aatcctgccc ccaccctga ctcccccctc cagatccaca acagctccg ttggatcaca 1920
gtgtgtgccc agctggaccg cgaggaggtg gagcactaca gcttcggggt ggaggcggtg 1980
gaccacggct cgcccccat gagctcctcc accagcgtgt ccatcacggt gctggacgtg 2040
aatgacaacg acccggtgtt cacgcagccc acctacgagc ttcgtctgaa tgaggatgcg 2100
gccgtgggga gcagcgtgct gaccctgcag gccgcgacc gtgacgcaa cagtgtgatt 2160
acctaccagc tcacaggcg caacaccgg aaccgcttg cactcagcag ccagagaggg 2220
ggcggcctca tcaccctggc gctacctctg gactacaagc aggagcagca gtacgtgctg 2280

gcggtgacag	catccgacgg	cacacggctcg	cacactgcgc	atgtccctaat	caacgtcact	2340
gatgccaaca	cccacaggcc	tgtcttttcag	agctcccatt	acacagttag	tgtcagttag	2400
gacaggcctg	tgggcacctc	cattgtctacc	ctcagtgcca	acgatgagga	cacaggagag	2460
aatgcccgcg	tcacctacgt	gattcaggac	cccgtgccgc	agttccgcat	tgaccccgac	2520
agtggcacca	tgtacaccat	gatggagctg	gactatgaga	accaggctcg	ctacacgctg	2580
accatcatgg	cccaggacaa	cggcatcccc	cagaaatcag	acaccaccac	cctagagatc	2640
ctcatcctcg	atgccaatga	caatgcaccc	cagttcctgt	gggatttcta	ccagggttcc	2700
atctttgagg	atgctccacc	ctcgaccage	atcctccagg	tctctgccac	ggaccgggac	2760
tcagggtccca	atgggcgtct	gctgtacacc	ttccagggtg	gggacgacgg	cgatggggac	2820
ttctacatcg	agcccacgtc	cgggtgtgatt	cgcacccagc	gccggctgga	ccggggagaat	2880
gtggccgtgt	acaacctttg	ggctctggct	gtggatcggg	gcagtcccac	tccccttagc	2940
gcctcggtag	aaatccagg	gaccatcttg	gacattaatg	acaatgcccc	catgtttgag	3000
aaggacgaac	tggagctgtt	tgttgaggag	aacaaccag	tggggctcgg	ggtggcaaa	3060
attcgtgcta	acgacctga	tgaaggccct	aatgccccaga	tcatgtatca	gattgtggaa	3120
ggggacatgc	ggcatttctt	ccagctggac	ctgctcaacg	gggacctgcg	tgccatggtg	3180
gagctggact	ttgaggtccg	gcgggagtat	gtgctggtgg	tgcaggccac	gtcggctccg	3240
ctggtgagcc	gagccacggt	gcacatcctt	ctcgtggacc	agaatgacaa	cccgcctgtg	3300
ctgcccgaact	tccagatcct	cttcaacaac	tatgtcacca	acaagtccaa	cagtttcccc	3360
accggcgtga	tccgctgcat	cccggccccat	gaccccgacg	tgtcagacag	cctcaactac	3420
accttcgtgc	agggcaacga	gctgcgcctg	ttgctgctgg	accccgccac	gggcgaactg	3480
cagctcagcc	gcgacctgga	caacaaccgg	ccgctggagg	cgtcatgga	ggtgtctgtg	3540
tctgatggca	tccacagcgt	cacggccttc	tgcacctgc	gtgtcaccat	catcacggac	3600
gacatgctga	ccaacagcat	cactgtccgc	ctggagaaca	tgtcccagga	gaagtctctg	3660
tccccgctgc	tggccctctt	cgtggagggg	gtggccgccc	tgtgtccac	caccaaggac	3720
gacgtcttcg	tcttcaacgt	ccagaacgac	accgacgtca	gctccaacat	cctgaacgtg	3780
accttctcgg	cgtgctgcc	tggcggcgtc	cgcggccagt	tcttcccgtc	ggaggacctg	3840
caggagcaga	tctacctgaa	tccgacgctg	ctgaccacca	tctccacgca	gcgcgtgctg	3900
cccttcgacg	acaacatctg	cctgcgcgag	ccctgcgaga	actacatgaa	gtgcgtgtcc	3960
gttctgcat	tgcacagctc	cgcgccttct	ctcagctcca	ccaccgtgct	cttccggccc	4020
atccacccca	tcaacggcct	gcgctgcgcg	tgcgcgcccg	gcttcaccgg	cgactactgc	4080
gagacggaga	tccacctctg	ctaactccgac	ccgtgcggcg	ccaacggccg	ctgccgcagc	4140
cgcgaggcg	gctacacctg	cgagtgtctt	gaggacttca	ctggagagca	ctgtgagggtg	4200
gatgcccgt	caggccgctg	tgccaacggg	gtgtgcaaga	acgggggcac	ctgcgtgaac	4260
ctgctcatcg	gcggttcca	ctgcgtgtgt	cctcctggcg	agtatgagag	gccctactgt	4320
gaggtgacca	ccaggagctt	cccgcgccag	tccctcgtea	ccttccgggg	cctgagacag	4380
cgcttccact	tcaccatctc	cctcacgttt	gccactcagg	aaaggaaacg	cttgcttctc	4440
tacaacggcc	gcttcaatga	gaagcacgac	ttcatcgccc	tggagatcgt	ggacgagcag	4500
gtgcagctca	ccttctctgc	aggcgagaca	acaacgacgg	tggcaccgaa	ggttcccagt	4560
gggtgtgagt	acgggcgggtg	gcactctgtg	caggtgcagt	actacaacaa	gcccataatt	4620
ggccacctgg	gcctgcccc	tgggcgcgtc	ggggaaaaga	tggccgtggt	gacagtggat	4680
gattgtgaca	caaccatggc	tgtgcgcttt	ggaaaggaca	tcgggaacta	cagctgcgct	4740
gcccagggca	ctcagaccgg	ctccaagaag	tccctggatc	tgaccggccc	tctactcctg	4800
gggggtgtcc	ccaacctgcc	agaagacttc	ccagtgcaca	accggcagtt	cgtgggctgc	4860
atgcggaacc	tgtcagtcga	cggcaaaaat	gtggacatgg	ccggattcat	cgccaacaat	4920
ggcaccgggg	aaggctgcgc	tgtctcggagg	aacttctgcg	atgggaggcg	gtgtcagaat	4980
ggaggcacct	gtgtcaacag	gtggaatatg	tatctgtgtg	agtgtccact	ccgattcggc	5040
gggaagaact	gtgagcaagc	catgcctcac	ccccagctct	tcagcgggtg	gagcgtcgtg	5100
tcctggagtg	acctgaacat	catcatctct	gtgccctggt	acctggggct	catgttccgg	5160
acccggaagg	aggacagcgt	tctgatggag	gccaccagtg	gtgggcccac	cagctttcgc	5220
ctccagatcc	tgaacaacta	cctccagttt	gaggtgtccc	acggcccttc	cgatgtggag	5280
tccgtgatgc	tgtccgggtt	gcgggtgacc	gacggggagt	ggcaccacct	gctgatcgag	5340
ctgaagaatg	ttaaggagga	cagttagatg	aagcacctgg	tcaccatgac	cttggaactat	5400
gggatggacc	agaacaaggc	agatatcggg	ggcatgcttc	ccgggctgac	ggtaggagac	5460
gtggtggtcg	gaggcgcctc	tgaagacaag	gtctccgtgc	gccgtggatt	ccgaggctgc	5520
atgcaggag	tgaggatggg	ggggacgcgc	accaacgtcg	ccaccctgaa	catgaacaac	5580
gcaactcaag	tcagggtgaa	ggacggctgc	gatgtggacg	acccctgtac	ctcgagcccc	5640
tgtcccccca	atagccgctg	ccacgacgcc	tgggaggact	acagctgcgt	ctgtgacaaa	5700
gggtaccttg	gaataaactg	tgtggatgcc	tgtcacctga	acccctgcga	gaacatgggg	5760
gctgctgctg	gtccccccgg	ctccccgcag	ggctacgtgt	gcgagtgtgg	gcccagtcac	5820
tacggggcgt	actgtgagaa	caaactcgac	cttccgtgcc	ccagaggctg	gtgggggaac	5880
cccgtctgtg	gaccctgcc	ctgtgccgtc	agcaaaggct	ttgatcccg	ctgtaataag	5940

accaacggcc	agtgccaatg	caaggagaat	tactacaagc	tcctagccca	ggacacctgt	6000
ctgcccgtcg	actgcttccc	ccatggctcc	cacagccgca	cttgcgacat	ggccaccggg	6060
cagtgtgcct	gcaagcccgg	cgtcatcggc	cgccagtgcg	accgctgcga	caaccggttt	6120
gccgaggtca	ccacgctcgg	ctgtgaagtg	atctacaatg	gctgtcccaa	agcatttgag	6180
gccggcatct	ggtggccaca	gaccaagttc	gggcagccgg	ctgcggtgcc	atgccctaag	6240
ggatccgttg	gaaatgcggt	ccgacactgc	agcggggaga	agggctggct	gccccagag	6300
ctctttaact	gtaccacat	ctccttcgtg	gacctcaggg	ccatgaatga	gaagctgagc	6360
cgcaatgaga	cgcaggtgga	cggcgccagg	gccctgcagc	tggtaggggc	gctgcgcagt	6420
gctacacagc	acacgggcac	gctctttggc	aatgacgtgc	gcacggccta	ccagctgctg	6480
ggccacgtcc	ttcagcacga	gagctggcag	cagggttctg	acctggcagc	cacgcaggac	6540
gccgactttc	acgaggacgt	catccactcg	ggcagcgccc	tcctggcccc	agccaccagg	6600
gcggcggtgg	agcagatcca	gcggagcgag	ggcggcacgg	cacagctgct	cggcgccctc	6660
gagggctact	tcagcaacgt	ggcacgcaac	gtgcggcgga	cgtacctgcg	gcccttcgtc	6720
atcgtaaccg	ccaacatgat	tcttgctgtc	gacatctttg	acaagttcaa	ctttacggga	6780
gccagggctc	cgcgattcga	caccatccat	gaagagttcc	ccagggagct	ggagtctctc	6840
gtctccttcc	cagccgactt	cttcagacca	cctgaagaaa	aagaaggccc	cctgctgagg	6900
ccggctggcc	ggaggaccac	cccgcagacc	acgcgcccgg	ggcctggcac	cgagagggag	6960
gccccgatca	gcaggcggag	gcgacaccct	gatgacgctg	gccagttcgc	cgtcgctctg	7020
gtcatcattt	accgcaccct	ggggcagctc	ctgcccagagc	gctacgaccc	cgaccgtcgc	7080
agcctccggt	tgcctcaccg	gccccattt	aatacccoga	tggtagacac	gctggtgtac	7140
agcgaggggg	ctccgctccc	gagaccctcg	gagagcccgg	tcctggtgga	gttcgccctg	7200
ctggaggtgg	aggagcgaac	caagcctgtc	tgcgtgttct	ggaaccactc	cctggccggt	7260
ggtgggacgg	gaggggtggtc	tgcccggggc	tgcgagctcc	tgtccaggaa	ccggacacat	7320
gtcgctgcc	agtgcagcca	cacagccagc	tttgcggtgc	tcattggatat	ctccaggcgt	7380
gagaacgggg	aggtcctgcc	tctgaagatt	gtcacctatg	ccgctgtgtc	cttgctactg	7440
gcagccctgc	tggtagcctt	cgtcctcctg	agcctggctc	gcatgctgcg	ctccaacctg	7500
cacagcattc	acaagcacct	cgcctgtggg	ctcttctctt	ctcagctggt	gttcgtgatt	7560
gggatcaacc	agacggaaaa	cccgtttctg	tgcacagtgg	ttgccatcct	cctccactac	7620
atctacatga	gcacctttgc	ctggaccctc	gtggagagcc	tgcattgtcta	ccgcatgctg	7680
accgaggtgc	gcaacatcga	cacggggccc	atgcggttct	actacgtcgt	gggctggggc	7740
atcccggcca	ttgtcacagg	actggcggtc	ggcctggacc	cccagggcta	cgggaacccc	7800
gacttctgct	ggctgtcgct	tcaagacacc	ctgatttgga	gctttgcggg	gccccatcga	7860
gctgttataa	tcattcaacac	agtcacttct	gtcctatctg	caaaggtttc	ctgccaaga	7920
aagcaccatt	attatgggaa	aaaagggatc	gtctccctgc	tgaggaccgc	attcctcctg	7980
ctgctgctca	tcagcgccac	ctggctgctg	gggctgctgg	ctgtgaaccg	cgatgcactg	8040
agctttcact	acctcttcgc	catcttcagc	ggcttacagg	gccccttcgt	cctccttttc	8100
cactgcgtgc	tcaaccagga	ggtccggaa	cacctgaagg	gcgtgctcgg	cgggaggaag	8160
ctgcacctgg	aggactccgc	caccaccagg	gccacctgcg	tgacgcgctc	cctcaactgc	8220
aacaccacct	tcggtgacgg	gcctgacatg	ctgcgcacag	acttgggcga	gtccaccgcc	8280
tcgctggaca	gcctcgtcag	ggatgaagg	atccagaagc	tcggcgtgtc	ctctgggctg	8340
gtgaggggca	gccacggaga	gccagacggc	tcctcatg	ccaggagctg	caaggatccc	8400
cctggccacg	attccgactc	agatagcgag	ctgtccctgg	atgagcagag	cagctcttac	8460
gcctcctcac	actcgtcaga	cagcgaggac	gatgggggtg	gagctgagga	aaaatgggac	8520
ccggccaggg	gcgcgctcca	cagcaccccc	aaaggggacg	ctgtggccaa	ccacgttccg	8580
gccggctggc	ccgaccagag	cctggctgag	agtgcacagt	aggaccccag	cggcaagccc	8640
cgctgaagg	tggagaccaa	ggtcagcgtg	gagctgcacc	gcgaggagca	gggcagtcac	8700
cgtggagagt	accccccgga	ccaggagagc	gggggcgcag	ccaggcttgc	tagcagccag	8760
ccccagagc	agaggaaaag	catcttgaaa	aataaagtca	cctaccgcgc	gccgctgacg	8820
ctgacggagc	agacgttgaa	gggcgggtc	cgggagaagc	tggccgactg	tgagcagagc	8880
cccacatcct	cgcgcacgtc	ttccctgggc	tctggcggcc	ccgactgcgc	catcacagtc	8940
aagagccctg	ggagggagcc	ggggcggtg	cacctcaacg	gggtggccat	gaatgtgcgc	9000
actgggagcg	cccaggccga	tggctccgac	tctgagaaac	cgtgaggcaa	gcccgtcacc	9060
ccacacaggc	tgcggcatca	ccctcagacc	ttggagccca	aggggccact	gcccttgaa	9120
tggagtgggc	ccagagtgtg	gcgggtccca	tggtagcagc	ccccgactg	atcatccaga	9180
cacaaaggtc	ttggttctcc	caggagctca	gggcctgtca	gacctggtga	caagtgccaa	9240
aggccacagg	catgagggag	gcgtggacca	ctggggccagc	accgctgagt	cctaagactg	9300
cagtcaaagc	cagaactgag	aggggaaccc	agactgggcc	cagaggctgg	ccagagttca	9360
ggaacgccgg	gcacagacca	aagaccgcgg	tcagccccg	cccaggcggg	catctcatgg	9420
cagtgcggac	ccgtggctgg	cagcccgggc	agtcctttgc	aaaggcaccc	cttgtcttaa	9480
aatcacttcg	ctatgtggga	aaggtggaga	tactttttata	tatttgtatg	ggactctgag	9540

gaggtgcaac	ctgtatatat	attgcattcg	tgctgacttt	gttatcccga	gagatccatg	9600
caatgatctc	ttgctgtctt	ctctgtcaag	attgcacagt	tgtacttgaa	tctggcatgt	9660
gttgacgaaa	ctggtgcccc	agcagatcaa	aggtgggaaa	tacgtcagca	gtggggctaa	9720
aaccaagcgg	ctagaagccc	tacagctgcc	ttcggccagg	aagtgaggat	ggtgtgggcc	9780
ctccccgccg	gccccctggg	tccccagtgt	tcgtgtgtgt	tgcgtttgtc	ctctgctgcc	9840
atctgccccg	gctgtgtgaa	ttcaagacag	ggcagtgcag	cactaggcag	gtgtgaggag	9900
ccctgctgag	gtcactgtgg	ggcacggttg	ccacacggct	gtcatttttc	acctggtcat	9960
tctgtgacca	ccacccccctc	ccctcacccg	ctcccagggtg	gcccgggagc	tgcagggtggg	10020
gatggctttg	tcctttgctc	ctgctccccg	tgggacctgg	gaccttaaag	cgttgcaggt	10080
tcctgatttg	gacagagggtg	tggggccttc	caggccgtta	catacctcct	gccaatcttc	10140
taactctctg	agactgcgag	gatctccagg	cagggttctc	ccctctggag	tctgaccaat	10200
tacttcattt	tgcttcaaat	ggccaattgt	gcagagggac	aaagccacag	ccacactctt	10260
caacggttac	caaactgttt	ttggaatttc	acaccaagggt	cggggccact	gcaggcagct	10320
ggcacagcgt	ggcccagagg	gctgtggaac	gggtcccga	actgtcagac	atgtttgatt	10380
ttagcgtttc	ctttgttctt	caaatcaggt	gccccaaata	gtgatcagca	cagctgcttc	10440
caaataggag	aaaccataaa	ataggatgaa	aatcaagtaa	aatgcaaaga	tgtccacact	10500
gttttaaaact	tgaccctgat	gaaaatgtga	gcactgttag	cagatgccta	tgggagagga	10560
aaagcgtatc	tgaaaatggt	ccaggacagg	aggatgaaat	gagatcccag	agtcctcaca	10620
cctgaatgaa	ttatacatgt	gccttaccag	gtgagtggtc	tttcgaagat	aaaaaactct	10680
agtcctttta	aacgtttgcc	cctggcggtt	cctaagtacg	aaaaggtttt	taagtcttcg	10740
aacagtcctc	tttcagtact	ttaacaggat	tctgccccct	gagggtgtaat	ttttttgttc	10800
tattttttttc	cacgtactcc	acagccaaca	tcacgagggtg	taatttttaa	tttgatcaga	10860
actgttacca	aaaaacaact	gtcagtttta	ttgagatggg	aaaaatgtaa	acctattttt	10920
attacttaag	actttatggg	agagattaga	cactggagggt	ttttaacaga	acgtgtattt	10980
attaatgttc	aaaacactgg	aattacaaat	gagaagagtc	tacaataaat	taagattttt	11040
gaatttgtac	ttctgcgggtg	ctggtttttc	tccacaaaaca	cccccgcccc	tccccatgcc	11100
cagggtggcc	gtggaaggga	cggtttaacgg	acgtgcagct	gagctgtccg	tgtcccacgc	11160
tccctcagcc	agtggaacgt	gccggaactt	tttgtccatt	ccctagtagg	cctgccacag	11220
cctagatggg	cagtttttgt	ctttcaccaa	atttgaggac	tttttttttt	tgccattatt	11280
tcttcagttt	tcttttcttg	cactgatctt	tctcctctcc	ttctgtgact	ccagtgactc	11340
agacgttaga	cctcttgatg	ttttcccaact	gggccctgag	gctctgttc	11389	

<210> 238
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014246

<400> 238	gggagagatt	agacactgga	ggttttttaac	agaacgtgta	tttattaatg	ttcaaaacac	60
-----------	------------	------------	-------------	------------	------------	------------	----

<210> 239
 <211> 4372
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014314

<400> 239	tagttattaa	agttcctatg	cagctccggc	tcgcgtccgg	cctcatttcc	tcggaaaatc	60
	cctgctttcc	ccgctcgcca	cgccctcctc	ctacccggct	ttaaagctag	tgaggcacag	120
	cctgcgggga	acgtagctag	ctgcaagcag	agggcggcat	gaccaccgag	cagcgacgca	180
	gcctgcaagc	cttccaggat	tatatccgga	agaccttgga	ccctacctac	atcctgagct	240
	acatggcccc	ctggtttagg	gagggaagagg	tgcagtatat	tcaggctgag	aaaaacaaca	300
	agggcccaat	ggaggetgcc	acactttttc	tcaagttcct	gttggagctc	caggaggaag	360
	gctggttccg	tggctttttg	gatgccctag	accatgcagg	ttattctgga	ctttatgaag	420
	ccattgaaag	ttgggatttc	aaaaaaattg	aaaagttgga	ggagtataga	ttacttttaa	480
	aacgtttaca	accagaattt	aaaaccagaa	ttatcccaac	cgatatcatt	tctgatctgt	540

ctgaatgttt	aattaatcag	gaatgtgaag	aaattctaca	gatttgctct	actaagggga	600
tgatggcagg	tgacagagaa	ttgggtggaat	gccttctcag	atcagacaag	gaaaactggc	660
ccaaaaacttt	gaaacttgct	ttggagaaag	aaaggaacaa	gttcagtgaa	ctgtggattg	720
tagagaaaagg	tataaaagat	gttgaaacag	aagatcctga	ggataagatg	gaaacttctg	780
acatacagat	tttctacca	gaagatccag	aatgccagaa	tcttagtgag	aattcatgtc	840
caccttcaga	agtgtctgat	acaaacttgt	acagcccatt	taaaccaaga	aattaccaat	900
tagagcttgc	tttgccctgct	atgaaaggaa	aaaacacaat	aatatgtgct	cctacagggt	960
gtggaaaaaac	ctttgtttca	ctgcttatat	gtgaacatca	tcttaaaaaa	ttcccacaag	1020
gacaaaaagg	gaaagtgtgc	ttttttgcca	atcagatccc	agtgtatgaa	cagcagaaat	1080
ctgtattctc	aaaatacttt	gaaagacatg	ggtatagagt	tacaggcatt	tctggagcaa	1140
cagctgagaa	tgtcccagtg	gaacagattg	ttgagaacaa	tgacatcatc	attttaactc	1200
cacagattct	tgtgaacaac	cttaaaaagg	gaacgatctc	atcactatcc	atctttactt	1260
tgatgatatt	tgtgaatgc	cacaacacta	gtaaacaaca	cccgtacaat	atgatcatgt	1320
tttaattatct	agatcagaaa	cttgaggat	cttcaggccc	actgccccag	gtcattgggc	1380
tgactgcctc	ggttggtgtt	ggggatgcca	aaaacacaga	tgaagccttg	gattatatct	1440
gcaagctgtg	tgtctctctt	gatgcgtcag	tgatagcaac	agtcaaacac	aatctggagg	1500
aactggagca	agttgtttat	aagccccaga	agtttttcag	gaaagtggaa	tcacggatta	1560
gcgacaaatt	taaatacatc	atagctcagc	tgatgaggga	cacagagagt	ctggcacaag	1620
gaatctgcaa	agacctcgaa	aacttatctc	aaattcaaaa	tagggaattt	ggaacacaga	1680
aatatgaaca	atgattgttt	acagttcaga	aagcatgcac	ggtgttccag	atgccagaca	1740
aagatgaaga	gagcaggatt	tgtaaagccc	tgtttttata	cacttcacat	ttgcggaaat	1800
ataatgatgc	cctcattatc	agtgcagcat	cacgaatgaa	agatgctctg	gattacttga	1860
aagacttctt	cagcaatgtc	cgagcagcag	gattcgatga	gattgagcaa	gatcttactc	1920
agagatttga	agaaaagctg	caggaactag	aaagtgtttc	cagggatccc	agcaatgaga	1980
atcctaaact	tgaagacctc	tgtttcatct	tacaagaaga	gtaccactta	aaccagaga	2040
caataacaat	tctctttgtg	aaaaccagag	cacttggtgga	cgctttaaaa	aattggattg	2100
aaggaaaatcc	taaactcagt	tttctaaaaa	ctggcatatt	gactggacgt	ggcaaaaaca	2160
atcagaacac	aggaatgacc	ctcccggcac	agaagtgtat	attggatgca	ttcaaagcca	2220
gtggagatca	caatatcttg	attgccacct	cagttgctga	tgaaggcatt	gacattgcac	2280
agtgcaatct	tgtcatcctt	tatgagtatg	tgggcaatgt	catcaaaatg	atccaaacca	2340
gaggcagagg	aagagcaaga	ggtagcaagt	gcttccttct	gactagtaat	gctgggtgaa	2400
ttgaaaaaga	acaaataaac	atgtacaaa	aaaaaatgat	gaatgactct	attttacgcc	2460
ttcagacatg	ggacgaagca	gtatttaggg	aaaagattct	gcatatacag	actcatgaaa	2520
aattcatcag	agatagtcaa	gaaaaaccaa	aacctgtacc	tgataaggaa	aataaaaaac	2580
tgctctgcag	aaagtgcaaa	gccttgcat	gttacacagc	tgacgtaaga	gtgatagagg	2640
aatgccatta	cactgtgctt	ggagatgctt	ttaaggaatg	ctttgtgagt	agaccacatc	2700
ccaagccaaa	gcagttttca	agttttgaaa	aaagagcaaa	gatattctgt	gcccgcacaga	2760
actgcagcca	tgactgggga	atccatgtga	agtacaagac	atttgagatt	ccagttataa	2820
aaattgaaag	ttttgtggtg	gaggatattg	caactggagt	tcagacactg	tactcgaagt	2880
ggaaggactt	tcattttgag	aagataccat	ttgatccagc	agaaatgtcc	aaatgatatc	2940
aggtcctcaa	tcttcagcta	cagggaatga	gtaactttga	gtggagaaga	aacaaacata	3000
gtgggtataa	tcatggatcg	cttgtacccc	tgtgaaaata	tattttttta	aaatatcttt	3060
agcagtttgt	actatattat	atatgcaaag	cacaaatgag	tgaatcacag	cactgagtat	3120
tttgtagggc	aacagagctc	atagtacttg	ggaaaaatta	aaaagcctca	tttctagcct	3180
tctttttaga	gtcaactgcc	aacaaacaca	cagtaatcac	tctgtacaca	ctgggataga	3240
tgaatgaatg	gaatgttggg	aattttttat	tccctttgtc	tccttaacct	actgtaaact	3300
ggcttttgcc	cttaacaatc	tactgaaatt	gttcttttga	aggttaccag	tgactctggt	3360
tgccaaatcc	actgggcact	tcttaacctt	ctatttgacc	tctgcgcatt	tgccctggtt	3420
gagcactctt	cttgaagctc	tccctgggct	tctctctctt	ctagtcttat	tctagtcttt	3480
ttttattgag	tctctctctt	tgtgatccc	ttccaagggt	tcaatatata	tacatgtata	3540
tactgtacat	atgtatatgt	aactaatata	catacataca	ggtatgtata	tgtaatgggt	3600
atatgtactc	atgttcctgg	tgtagcaacg	tgtgggtatg	ctacacagag	aacatgagaa	3660
cataaagcca	tttttatgct	tactactaaa	agctgtccac	tgtagagttg	ctgtatgtag	3720
caatgtgtat	ccactctaca	gtggtcagct	tttagtagag	agcataaaaa	tgataaaata	3780
cttcttgaaa	acttagttta	ctatacatct	tgccttatta	atatgttctc	ttaacgtgtg	3840
ccattgttct	ctttgaccat	tttctataaa	tgtatgtgat	gttcaacacc	tggactgaat	3900
gtctgttctc	agatcccttg	gatgttacag	atgaggcagt	ctgactgtcc	tttctacttg	3960
aaagattaga	atatgtatcc	aaatggcatt	cacgtgtcac	ttagcaagggt	ttgctgatgc	4020
ttcaaagagc	ttagtttgcg	gtttcctgga	cgtggaaaca	agtatctgag	ttccctggag	4080
atcaacggga	tgaggtgtta	cagctgcctc	cctcttcattg	caatctgggtg	agcagtggtg	4140
caggcgggga	gccagagaaa	cttgccagtt	atataacttc	tctttggctt	ttcttcatct	4200

gtaaaacaag	gataatactg	aactgtaagg	gttagtggag	agtttttaat	taaaagaatg	4260
tgtgaaaagt	acatgacaca	gtagttgctt	gataatagtt	actagtagta	gtattccttac	4320
taagacccaa	tacaaatgga	ttattttaaac	caaaaaaaaa	aaaaaaaaaa	aa	4372

<210> 240
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014314

<400> 240	
agttcagaca	ctgtactcga agtggaagga ctttcatttt gagaagatac catttgatcc 60

<210> 241
 <211> 1647
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014321

<400> 241	
gcgcgcgggt	ttcgttgacc cgcggcgttc acgggaattg ttcgcttttag tgccggcgcc 60
atgggggtcgg	agctgatcgg gcgcctagcc ccgcgcctgg gcctcgccga gcccgcacatg 120
ctgaggaaaag	cagaggagta cttgcgcctg tcccgggtga agtgtgtcgg cctctccgca 180
cgcaccacgg	agaccagcag tgcagtcattg tgccctggacc ttgcagcttc ctggatgaag 240
tgccccttgg	acagggtcta tttaattaaa ctttctgggt tgaacaagga gacatatcag 300
agctgtccta	aatccttttg gtgtttactg ggccctgaatt caaatattgg aataagagac 360
ctagctgtac	agtttagctg tatagaagca gtgaacatgg cttcaaagat actaaaaagc 420
tatgagtcca	gtcttcccca gacacagcaa gtggatcttg acttatccag gccacttttc 480
acttctgctg	cactgctttc agcatgcaag attctaaagc tgaaagtgga taaaaacaaa 540
atggtagcca	catccggtgt aaaaaaagct atatttgatc gactgtgtaa acaactagag 600
aagattggac	agcaggtcga cagagaacct ggagatgtag ctactccacc acggaagaga 660
aagaagatag	tggttgaagc cccagcaaaag gaaatggaga aggtagagga gatgccacat 720
aaaccacaga	aagatgaaga tctgacacag gattatgaag aatggaaaag aaaaattttg 780
gaaaatgctg	ccagtgtcta aaaggctaca gcagagtgat ttcagcttcc aaactggtat 840
acattccaaa	ctgatatgac attgccatct ccaggaagac ttgacggctt tgggattttg 900
tttaaacttt	tataataagg atcctaagac tgttgctttt aaatagcaaa gcagcctacc 960
tggaggctaa	gtctgggcag tgggctggcc cctggtgtga gcattagacc agccacagtg 1020
cctgatttgt	atagccttat gtgctttcct acaaaatgga attggaggcc gggcgagctg 1080
gctcacgcct	gtaatcccag cactttggga ggccaagggtg ggtggatcac ctgaggtcag 1140
gagctcgaga	ccagcctggc caacatggtg aaaccccatc tctactaaaa atacaaaaat 1200
tagccaggtg	tgatggtgca tgccctgtaat cccagctcct cagtaggctg agacaggagc 1260
atcacttgaa	cgtgggaggc agaggttgca gtgagccgag attgcaccac cgcactccag 1320
cctgggtgac	agagcgagac ttatctcata aataaataga tagatactcc agcctgggtg 1380
acagagcgag	acttatagat agatagatag atagatggat agatagatag atagatagat 1440
agatagataa	acggaattgg agccattttg ctttaagtga atggcagtc cttgtcttat 1500
tcagaatata	aaattcagtc tgaatggcat cttacagatt ttacttcaat ttttgtgtac 1560
ggtatttttt	atttgactaa atcaatatat tgtacagcct aagttaataa atgttattta 1620
tatatgcaaa	aaaaaaaaaa aaaaaaa 1647

<210> 242
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014321

<400> 242
 tgctttaagt gaatggcagt cccttgtctt attcagaata taaaattcag tctgaatggc 60

<210> 243
 <211> 1455
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014364

<400> 243
 ggcggtccgc acgcacctcg gtaacatcac agcagggtcca ggccaatgat aaccttataa 60
 gaggccatgt cgaagcgcga catcgctctc accaatgtca ccgttgtcca gttgctgcga 120
 cagccgtgcc cggtgaccag agcaccgccc ccacctgagc ctaaggctga agtagagccc 180
 cagccacaac cagagcccac accagtcagg gaggaataa agccaccacc gccaccactg 240
 cctcctcacc ccgctactcc tcctcctaag atgggtgtctg tggcccggga gctgactgtg 300
 ggcataaatg gatttggacg catcggtcgc ctggctcctgc gcgcctgcat ggagaagggt 360
 gttaagggtg tggtgtgtaa tgateccattc attgacccgg aatacatggt gtacatgttt 420
 aagtatgact ccacccacgg ccgatacaag ggaagtgtgg aattcaggaa tggacaactg 480
 gtcgtggaca accatgagat ctctgtctac cagtgc aaaag agcccaaaca gatcccctgg 540
 agggctgtcg ggagccccta cgtgggtggag tccacaggcg tgtacctctc catacaggca 600
 gcttcggacc acatctctgc aggtgctcaa cgtgtggtca tctccgcgcc ctaccgggat 660
 gcaccaatgt tcgtcatggg tgtcaatgaa aatgactata accctggctc catgaacatt 720
 gtgagcaacg cgtcctgcac caccaactgt ttggctcccc tcgccaaaagt catccacgag 780
 cgatttggga tcgtggaagg gttgatgacc acagtccatt cctacacggc caccagaag 840
 acagtggacg ggccatcaag gaaggcctgg cgagatgggc ggggtgcccc ccagaacatc 900
 atcccagcct ccactggggc tgcgaaagct gtgaccaaag tcatcccaga gctcaaaggg 960
 aagctgacag ggatggcggt ccgggtacca accccggatg tgtctgtcgt ggacctgacc 1020
 tgccgcctcg ccagcctgc cccctactca gccatcaagg aggctgtaaa agcagcagcc 1080
 aaggggccca tggctggcat ccttgcctac accgaggatg aggtcgtctc tacggacttc 1140
 ctcggtgata cccactcgtc catcttcgat gctaaggcog gcattgcgct caatgacaat 1200
 ttcgtgaagc tcatttcatg gtacgacaac gaatatggct acagtcaccg ggtggctcgc 1260
 ctctccgct acatgttcag ccgagacaag tgaaacggga aggtcctttc tttccttccc 1320
 aggggcccgg gccggaacat gtgcctcccg ttccagcatc tggctgcccg ggggaggaag 1380
 gacacccggg gcgggcgccc cagcccgatg ggtccatggt gaaataaaaa acagtgtctg 1440
 aaaaaaaaaa aaaaa 1455

<210> 244
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014364

<400> 244
 cgctcaatga caatttcgtg aagctcattt catggtacga caacgaatat ggctacagtc 60

<210> 245
 <211> 935
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014462

<400> 245
 gaagtgggta agggtaatat ggaggagctt ccggcaggcc ccggcggctg aaagccgggg 60
 cagaagtgct ggtctcggtc gggattccgg gcttgggtccc accgaggcgg cgactgcggg 120
 aggaggggaag aggttttggg cgcgctggcc tcccgccgct gtgcattgca gcattatttc 180

agttcaaaat	gaactatatg	cctggcaccg	ccagcctcat	cgaggacatt	gacaaaaagc	240
acttggttct	gcttcgagat	ggaaggacac	ttataggctt	tttaagaagc	attgatcaat	300
ttgcaaaactt	agtgtacat	cagactgttg	agcgtattca	tgtgggcaaa	aaatacgggtg	360
atattcctcg	agggattttt	gtggtcagag	gagaaaatgt	ggtcctacta	ggagaaatag	420
acttgaaaaa	ggagagtgc	acacccctcc	agcaagtatc	cattgaagaa	attctagaag	480
aacaaaggggt	ggaacagcag	accaagctgg	aagcagagaa	gttgaaagt	caggccctga	540
aggaccgagg	tctttccatt	cctcgagcag	atactcttga	tgagtactaa	tcttttgccc	600
agaggctgtt	ggctcttgaa	gagtaggggc	tgtcactgag	tgaaagtgc	atcctggcca	660
cctcacgcat	ttgatcacag	actgtagagt	tttgaaaagt	cactttttatt	tttaattatt	720
ttacatatgc	aacatgaaga	aatcgtgtag	gtgggttttt	tttttaataa	caaaatcact	780
gtttaaagaa	acagtggcat	agactccttc	acacatcact	gtggcaccag	caactacttc	840
tttatattgt	tcttcatatc	ccaaattaga	gtttacaggg	acagtcttca	tttacttgta	900
aataaaaatat	gaatctcaaa	aaaaaaaaaa	aaaaa	935		

<210> 246
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014462

<400> 246
 ttaataacaa aatcactgtt taaagaaaca gtggcataga ctccttcaca catcactgtg 60

<210> 247
 <211> 890
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014501

<400> 247

ggcggaccga	agaacgcagg	aagggggccg	gggggacccg	cccccggccg	gccgcagcca	60
tgaactccaa	cgtggagaac	ctacccccgc	acatcatccg	cctggtgtac	aaggagggtga	120
cgacactgac	cgcagaccca	cccgatggca	tcaaggtctt	tccaacgag	gaggacctca	180
ccgacctcca	ggtcaccatc	gagggccctg	aggggacccc	atatgctgga	ggtctgttcc	240
gcatgaaaact	cctgctgggg	aaggacttcc	ctgcctcccc	acccaagggc	tacttcctga	300
ccaagatctt	ccaccgaac	gtgggcgcca	atggcgagat	ctgcgtcaac	gtgctcaaga	360
gggactggac	ggctgagctg	ggcatccgac	acgtactgct	gaccatcaag	tgctgtctga	420
tccaccctaa	ccccgagtct	gcaactcaacg	aggaggcggg	ccgcctgctc	ttggagaact	480
acgaggagta	tgcggctcgg	gcccgtctgc	tcacagagat	ccacgggggc	gccggcgggc	540
ccagcggcag	ggccgaagcc	ggtcggggcc	tggccagtgg	cactgaagct	tcctccaccg	600
accctggggc	cccagggggc	ccgggagggg	ctgagggtcc	catggccaag	aagcatgctg	660
gcgagcgcga	taagaagctg	gcggccaaga	aaaagacgga	caagaagcgg	gcgctgcggg	720
cgctgcggcg	gctgtagtgg	gctctcttcc	tccttccacc	gtgaccccaa	cctctcctgt	780
ccctccctc	caactctgtc	tctaagttat	ttaaattatg	gctggggctc	gggaggggtac	840
agggggcact	gggacctgga	tttgtttttc	taaataaagt	tgaaaaagca	890	

<210> 248
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_014501

<400> 248
 acacgtactg ctgaccatca agtgcctgct gatccaccct aaccccgagt ctgcactcaa 60

<210> 249
 <211> 1182
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_016095

<400> 249
 gcggccggcg gcgtctcctc ccgggaacgt gaggggcccc aggagaccgt gaggctcttg 60
 cctgcagctc gcgccgccat ggacgctgcc gaggtcgaat tcctcgccga gaaggagctg 120
 gttaccatta tccccaaact cagtctggac aagatctacc tcatcggggg ggacctgggg 180
 ccttttaacc ctggtttacc cgtggaagtg cccctgtggc tggcgattaa cctgaaacaa 240
 agacagaaat gtcgcctgct ccctccagag tggatggatg tagaaaagtt ggagaagatg 300
 agggatcatg aacgaaagga agaaactttt accccaatgc ccagccctta ctacatggaa 360
 cttacgaagc tcctgttaaa tcatgcttca gacaacatcc cgaaggcaga cgaaatccgg 420
 accctggtca aggatatgtg ggacactcgt atagccaaac tccgagtgtc tgctgacagc 480
 tttgtgagac agcaggaggc acatgccaaag ctggataact tgaccttgat ggagatcaac 540
 accagcggga ctttctctac acaagcgctc aaccacatgt acaaaactccg cacgaacctc 600
 cagcctcttg agagtactca gtctcaggac ttctagagaa aggcctggtg caggcggctt 660
 gctgggggat gtgagcgctc aggatgtgat gaggtactcg tggttctgga gctctagaaa 720
 cacttctgat gcatgaaaaa tgtgtgatgg tgcaaggaaat ggattcagga tgttgttga 780
 gaaacaagt tgtgattagt ccttaaaaact tagctccctg ggacattctt caattccaca 840
 tctgtttcta gaaaccagcc ctttttcccc ccacttttga gaaataaaaa agccttaggt 900
 aaataagtca ttctccctag cagagccact tgggtctcct gcatggaagc cgtcacactt 960
 gggcaggtgt tcagtactg gttaggtgtg atacagcagg agtggccatg tgggccacgg 1020
 ctttttacc cttcttgatc ctgatttctt gggctgaatt tagactctct cacagaggtg 1080
 gctcacagag aaggatggca gatggtgcag ccaacaatgc tgaccggtgc ttatcctcta 1140
 agccctgatc cacaataaaa atggacccaa ctcaaaaaaa aa 1182

<210> 250
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_016095

<400> 250
 atggattcag gatgttgttg gagaaacaag tttgtgatta gtccttaaaa cttagctccc 60

<210> 251
 <211> 704
 <212> DNA
 <213> Homo sapiens

<300>
 <308> NM_016185

<400> 251
 tgcagcgggt gtcggctggt ggggtgtggag tttcccagcg cccctcgggt ccgacccttt 60
 gagcgttctg ctccggcgcc agcctacctc gtcctcggc gccatgacca caaccaccac 120
 cttcaaggga gtcgacccca acagcaggaa tagctccga gttttgcggc ctccaggttg 180
 tggatccaat ttttcattag gttttgatga accaacagaa caacctgtga ggaagaacaa 240
 aatggcctct aatatctttg ggacacctga agaaaatcaa gcttcttggg ccaagtcagc 300
 aggtgccaag tctagtgtg gcagggaaga cttggagtca tctggactgc agagaaggaa 360
 ctctctgaa gcaagctccg gagacttctt agatctgaag ggagaagggt atattcatga 420
 aaatgtggac acagacttgc caggcagcct ggggcagagt gaagagaagc ccgtgcctgc 480
 tgcgcctgtg cccagcccg tggccccggc cccagtgcc tccagaagaa atccccctgg 540
 cggcaagtcc agcctcgtct tgggttagct ctgactgtcc tgaacgctgt cgttctgtct 600
 gtttctcca tgcttgagaa ctgcacaact tgagcctgac tgtacatctt cttggatttg 660

tttcattaaa aagaagcact ttatgtaaaa aaaaaaaaaa aaaa 704

<210> 252

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_016185

<400> 252

tgaaccaaca gaacaacctg tgaggaagaa caaaatggcc tctaatactt ttgggacacc 60

<210> 253

<211> 2268

<212> DNA

<213> Homo sapiens

<220>

<221> Modified_base

<222> 1 ... 2268

<223> n = a,c,g, or t

<300>

<308> NM_016359

<400> 253

gggatttgaa	ccncgctgac	gaagtttggt	gatccatctt	ccgagtatcg	ccgggatttc	60
gaatcgcgat	gatcatcccc	tctctagagg	agctggactc	cctcaagtac	agtgacctgc	120
agaacttagc	caagagtctg	ggtctccggg	ccaacctgag	ggcaaccaag	ttgttaaaag	180
ccttgaaaagg	ctacattaaa	catgaggcaa	gaaaaggaaa	tgagaatcag	gatgaaagtc	240
aaacttctgc	atcctcttgt	gatgagactg	agatacagat	cagcaaccag	gaagaagctg	300
agagacagcc	acttgcccat	gtcaccaaaa	caaggagaag	gtgcaagact	gtccgtgtgg	360
accctgactc	acagcagaat	cattcagaga	taaaaataag	taatccact	gaattccaga	420
atcatgaaaa	gcaggaaaagc	caggatctca	gagctactgc	aaaagtctct	tctccaccag	480
acgagcacca	agaagctgag	aatgctgttt	cctcaggtaa	cagagattca	aaggtacctt	540
cagaaggaaa	gaaatctctc	tacacagatg	agtcatccaa	acctggaaaa	aataaaaagaa	600
ctgcaatcac	tactccaaac	tttaagaagc	ttcatgaagc	tcattttaag	gaaatggagt	660
ccattgatca	atatattgag	agaaaaagaa	acattttgaa	gaacacaatt	ccatgaatga	720
actgaagcag	cagcccatca	ataagggagg	ggtcaggact	ccagtacctc	caagaggaag	780
actctctgtg	gcttctactc	ccatcagcca	acgacgctcg	caaggccggg	cttgtggccc	840
tgcaagttag	agtaccttgg	gtctgaaggg	gtcactcaag	cgctctgcta	tctctgcagc	900
taaaacgggt	gtcaggtttt	cagctgctac	taaagataat	gagcataagc	gttactgac	960
caagactcca	gccagaaaag	ctgcacatgt	gaccgtgtct	gggggcaccc	caaaaggcga	1020
ggctgtgctt	gggacacaca	aattaaaagc	catcacgggg	aattctgctg	ctgttattac	1080
cccattcaag	ttgacaactg	aggcaacgca	gactccagtc	tccaataaga	aaccagtgtt	1140
tgatcttaaa	gcaagtttgt	ctcgtcccc	caactatgaa	ccacacaaa	gaaagctaaa	1200
accatggggg	caatctaaag	aaaataatta	tctaaatcaa	catgtcaaca	gaattaactt	1260
ctacaagaaa	acttacaaac	aaccccatct	ccagacaaa	gaagagcaac	ggaagaaacg	1320
cgagcaagaa	cgaaggagaa	agaaagcaaa	ggttttggga	atgcgaaggg	gcctcatttt	1380
ggctgaagat	taataatttt	ttaatatctt	gtaaatattc	ctgtattctc	aacttttttc	1440
cttttgtaaa	tttttttttt	tttgctgtca	tccccacttt	agtcacgaga	tctttttctg	1500
ctaactgttc	atagtctgtg	tagtgtccat	gggttcttca	tgtgctatga	tctctgaaaa	1560
gacgttatca	ccttaaagct	caaattcttt	gggatgggtt	ttacttaagt	ccattaacaa	1620
ttcaggtttc	taacgagacc	catcctaata	ttctgtttct	agatttttaa	tgtcaagttc	1680
ccaagttccc	cctgctgggt	ctaataattaa	cagaactgca	gtcttctgct	agccaatagc	1740
atttacctga	tggcagctag	ttatgcaagc	ttcaggagaa	tttgaacaat	aacaagaata	1800
gggtaagctg	ggatagaaag	gccacctctt	cactctctat	agaatatagt	aacctttatg	1860
aaacggggcc	atatagtttg	gttatgacat	caatatattt	cctaggtgaa	attgttttag	1920
cttatgtacc	ttcgttcaaa	tatcctcatg	taattgccat	ctgtcactca	ctatattcac	1980
aaaaataaaa	ctctacaact	cattctaaca	ttgcttactt	aaaagctaca	tagccctatc	2040

<400> 256
cgatcccagg acgtatcaga aatatgggta cattggaaca catgagtacc ctcattttctc 60

<210> 257
<211> 2905
<212> DNA
<213> Homo sapiens

<300>
<308> NM_016817

<400> 257
cggcagccag ctgagagcaa tgggaaatgg ggagtgccag ctgtcctcgg tgccctgctca 60
gaagctgggt tggtttatcc aggaatacct gaagccctac gaagaatgtc agacactgat 120
cgacgagatg gtgaacacca tctgtgacgt ctgcaggaac cccgaacagt tccccctggg 180
gcagggagtg gccataggtg gctcctatgg acggaaaaca gtcttaagag gcaactccga 240
tggtaccctt gtccttttct tcagtgactt aaaacaattc caggatcaga agagaagcca 300
acgtgacatc ctcgataaaa ctggggataa gctgaagttc tgtctgttca cgaagtgggt 360
gaaaaacaat ttcgagatcc agaagtcctt tgatgggtcc accatccagg tgttcacaaa 420
aaatcagaga atctctttcg aggtgctggc cgcttcaac gctctgagct taaatgataa 480
tcccagcccc tggatctatc gagagctcaa aagatccttg gataagacaa atgccagtcc 540
tggtagtatt gcagtctgct tcaactgaact ccagcagaag ttttttgaca accgtcctgg 600
aaaactaaag gatttgatcc tcttgataaa gcactggcat caacagtgcc agaaaaaaat 660
caaggattta cctcgtctgt ctccgtatgc cctggagctg cttacggtgt atgcctggga 720
acaggggtgc agaaaagaca actttgacat tgcgaaggc gtcagaacgg ttctggagct 780
gatcaaatgc caggagaagc tgtgtatcta ttggatggtc aactacaact ttgaagatga 840
gaccatcagg aacatcctgc tgcaccagct ccaatcagcg aggccagtaa tcttgatcc 900
agttgaccca accaataatg tgagtggaga taaaatatgc tggcaatggc tgaaaaaaga 960
agctcaaacc tggttgactt ctcccaacct ggataatgag ttacctgcac catcttgga 1020
tgtcctgcct gcaccactct tcacgacccc agggcacctt ctggataagt tcatcaagga 1080
gtttctccag cccaacaaat gcttcctaga gcagattgac agtgctgtta acatcatccg 1140

tacattcctt aaagaaaact gcttcgcaga atcaacagcc aagatccaga ttgtccgggg 1200
aggatcaacc gccaaaggca cagctctgaa gactggctct gatgccgatc tcgtcgtgtt 1260
ccataactca cttaaaagct acacctcca aaaaaacgag cggcacaaaa tcgtcaagga 1320
aatccatgaa cagctgaaag ccttttgagg ggagaaggag gaggagcttg aagtcagctt 1380
tgagcctccc aagtgaagg ctcccagggt gctgagcttc tctctgaaat ccaaagtcct 1440
caacgaaagt gtcagctttg atgtgcttcc tgcccttaat gcactgggtc agctgagttc 1500
tggctccaca cccagcccc aggtttatgc agggctcatt gatctgtata aatcctcgga 1560
cctcccggga ggagagtttt ctacctgttt cacagtcctg cagcgaaaact tcattcgtc 1620
ccggccacc aaactaaagg atttaattcg cctggtgaag cactggtaca aagagtgtga 1680
aaggaaactg aagccaaagg ggtctttgcc ccaaagtat gccttgagc tgctcaccat 1740
ctatgcctgg gagcagggga gtggagtgcc ggattttgac actgcagaag gtttccggac 1800
agtccctggag ctggtcacac aatatcagca gctcggcatc ttctggaagg tcaattacaa 1860
ctttgaagat gagaccgtga ggaagtttct actgagccag ttgcagaaaa ccaggcctgt 1920
gatcttgga caggcgaaac ccacaggtga cgtgggtgga ggggaccgtt ggtgttgga 1980
tcttctggac aaagaagcaa aggttaggtt atcctctccc tgcttcaagg atgggactgg 2040
aaacccaata ccaccttga aagtgcgac aatgcagaca ccaggaaagt gtggagctag 2100
gatccatcct attgtcaatg agatgttctc atccagaagc catagaatcc tgaataataa 2160
ttctaaaaga aacttctgga gatcatctgg caatcgcttt taaagactcg gctcaccgtg 2220
agaaagagtc actcacatcc attcttccct tgatgggtccc tattcctcct tcccttgcc 2280
tcttggaact cttgaaatca atcaagactg caaaccttt cataaagctg ccttgctgaa 2340
ctcctctctg caggagccct gcttaaaata gttgatgtca tcactttatg tgcatttat 2400
ttctgtcaac ttgtattttt ttttcttgta tttttccaat tagctcctcc tttttccttc 2460
cagcttaaaa aaggaatcct ctgtgtcttc aaagcaaagc tctttacttt ccccttgggt 2520
ctcataactc tgtgatcttg ctctcggtgc ttccaactca tccacgtcct gtctgtttcc 2580
tctgtataca aaacctttc tgccctgtct gacacagaca tcctctatgc cagcagccag 2640
gccaaccttt tcattagaac ttcaagctct ccaaaggctc agattataac tgttgtcata 2700
tttatatgag gctgttgtct tttcctttct agcctgcctt tatcccccca cccaggagta 2760
tcctcttgcc aaagcaaaag actttttcct tggcttttag cttaaagata cttgaaggtc 2820
taggtgcttt aacctcacat accctcactt aaacttttat cactgttgca tataccagtt 2880

gtgatacaat aaagaatgta tctgg 2905

<210> 258
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_016817

<400> 258
aaggtctagg tgctttaacc tcacataccc tcacttaaac ttttatcact gttgcatata 60

<210> 259
<211> 2054
<212> DNA
<213> Homo sapiens

<300>
<308> NM_017414

<400> 259
gggaagctcg ggccggcagg gtttccccgc acgctggcgc ccagctcccc gcgcggaggc 60
cgctgtaagt ttcgctttcc attcagtggg aaacgaaagc tgggcggggg gccacgagcg 120
cggggcccaga ccaaggcggg cccggagcgg aacttcgggc ccagctcggg ccccggctca 180
gtcccgcacgt ggaactcagc agcggaggct ggacgcttgc atggcgcttg agagattcca 240
tcgtgcctgg ctacataaag cgcttcctgg aagtgaagtc gtgctgtcct gaacgcgggc 300
caggcagctg cggcctgggg gttttggagt gatcacgaat gagcaaggcg tttgggctcc 360
tgaggcaaat ctgtcagtc atcctggctg agtcctcgca gtccccggca gatcttgaag 420
aaaagaagga agaagacagc aacatgaaga gagagcagcc cagagagcgt cccagggcct 480
gggactaccc tcatggcctg gttggtttac acaacattgg acagacctgc tgccttaact 540
ccttgattca ggtgttcgta atgaatgtgg acttcaccag gatattgaag aggatcacgg 600
tgcccagggg agctgacgag cagaggagaa gcgtcccttt ccagatgctt ctgctgtctg 660
agaagatgca ggacagccgg cagaaagcag tgcggccctt ggagctggcc tactgcctgc 720
agaagtgcaa cgtgcccttg tttgtccaac atgatgctgc ccaactgtac ctcaaactct 780
ggaacctgat taaggaccag atcaactgat tgcacttggg ggagagactg caggccctgt 840
atacgatccg ggtgaaggac tccttgattt gcgttgactg tgccatggag agtagcagaa 900
acagcagcat gctcacctc ccactttctc tttttgatgt ggactcaaag cccctgaaga 960
cactggagga cgccctgcac tgcttcttcc agcccaggga gttatcaagc aaaagcaagt 1020
gcttctgtga gaactgtggg aagaagaccc gtgggaaaca ggtcttgaag ctgacctatt 1080
tgccccagac cctgacaatc cacctcatgc gattctccat caggaattca cagacgagaa 1140
agatctgcca ctccctgtac ttccccaga gcttggaatt cagccagatc cttccaatga 1200
agcgagagtc ttgtgatgct gaggagcagt ctggaggggc gtatgagctt tttgctgtga 1260
ttgcgcacgt gggaatggca gactccgggc attactgtgt ctacatccgg aatgctgtgg 1320
atggaaaatg gttctgcttc aatgactcca atatttgctt ggtgtcctgg gaagacatcc 1380
agtgtacctc cggaaatcct aactaccact ggcaggaaac tgcatatctt ctggtttaca 1440
tgaagatgga gtgctaattg aaatgcccc aaccttcaga gattgacacg ctgtcatttt 1500
ccatttccgt tcctggatct acggagtctt ctaagagatt ttgcaatgag gagaagcatt 1560
gttttcaaac tatataactg agccttattt ataattaggg atattatcaa aatatgtaac 1620
catgaggccc ctacaggtct gatcagtcag aatggatgct ttcaccagca gaccggcca 1680
tgtggctgct cggtcctggg tgctcgctgc tgtgcaagac attagccctt tagttatgag 1740
cctgtgggaa cttcaggggt tcccagtggt gagagcagtg gcagtgaggg gcactctggg 1800
gccaaaggctc agtggcaggg ggtattttcag tattatacaa ctgctgtgac cagacttgta 1860
tactggctga atatcagtcg tgtttgtaat ttttactttt gagaaccaac attaatcca 1920
tatgaatcaa gtgttttgta actgctatc atttattcag caaatattta ttgatcatct 1980
cttctccata agatagtgtg ataaacacag tcatgaataa agttattttc cacaaaaaaa 2040
aaaaaaaaaa aaaa 2054

<210> 260
<211> 60
<212> DNA

<213> Homo sapiens

<300>

<308> NM_017414

<400> 260

tgagcatctc ttctccataa gatagtgtga taaacacggt catgaataaa gttattttcc 60

<210> 261

<211> 3638

<212> DNA

<213> Homo sapiens

<300>

<308> NM_017523

<400> 261

ggtagatg	gctgtgacag	cagcaaagaa	tgacggccaa	gggcgacagc	aggggctggc	60
catgctgtaa	aggggcttct	tgggagggtc	cagcctcagg	aatcaagggg	aactcctgag	120
ccgagaattc	tgaagatctc	ctccctccct	gaagctgtgg	gctgggccat	cggaaaactt	180
tcagttttgt	ttccttgcc	gcaagaaacg	aaactcaacc	gaaagcctgc	agagagcaga	240
acatggaagg	agacttctcg	gtgtgcagga	actgtaaaag	acatgtagtc	tctgccact	300
tcaccctcca	tgaggcttac	tgccctgcgg	tcctggctct	gtgtccggag	tgtgaggagc	360
ctgtccccaa	ggaaaccatg	gaggagcact	gcaagcttga	gcaccagcag	gttgggtgta	420
cgatgtgtca	gcagagcatg	cagaagtcct	cgctggagtt	tcataaggcc	aatgagtgcc	480
aggagcgccc	tgttgagtgt	aagttctgca	aactggacat	gcagctcagc	aagctggagc	540
tcacagagtc	ctactgtggc	agccggacag	agctctgcc	aggctgtggc	cagttcatca	600
tgaccgcgat	gctcgcccag	cacagagatg	tctgtcgcag	tgaacaggcc	cagctcggga	660
aaggggaaa	aatttcagct	cctgaaagg	aaatctactg	tcattattgc	aaccaaata	720
ttccagaaaa	taagtatttc	caccatatgg	gtaaatggtg	tcagactca	gagtttaaga	780
aacactttcc	tggttgaaat	ccagaaattc	ttccttcctc	tcctccaagt	caagctgctg	840
aaaatcaaac	ttccacgatg	gagaaagatg	ttcgtccaaa	gacaagaagt	ataaacagat	900
ttcctcttca	ttctgaaagt	tcatacaaga	aagcaccagg	aagcaaaaac	aaaaccttgg	960
atccactttt	gatgtcagag	cccaagccca	ggaccagctc	ccctagagga	gataaagcag	1020
cctatgacat	tctgaggaga	tggttctcagt	gtggcatcct	gcttcccctg	ccgatccctaa	1080
atcaacatca	ggagaaatgc	cggtgggttag	cttcatcaaa	aggaaaaaca	gtgagaaatt	1140
tcagctagat	ttggaaaagg	aaaggtacta	caaattcaaa	agatttctact	tttaacactg	1200
gcattcctgc	ctacttgctg	tggtggctct	gtgaaagggtg	atgggtttta	ttcgttgggc	1260
tttaaaaaga	aaggtttggc	agaactaaaa	acaaaactca	cgtatcatct	caatagatac	1320
agaaaaggct	tttgataaaa	ttcaacttga	cttcatgtta	aaaaccctca	acaaaccagg	1380
cgctgaagga	acatacctca	aaataataag	agccatctat	gacaaaacca	cagccaacat	1440
catactgaat	gagcaaaagc	tgagcatta	ctcttgagaa	gtagaacaag	gcacttcagt	1500
cctattcaac	atagtactgg	aagtcctcgc	cacagcaatc	aggcaagaga	aagaaataaa	1560
aggcaaccaa	aaagaaagga	agtcgaagta	tctctgtttg	cagacgatat	gattctatat	1620
ctagaaaacc	ccatgatctt	ggcccaaaa	ctcctagatc	tgataaaca	cttcagctaa	1680
ctttcaggag	acaaaatcaa	tatacaaaat	atggtagcat	ttttatacac	caacgacatc	1740
caagctgaga	gccaaatcaa	gaatgcaatc	ctattcaca	ttgccacaaa	aagaataaaa	1800
tacctagaaa	tacagctaac	caggagatg	aaagatctct	acaacaaaaa	ttacaaaaa	1860
ctgctgaaag	aaatcagaga	tgacacaaat	ggaaaaacat	tccatactta	tggataggaa	1920
gaatcaatat	tggttaaaatg	gccatactac	ccaaagcaat	ttatagattc	aatgctattc	1980
ctatcaaaact	accaataaca	ttcttcacag	aatcagaaaa	aaaaagcatt	aaaattttatt	2040
tgaaaaccaa	aaagagccca	aaaagccaaa	gcaatcctaa	gcaaaaagaa	caaagctgga	2100
ggcatcgcat	tacccaactt	caaactatac	tacagggtta	cagtaacca	aactgcatga	2160
tactggtaca	aaagcatggt	gctggtacaa	aagcagacac	atagatcaat	ggaacagaat	2220
agagggccca	gaaaataaagc	tacacaccta	caaccatcta	atctttgaca	aagtgtgaca	2280
aaatacgcaa	tggggaaaga	attccccatt	cagtaagtgg	tactgggata	actagctagc	2340
catatgcaga	ggattgaaac	tgaaccaact	ccttacacca	tatgcaaaaa	tcaactcaag	2400
atggattaaa	gacttaaatg	taaaacccca	aactataaaa	actctggaag	ataacctagg	2460
caataccatt	ctggacatag	gaacggaaaa	agatttcatg	acaaagatcc	caaaaataat	2520
tgtaacgaaa	gcaaaaattg	acaaatggga	catgattaaa	cagaattacc	atttgactca	2580
gcaatcccat	tattggttat	atacccaaa	gaatctaaat	cattctgtca	taaagacata	2640

tatacacaaa	tggttcacggc	agcactatac	acaatcgcaa	agtcagggaa	tcaaactaaa	2700
tgtccatcag	tggtagaaaag	gataaagaaa	atgtggtggc	agggagtggg	ggctcatgtc	2760
tgtaatccca	gcacttttggg	aggctgaggg	gggtgggttca	cctgaggtca	ggagtgtgag	2820
accagcctgg	ccaacatggc	gaaactccgt	ctccgctaaa	aatacgaaaa	ttagccaggc	2880
gtggtggcga	gcacctgtca	tcccagctac	ttgggaggcc	taggcgtgag	aatcgcttga	2940
acctggaagg	tggtggttgc	agtgagccga	gatcctgccca	ctgcactcca	gcctgggcaa	3000
ccaagcgaga	ctctgcctta	aaaaaaaaaa	aaagaaaatg	tggcacatat	acaccatgga	3060
atactatgca	gccataaaaa	agaatgggat	catgtcctgt	gcagcaacgt	ggatggagct	3120
ggaagccatt	atcctaaatg	aactcactca	gaaacagaaa	accaaatacc	acatgttctc	3180
acttataagt	agaagctaaa	cattgagtac	acatggatac	aaagaaggga	accgcagaca	3240
ctggggccta	cctgaggtcg	gagcatggaa	ggaggggtgag	gatcaaaaaa	ctacctatct	3300
ggtactatgc	tttttatctg	gatgatgaaa	taatctgtac	aacaaaccct	ggtgacatgc	3360
aatttaccta	tatagcaagc	ctacacatgt	gcccctgaac	ctaaaaaaaa	agttaaaaga	3420
aaaacgtttg	gattattttc	cctcttttga	acaaagacat	tggtttgccc	aaggactaca	3480
aataaaccaa	cgggaaaaaa	gaaaggttcc	agttttgtct	gaaaattctg	attaagcctc	3540
tgggccctac	agcctggaga	acctggagaa	tcctacaccc	acagaaccgg	gctttgtccc	3600
caaagaataa	aaacacctct	ctaaaaaaaa	aaaaaaaaa	3638		

<210> 262

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> NM_017523

<400> 262

ttggaaaaagg	aaaggtacta	caaattcaaa	agattttcact	tttaacactg	gcatttcctgc	60
-------------	------------	------------	-------------	------------	-------------	----

<210> 263

<211> 2461

<212> DNA

<213> Homo sapiens

<300>

<308> NM_018410

<400> 263

atgctgggta	cgctgcgcgc	catggagggc	gaggacgtgg	aagacgacca	gctgctgcag	60
aagctcaggg	ccagtcgcgc	ccgcttccag	aggcgctatg	agcggtgat	agagaagtac	120
aaccagccct	tcgaggacac	cccgggtggtg	caaattggcca	cgctgaccta	cgagacgcca	180
cagggattga	gaatttgggg	tggaagacta	ataaaggaaa	gaaacaaaagg	agagatccag	240
gactcctcca	tgaagcccgc	ggacaggaca	gatggctccg	tgcaagctgc	agcctggggg	300
cctgagcttc	cctcgcaccg	cacagtcctg	ggagccgatt	caaaaagcgg	tgaggtcgat	360
gccacgtcag	accaggaaga	gtcagttgct	tgggccttag	cacctgcagt	gcctcaaagc	420
cctttgaaaa	atgaattaag	aaggaaatac	ttgacccaag	tggatatact	gctacaaggt	480
gcagagtatt	ttgagtgtgc	aggtaacaga	gctggaaggg	atgtacgtgt	gactccgctg	540
ccttcactgg	cctcacctgc	cgtgcctgcc	cccgataact	gcagtcgtat	ctccggaaaag	600
agtcctgggtg	accagcgcaa	accagcttca	tctcccagag	aatgggatcc	tttgcctcct	660
tcctccacag	acatggcctt	agtacctaga	aatgacagcc	tctccctaca	agagaccagt	720
agcagcagct	tcttaagcag	ccagcccttt	gaagatgatg	acatttgcaa	tgtgaccatc	780
agtgacctgt	acgcagggat	gctgcactcc	atgagccggc	tgttgagcac	aaagccatca	840
agcatcatct	ccacccaaac	gttcatcatg	caaaactgga	actgcaggag	gaggcacaga	900
tataagagca	ggatgaacaa	aacatatgtc	aaaggagcca	gacgttctca	gaggagctcc	960
aaggagaact	tcataccctg	ctctgagcct	gtgaaaggga	caggggcatt	aagagattgc	1020
aagaacgtat	tagatgtttc	ttgccgtaag	acaggtttaa	aattggaaaa	agcttttctt	1080
gaagtcaaca	gaccccaaat	ccataagtta	gatccaagtt	ggaaggagcg	caaagtgaca	1140
ccctcgaagt	attcttcctt	gatttacttc	gactccagtg	caacatataa	tcttgatgag	1200
gaaaatagat	ttaggacatt	aaaatggtta	atttctcctg	taaaaatagt	ttccagacca	1260
acaatacgac	agggccatgg	agagaaccgt	cagagggaga	ttgaaatccg	atttgatcag	1320
cttcacgcgg	aatattgcct	gagtcaccag	aaccagcctc	gccggatgtg	cctcccggac	1380

gggtcaggag ttagaagcta ctgggaaaaat ctacctccga caagaggaga tcatttttaga 1320
tattaccgaa atgaagaaag cttgcaatta gtgaacatga aaggaaaata aaaattcctc 1380
acagtcaaaa aaaaaaaaaa aaaaa 1405

<210> 266
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_018455

<400> 266
ccgacaagag gagatcattt tagatattac cgaaatgaag aaagcttgca attagtgaac 60

<210> 267
<211> 927
<212> DNA
<213> Homo sapiens

<300>
<308> NM_018465

<400> 267
ggcagcgggc gaaaggagcc ggggcctgga ggtttgcgta ccggtcgcct ggtcccggca 60
ccagcgccgc ccagtgtggt ttcccataag gaagctcttc ttcttgcttg gcttccacct 120
ttaacccttc cacctgggag cgctctctaa cacattcaga ctacaagtcc agaccagga 180
gagcaaggcc cagaaagagg tcaaaatggg gtttatattt tcaaaatcta tgaatgaaag 240
catgaaaaat caaaaggagt tcatgcttat gaatgctcga cttcagctgg aaaggcagct 300
catcatgcag agtgaaatga gggaaagaca aatggccatg cggattgcgt ggtctcggga 360
attcctcaaa ttttttgaa ctttttttgg ccttgacagcc atctctttaa cagctggagc 420
gattaaaaaa aagaagccag ccttcctggt ccgattggt ccattaagct ttatcctcac 480
ctaccagtat gacttgggct atggaaccct tttagaaaga atgaaagggt aagctgagga 540
catactggaa acagaaaaga gttaaattgca gctgccaaga ggaatgatca cttttgaaag 600
cattgaaaaa gccagaaagg aacagagtag attcttcata gacaaatgaa atcatgctta 660
ccaatcaaat ctcaaagcac agaattattg acttgaatca tggtttttac agttttttta 720
atgctcaaga ttttgatatt atagatttta ttttaaaata ttaaaatgca agatagtttt 780
gagctatttt aaaataaaat ttataacatt caacacaaaa tcatggaggt gctctaaata 840
acttttagat ttctctcttc tgtgtgcatt accaatatct aagtgtaaaa ttaataaatt 900
gttttgaatt cctggaaaaa aaaaaa 927

<210> 268
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> NM_018465

<400> 268
ggaacagagt agattcttca tagacaaatg aaatcatgct taccaatcaa atctcaaagc 60

<210> 269
<211> 1047
<212> DNA
<213> Homo sapiens

<300>

<308> NM_018487

```

<400> 269
cccactttctc cagccagcgc cccagccctc ccgcccgcgc ctcgcaggtc ccgaggagcg 60
cagactgtgt ccctgacaat gggaacagcc gacagtgtg agatggcccc ggaggcccca 120
cagcacacccc acatcgatgt gcacatccac caggagtctg ccctggccaa gtcctgtctc 180
acctgctgct ctgcgctgcg gccccgggccc acccaggcca ggggcagcag ccggctgctg 240
gtggcctcgt ggggtgatgca gatcgtgctg gggatcttga gtgcagtcct aggaggattt 300
ttctacatcc gcgactacac cctcctcgtc acctcgggag ctgccatctg gacaggggct 360
gtggctgtgc tggctggagc tgctgccttc atttacgaga aacggggtgg tacatactgg 420
gccctgctga ggactctgct aacgctggca gctttctcca cagccatcgc tgccctcaaa 480
ctttggaatg aagatttccg atatggctac tcttattaca acagtgcctg ccgcatctcc 540
agctcgagtg actggaacac tccagccccc actcagagtc cagaagaagt cagaaggcta 600
cacctatgta cctccttcac ggacatgctg aaggccttgt tcagaaccct tcaggccatg 660
ctcttgggtg tctggattct gctgcttctg gcactctctga cccctctgtg gctgtactgc 720
tgagagaatgt tcccaaccaa agggaaaaga gaccagaagg aaatgttgga agtgagtgga 780
atctagccat gcctctcctg attattagtg cctgggtgctt ctgcaccggg cgtccctgca 840
tctgactgct ggaagaagaa ccagactgag gaaaagaggc tcttcaacag cccagttat 900
cctggcccca tgaccgtggc cacagccctg ctccagcagc acttgcccat tccttacacc 960
ccttccccat cctgctccgc ttcattgtccc ctccctgagta gtcattgtgat aataaactct 1020
catgttattg ttcccaggaa aaaaaaa 1047

```

```

<210> 270
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> NM_018487

```

```

<400> 270
aaccaaaggg aaaagagacc agaaggaaat gttggaagtg agtggaatct agccatgcct 60

```

```

<210> 271
<211> 2280
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> U17077

```

```

<400> 271
ccgcccgcga ccagctacgc cccgtccgac gtgccctcgg gggtcgcgct gttcctcacc 60
atccctttctg ctttcttcct gcccgagctg atatttgggt tcttggtctg gaccatggta 120
gccgccacccc acatagtata ccccttgctg caaggatggg tgatgtatgt ctgcctcacc 180
tcgtttctca tctccttgat gttcctggtt tcttacttgt ttggatttta caaaagattt 240
gaatcctgga gagttctgga cagcctgtac caggggacca ctggcatcct gtacatgagc 300
gctgccgtcc tacaagtaca tgccacgatt gtttctgaga aactgctgga cccaagaatt 360
tactacatta attcggcagc ctcgttcttc gccttcacgc ccacgctgct ctacattctc 420
catgccttca gcactctatta ccactgatgc acaggcgcca ggccaagggg gaaatgctct 480
ttgaaagctc caattatttg tccccaaaag cagcttccaa cgtttgccat ctggatgaca 540
aacggaagat ccactaaaac gtccacggga ttaacagAAC gtccttgagc actgagcgat 600
gacaccacac tttgtttgga catttaaat cactctgctg aataggagga agcttttctt 660
tttcttgggg aaacaactgt ctcttggaat tatctgacca tgaacttgct cttctagaca 720
actcacatca aagccctcac tccactaatg gagaatccta gcccactaa tgccaagtct 780
gtttggggat tttgcctcag ctatgggctt ccctagagta ggtctagggg aatactcagt 840
ctgatctttt ttttgtttgt tttattttgt tttttttgag acggagtctc gctcttcctc 900
caaggctgga gtgcagtgc gcgatctcca ctactgcag gctccgcctc ccgggttccc 960
gccattctcc tgccctcagc tcccagatg ccgggactac aggcgcccac caccatgcc 1020
ggctaattta gttgtatttt tagtagagat ggggtttcac cgtattagcc aggatggct 1080
cgatctcctg acctcgtgat ccgcccgcct cggcctccca aagtgtctggg attacaggc 1140
tgagccaccg tgcccggcct gattctctta aaattgaaga ggtgctgcca aggccttcag 1200

```

atctaacgca	gatgcataga	ccttggttct	ggtacttggt	cagcctgtgc	tggggagccg	1260
tggtcccag	ttccctggga	ggctgacagg	gtcaagccac	cctgcccacc	accctcccac	1320
ttcccctccc	ctttcctctc	cagcattagg	attcaaggga	aatctgcatg	aagccaattt	1380
tgagggtaga	cgtgtgggga	aaataaatca	ttatacagta	agacctgggg	cttgaggggt	1440
ggggaatggg	gaggggaagg	catagcctgc	tctccatga	gtctgacatc	tcggaaactg	1500
agcagctgcc	ggacgcctgg	gtcaggaatc	caagacccca	cctcttaagg	actggttcct	1560
cagaaagcac	cctcagggaa	aaaggtgaaa	acattacatc	cgtggattct	cctgccacaa	1620
ccgcattgga	agaaaaggct	gccgcaacat	ctcagcgagg	agtgaaggac	ccatgtccca	1680
ggaaccgcgc	tgcgccacct	gcactcacc	ccctcacatt	ctcttaagca	cccgggtggc	1740
ctccgagggt	ggcggaatgg	tggtgcccac	gggggtgggc	aagggtcac	caggacctca	1800
acggggcaaa	ttgtgcacac	taaaatatca	aatcaagggt	cttggtttta	aagtaaatgt	1860
ttttctaaag	aaagctgtgt	tcttctgttg	accagacga	atagggcaca	gccctgtaac	1920
tgcacgtgcc	ttctgtcatt	gggaatgaaa	taaattatta	cgagaaagg	acttgtccta	1980
actggtttga	ggccttacag	ttttgtatct	acatttttcc	cctcctgggg	tttgcgggga	2040
cagggacaga	actacaggag	tcatgggaaa	gaaaattctg	gcttcactac	tgtcactgc	2100
tcactttctg	atcactctga	tacttttttt	tttttttttt	ttttgcaacc	tgataccttg	2160
aaaagcttct	atgtgtctct	ccttttgttg	cctggcagct	gtctaggatg	atcactgatt	2220
actatttact	aagtagccac	atgcaaataa	aagttgtttg	gtaaaaatgga	aaaaaaaaaa	2280

<210> 272

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> U17077

<400> 272

tcaccaggac	ctcaacgggc	aaagttgtgc	acactaaaat	atcaaataca	ggtgcttggt	60
------------	------------	------------	------------	------------	------------	----

<210> 273

<211> 2554

<212> DNA

<213> Homo sapiens

<300>

<308> X87949

<400> 273

aggtcgacgc	cgcccaagac	agcacagaca	gattgaccta	ttgggggtgtt	tcgcgagtgt	60
gagaggggaag	cgccgcggcc	tgtattttcta	gacctgccct	tcgcctgggtt	cgtggcgcct	120
tgtgaccccg	ggcccctgcc	gcctgcaagt	cggaaattgc	gctgtgctcc	tgtgctacgg	180
cctgtggctg	gactgcctgc	tgctgcccaa	ctggctggca	agatgaagct	ctccctggtg	240
gccgcgatgc	tgctgctgct	cagcgcggcg	cgggcccagg	aggaggacaa	gaaggaggac	300
gtgggcacgg	tggtcggcat	cgacttgggg	accacctact	cctgcgtcgg	cgtgttcaag	360
aacggccgcg	tgagatcat	cgccaacgat	cagggcaacc	gcatcacgcc	gtcctatgtc	420
gccttcactc	ctgaagggga	acgtctgatt	ggcgatgccg	ccaagaacca	gtcacctcc	480
aaccccgaga	acacgggtctt	tgacgccaag	cggctcatcg	gccgcacgtg	gaatgaccgc	540
tctgtgcagc	aggacatcaa	gttcttgccg	ttcaagggtg	ttgaaaagaa	aactaaacca	600
tacattcaag	ttgatattgg	aggtgggcaa	acaaagacat	ttgctcctga	agaaatttct	660
gccatggttc	tcactaaaat	gaaagaaacc	gctgaggctt	atttgggaaa	gaaggttacc	720
catgcagttg	ttactgtacc	agcctatatt	aatgatgcc	aacgccaagc	aaccaaagac	780
gctggaacta	ttgctggcct	aaatgttatg	aggatcatca	acgagcctac	ggcagctgct	840
attgcttatg	gcctggataa	gagggagggg	gagaagaaca	tcctggtggt	tgacctgggt	900
ggcggaacct	tcgatgtgtc	tcttctcacc	attgacaatg	gtgtcttcga	agttgtggcc	960
actaatggag	atactcatct	gggtggagaa	gactttgacc	agcgtgtcat	ggaacacttc	1020
atcaaactgt	acaaaaagaa	gacgggcaaa	gatgtcagga	aggacaatag	agctgtgcag	1080
aaactccggc	gcgaggtaga	aaaggccaag	gccctgtctt	ctcagcatca	agcaagaatt	1140
gaaattgagt	ccttctatga	aggagaagac	ttttctgaga	ccctgactcg	ggccaaattt	1200
gaagagctca	acatggatct	gttccggtct	actatgaagc	ccgtccagaa	agtgttgga	1260
gattctgatt	tgaagaagtc	tgatattgat	gaaattgttc	ttgttggtgg	ctcgactcga	1320

attccaaaga	ttcagcaact	ggttaaagag	ttcttcaatg	gcaaggaacc	atccccgtggc	1380
ataaacccag	atgaagctgt	agcgtatggt	gctgctgtcc	aggctggtgt	gctctctggt	1440
gatcaagata	caggtagacct	ggtactgctt	catgtatgtc	cccttacact	tggtattgaa	1500
actgtaggag	gtgtcatgac	caaaactgatt	ccaagtaata	cagtgggtgcc	taccaagaac	1560
tctcagatct	tttctacagc	ttctgataat	caaccaactg	ttacaatcaa	ggtctatgaa	1620
ggtgaaagac	ccctgacaaa	agacaatcat	cttctgggta	catttgatct	gactggaatt	1680
cctcctgctc	ctcgtggggt	cccacagatt	gaagtcacct	ttgagataga	tgtgaatggt	1740
attcttcgag	tgacagctga	agacaagggt	acaggggaaca	aaaataagat	cacaatcacc	1800
aatgaccaga	atcgcttgac	acctgaagaa	atcgaaagga	tggttaatga	tgctgagaag	1860
tttgctgagg	aagacaaaaa	gctcaaggag	cgcattgata	ctagaaatga	gttggaaagc	1920
tatgcctatt	ctctaaagaa	tcagattgga	gataaagaaa	agctgggagg	taaactttcc	1980
tctgaagata	aggagaccat	ggaaaaagct	gtagaagaaa	agattgaatg	gctggaaaagc	2040
caccaagatg	ctgacattga	agacttcaaa	gctaagaaga	aggaactgga	agaaattggt	2100
caaccaatta	tcagcaaact	ctatggaagt	gcaggccctc	ccccaactgg	tgaagaggat	2160
acagcagaaa	aagatgagtt	gtagacactg	atctgctagt	gctgtaatat	tgtaataact	2220
ggactcagga	acttttggtt	ggaaaaaatt	gaaagaactt	aagtctcgaa	tgtaattgga	2280
atcttcacct	cagagtggag	ttgaactgct	atagcctaag	cggctgttta	ctgcttttca	2340
ttagcagttg	ctcacatgtc	tttgggtggg	gggggagaa	aagaattggc	catcttaaaa	2400
agcgggtaaa	aaacctgggt	taggggtgtg	gttcaccttc	aaaatgttct	atttaacaac	2460
tgggtcatgt	gcactctggt	taggaagttt	tttctaccat	aagtgcaccc	aataaatggt	2520
tgttattttac	actggtcaaa	aaaaaaaaaa	aaaa	2554		

<210> 274
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> X87949

<400> 274
 aacttttcctc tgaagataag gagaccatgg aaaaagctgt agaagaaaag attgaatggc 60

<210> 275
 <211> 1359
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig1632

<400> 275

ttttaagaca	gttacctggt	gtgctgctgt	tacaatatat	aatgaaacca	agtcagggga	60
gtgaatttat	caatcttttg	atgtaaaagta	aaaacgtagt	tcacacttca	ggagagaact	120
tcatagcaca	atgtctttct	ataagatatt	tttaatgatt	tagtatttta	caacatttgt	180
ttaccatatt	ttgatatacc	atttttttct	atctgccag	ttttattaaa	aaaactatat	240
attattttct	aaagaaacaa	tcataatttt	atacaaaatt	atgttttcag	gtaacgaaat	300
agatgtaggg	tacagtggaa	cataagcagt	gttacccttg	gctgggagtc	agtattatac	360
aacaaatggt	gagctggaac	atgccctgtc	tgtgctgtcc	ctcctgtgct	gggtcgcgga	420
tgtgtaggca	acattgcctt	atcacgctag	gttcacctga	cactttaaaa	ggaaaaaaaag	480
ttccatagag	ttctgtggtc	acaaaattgt	tttgctttta	tcaaataact	taatagaacc	540
aaagttgcag	atattggaat	gtatggaagt	atctcagtc	ctgcataaga	ggattaaagt	600
atgaaaggat	catttaatga	ctgttttact	tataagtc	taagtaatcc	accatttctt	660
atggatgatg	cttaagcctg	gtgagggttg	tactctaagg	agcccagatc	ataatgcagt	720
gcatttcctt	agcccttaga	gtttcttgca	aacattttaa	aaaagacata	tttaagaaaag	780
aaagataaag	aaaaaacata	tttaattact	gtaaacaggt	actgctttat	gtttattttc	840
tctctacttc	aaccaaatac	agatctttga	ggttttgctg	acattgtttg	tggttttgca	900
catgttcttt	ctaattggat	ttatgaatag	ttctatgggt	tttcaaagat	gaatcatgct	960
aagaacactt	ctgctttttg	atccactgtt	tgcagcagaa	ttatatatat	gtataggaaa	1020
aatccacttt	gaataatcca	tgttttgtat	ttggaaattg	tttttaaaaa	taaaaaggaa	1080
aggaaatata	taaagctggt	atttattctg	catttcttac	atatctatcg	cttgtcagta	1140

tacccggtttt	ggtatatatt	gcctctgcac	atctacattt	gtatatgcaa	cagtgaagctt	1200
tatatctaca	taaactgtaa	ataatccttt	ctgtgaaagg	atcatcatat	caagatgata	1260
ccaaaagtat	gtaaaaagaa	acctgcatta	ttttgtaatt	atttcttata	gatatttcat	1320
ggtaagatta	gcagtcaata	aagttacttt	tttgccttt	1359		

<210> 276
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig1632

<400> 276	gggttttcaa	agatgaatca	tgctaagaac	acttctgctt	tttgatccac	tgtttgcagc	60
-----------	------------	------------	------------	------------	------------	------------	----

<210> 277
 <211> 994
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig3464

<400> 277	tgaatgtata	tattaagact	gtagctgaat	tgcacatgaa	atcagattgc	caacttcttg	60
	actttcaatg	ttagacattt	atccttaagt	tgtgagcgat	atatgtagca	tgctgtgaaa	120
	tgtctgttat	agctctttaa	ttcatcagta	ttaatacaga	attatcattt	gcgtttcttg	180
	gtacttttta	ttcaatgtaa	tcagaagctg	tgatgttttg	cctttgtagt	cctgtgcttt	240
	gttactgtaa	tttttttttt	tttttttaag	aagcacgtga	ctggactaat	gtaaggcaga	300
	tgacgtgatc	tttaagactg	ctatatatat	cagtctctta	ctctataagg	ttttaaatta	360
	gaataagctt	ttatcaaata	gataattgat	gcaatttagg	attcacgcaa	gtttcagtg	420
	caaattggcg	tcttatagtt	tcaattctga	aaatagcaaa	cttaataaac	agccacttta	480
	aacttggtct	ggcaaaccag	accctgctgt	agatatagtc	taaggtagtt	aaccatataa	540
	gccttttcaa	ctcttaatgc	cctccacatg	aatcagcagt	taagaagggt	ctagaaccca	600
	tgaaaagctt	tgtatgtatt	actagggttt	gtttttctta	tgtttgctga	ttttacagtt	660
	ctgactaaag	ctgacctaag	tggtatcagt	tatgtgtaat	attctagtgc	tttaatgact	720
	ctttttttct	ttggaggag	ggtaacatta	tttgagcaga	tgacagaagg	actgttagtg	780
	agtcaagaca	aacacatctg	aaataaagga	actgtgtatt	aacatgttaa	caattcataa	840
	ctgcactttt	tatgacattt	tgaaaatcta	tttataggta	cagaacaatg	ggttttgtta	900
	aactgtatca	catttatact	tgacagaaat	tatttcattg	ttatttagtag	gaattttatt	960
	ggttcaataa	aattggcaaa	actgaacacc	aaaa	994		

<210> 278
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig3464

<400> 278	ctgctgtaga	tatagtctaa	ggtagttaac	catataagcc	ttttcaactc	ttaatgccct	60
-----------	------------	------------	------------	------------	------------	------------	----

<210> 279
 <211> 423
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig14683

```

<400> 279
tatgttatgg atatcttatt ttagagtaag aatataaggc atagccatat ttatgaaggt 60
agtaatactc tactaatcaa tacttagaag tttttgttat gactaatctg aatgcttttt 120
agtttttcct taatctagtt atgttggtta tttataagtc agttttcaga ttaggaaaga 180
aggatattga ggggtgttcca tttccactga atagtaagat gatgcttact tagatttcca 240
cagctgtttg aaagctctgt atttggctat aacggaaaac tttgttaggg atgcttgatg 300
ttttgtgttt tgtttctaaa ggaagacagt gttttgttcc ttcttttagaa aacttgaaga 360
atagaataat gagtccagga ttaatttggg ataaagtctt ttacttcata aattctgatt 420

```

ctg 423

```

<210> 280
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig14683

```

```

<400> 280
aggaagacag tgttttgttc cttctttaga aaacttgaag aatagaataa tgagtccagg 60

```

```

<210> 281
<211> 391
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig28552

```

```

<400> 281
atgccattga tgtgaagaag gtgtctgtgg aagactttct tactgacctg aataacttca 60
gaaccacatt catgcaagca ataaaggaga atatcaaaaa aagagaagca gaggaaaaag 120
aaaaacgtgt cagaatagct aaagaattag cagagcgaga aagactcgaa cgccaacaaa 180
agaaaaagcg tttattagaa atgaagactg aggggtgatga gacaggagtg atggataatc 240
tgctggaggc cttgcagtc cgggctgcct tccgcgacag aagaaaaagg acaccgatgc 300
caaaagatgt tcggcagagt ctcagtcctaa tgtctcagag gcctgttctg aaagtttcta 360
accatggtta taaaccgtat ttataaattg c 391

```

```

<210> 282
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig28552

```

```

<400> 282
aagactttct tactgacctg aataacttca gaaccacatt catgcaagca ataaaggaga 60

```

```

<210> 283
<211> 450
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig28947

```

```

<400> 283
ctcatccaag gagctggggc agacttcatt gattctagag agacctgttt cagtgcctac 60

```

tcatccctgc	cctctggtgc	cagcctcctt	accatcacgg	cttcactgag	gtgtaggtgg	120
gtttttctta	aacaggagac	agtctctccc	ctcttacctc	aacttcttgg	ggtggggaatc	180
agtgatactg	gagatggcta	gttgctgtgt	tacgggtttg	agttacattt	ggctataaaa	240
caatcttggt	gggaaaaatg	tgggggagag	gacttcttcc	tacacgcgca	ttgagacaga	300
ttccaactgg	ttaatgatat	tgtttgtaag	aaagagattc	tgttggttga	ctgcctaaag	360
agaaagggtg	gatggccttc	agattatacc	agcttagcta	gcattactaa	ccaactgatg	420
gaagctctga	aaataaaaaga	tcttgaaccc	450			

<210> 284
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig28947

<400> 284	
agacagattc	caactggtta atgatattgt ttgtaagaaa gagattctgt tggttgactg 60

<210> 285
 <211> 439
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig30875

<400> 285	
agaaatcaat	gacagttgac aggaagagag gacgcataca acaggcaaaa gaggaatgcc 60
cagcagtctt	ggtccttgcg gtgcaatact ggccttgagg ccaagtcagc aggggattcg 120
tagtcactaa	cttctaactg aggcaggga gtaccatgtt ctggaaaagg tccaaagaaa 180
caggaataga	ggcagtgtag caagaggcag atttttggtg ccaaatagat ttgaatcctg 240
gttctgcttc	ttcctttgta gagtatgata ttggttcttt cctcccaaag ctattataaa 300
gactaaatat	gtacacaaat ctttgggatg tctgacatat aaatgcttaa caataggtat 360
ttgctggtat	tattacaaat gaatttgctt atttttgagc cacttctatg tctgtccatt 420
aaaccaaatt	gtgttctgc 439

<210> 286
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig30875

<400> 286	
ggttctttcc	tcccaaagct attataaaga ctaaatatgt acacaaatct ttgggatgtc 60

<210> 287
 <211> 338
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig31221

<400> 287	
gggaagtac	actgcttcac accacaaggc cgtgggaaat cttggagggt ctgtgccttt 60
ctgtcacctc	tactttttgc agctgtgatt gcactgtccc gcacatgtga ctacaagcat 120
cactggcaag	gaccctttaa atggtgaaaa tgggcagatg aatagcaata agtggacctt 180
tgttactctt	ctgagttaga aaaattctaa tttagtagac tctgaacaaa gcttattata 240

cttacttaag atgtgttttg atttggtggt cagaaagcaa cctgacaatg ataatactgt 300
aactatgata aaattgagaa taaaaagatt ttatttag 338

<210> 288
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig31221

<400> 288
aaatgggcag atgaatagca ataagtggac ctttggttact cttctgagtt agaaaaattc 60

<210> 289
<211> 417
<212> DNA
<213> Homo sapiens

<300>
<308> Contig31288

<400> 289
gaatcacttg agcccgggag gttgaggctg cagtgagctg tgtttataacc actgcactcc 60
agcctgctgg gtaacagagc aagactccat ctcaaaaaga aaagaaaaaa tgctttgcta 120
cataatgagg ccaggcaaaa aaaaaaaaaag tcctgtggaa atcatataga caaacatttg 180
caaagctgct actgccattg taccagtgtt aaaatgtgtt ctaccttgca tcttttactg 240
atttttatga cagattttat attgtaacca tttgagaact ctgtaagtgc tatggcttcc 300
ttaaactacg atttatcata tgctcccagt gtttactttg agactgaatg gcaaccagag 360
aatgtaaaca accaaggtgc atctgggttat gttttaaaat aaagattaat aaaagtt 417

<210> 290
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig31288

<400> 290
ggcttcctta aactacgatt tatcatatgc tcccagtgtt tactttgaga ctgaatggca 60

<210> 291
<211> 394
<212> DNA
<213> Homo sapiens

<300>
<308> Contig31646

<400> 291
gctgctacac cccatgtaaa aagcggaaaa taaaatgaag attttccagc gcaagatgcg 60
gtactgggtg cttccacctt ttttggaact tgtttatttc tgcaccattg tccaaggtca 120
agtggctcca ccacaagggt taagatataa tgtaatatct catgacagta tacagatttc 180
atggaaggct ccaagaggga aatttggtgg ttacaaactt cttgtgactc caacttcagg 240
tgaaaaaact aaccagctga atctgcagaa cactgcaact aaagcaatta ttcaaggcct 300
tatgccagac cagaattaca cagttcaaat tattgcatac aataaagata aagaaagcaa 360
gccagctcaa ggccaattca gaattaaaga ttta 394

<210> 292
<211> 60

<212> DNA
<213> Homo sapiens

<300>
<308> Contig31646

<400> 292
gccagaccag aattacacag ttcaaattat tgcatacaat aaagataaag aaagcaagcc 60

<210> 293
<211> 357
<212> DNA
<213> Homo sapiens

<300>
<308> Contig37562

<400> 293
caattatttc aagtgcacct tattaacaaa agtatcagtg gatccaacat aaaattttat 60
agtactaaa gtcaagccta actgtgaatt ttgttctgta tcttaagtaa atttatgata 120
atgtttctga gctatcaaca aaatatatgt acttttgtga gctatgaatt ttctaattaa 180
attttacatg ctataacatg atttttacat gaatgatact ttgtttataa ctatcaaatg 240
tcagtatttt actacaattt tattataaag tgtacattat cactaaatga acttcgattt 300
taaaaatcaa attagcttta gttgtatatt attttttaca aataaagata gacttgt 357

<210> 294
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig37562

<400> 294
atcaaagtgc agtattttac tacaatttta ttataaagtg tacattatca ctaaataaac 60

<210> 295
<211> 351
<212> DNA
<213> Homo sapiens

<300>
<308> Contig37895

<400> 295
aataagagaca cctctaatta attaaagcgg atgccctccc cactcctccc aggatttgac 60
tcggagcaca aactcttcac aaacccaaaat gtcaggacac catcgccagt gtccactggc 120
cactgctgtt ggtgtgaggc agccaggagc ccctcagaac tagtaagtct gagaagaggc 180
tgcacggggc ctaggagagg gagaaatgag cccgtccaag gtgaattcct tgattctcca 240
ttgtgagtgc accaagaaca agcactccct ccgactgact ctgcctacc aggatctgga 300
acaccttcca ttaatttatt cgttcattca ataaatattt attgactgac t 351

<210> 296
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig37895

<400> 296

ctctcgccta ccaggatctg gaacaccttc cattaattta ttcgttcatt caataaatat 60

<210> 297

<211> 418

<212> DNA

<213> Homo sapiens

<300>

<308> Contig38288

<400> 297

gacaagtaaa	tggggggccgt	tgggacggcg	ggtgcctgga	gggcagctct	gggctcagcg	60
ggcagtgcct	agagcacagg	cccctctgtt	gggggatggg	gaggagagca	gtctgccctt	120
gggagcgtag	gccccaggga	gacttctaaa	gccccccctg	tcgtctgctc	ttcaccagc	180
accacagagg	cacctgctgc	acacacaagc	atctcaactcg	gccacaggag	ggggccaggc	240
ttcctttgcc	tgaagctgtt	ttgggaaggg	tctccacaca	ggcactgatc	tcccaagctt	300
tggtcattgat	gtcttttacc	atttgataat	tttaaacatt	gttttttaac	ccaaaacatt	360
tagtggtccg	ttgcctctga	agatgtaaac	aaacaaatac	actatttctg	ggaacatt	418

<210> 298

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig38288

<400> 298

tttagtggtc cggtgcctct gaagatgtaa acaaacaat acactatttc tgggaacatt 60

<210> 299

<211> 413

<212> DNA

<213> Homo sapiens

<300>

<308> Contig38901

<400> 299

tacatttttg	tttaatgttg	ggcctgaggt	taactgtgac	catggtccag	cttgagtggc	60
ttctggagca	gccacatttt	caaggactgt	ccaaaagcca	gccagttcag	ggctcaggcc	120
tcaccatttg	cccactcctg	gggagaccat	cacctggctc	atcgtttcca	ccaagagtgc	180
cccacaggag	tgccccacag	accgctgga	ccagcctgct	gcgggtcctg	gccaggggtc	240
tggctaacgg	tgagggtgga	ctctgaactg	tctctcagtc	tccagaaagt	gttcaagcct	300
gttgtgttcc	caaatctgat	tcctctctatt	gtcttgtaaa	tcaaactcta	agtgaaaact	360
tcccatttgt	cccttcaaag	atTTTTTTTT	attaaatggt	tttttaagat	cct	413

<210> 300

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig38901

<400> 300

tgttcccaaa tctgattcct cctattgtct tgtaaatcaa actctaagtg aaaacttccc 60

<210> 301

<211> 434

<212> DNA

<213> Homo sapiens

<300>

<308> Contig40434

<400> 301

```
gaatggtgaa agagagatgc cgtgttttga aagtaagatg atgaaatgaa tttttaattc 60
aagaaacatt cagaaacata ggaattaaaa cttagagaaa tgatctaatt tccctgttca 120
cacaaacttt acactttaat ctgatgattg gatattttat tttagtgaat catcatcttg 180
ttagctaaact ttaaaaaatg gatgtagaat gattaaagggt tggtagattt tttttttaat 240
gtatcagttt gaacctagaa tattgaatta aaatgctgtc tcagtatttt aaaagcaaaa 300
aaggaatgga ggaaaattgc atcttagacc atttttatat gcagtgtaca atttgctggg 360
ctagaaatga gataaagatt atttattttt gttcataatc tgtacttttc tattaataatc 420
attttatgaa atcc 434
```

<210> 302

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig40434

<400> 302

```
aaggaatgga ggaaaattgc atcttagacc atttttatat gcagtgtaca atttgctggg 60
```

<210> 303

<211> 391

<212> DNA

<213> Homo sapiens

<300>

<308> Contig40552

<400> 303

```
caccaagccc tgctccggca cctcgaatcc ctggcgacca tgagtcacca gctccaagcc 60
ttactgtgcc cccagaccaa gagctccatc ccccgccctc tgcagcgttt gtctagcgcc 120
cttgagctc cagagccccc tggcccagcc cgtgactcct ctttggggcc tacagatgaa 180
gctggctctg agtgctccct cctagaaaag gcctgaccct ccttaccac cagaacaggg 240
gttttgatgc cctcactagt gttgaagcct gttccagaga gaggtgggac tgcaaggaga 300
ggatggtcag ccctaccac ctgccctgtt tgagcttcct gtttgacaat gtttgctgtt 360
gattttttgt tcaataaaga atttggtaaa a 391
```

<210> 304

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig40552

<400> 304

```
tttgagcttc ctgtttgaca atgtttgctg ttgatttttt gttcaataaa gaatttggtg 60
```

<210> 305

<211> 495

<212> DNA

<213> Homo sapiens

<300>

<308> Contig41413


```

<400> 305
aaatattctt aatagggcta ctttgaatta atctgccttt atgtttggga gaagaaagct 60
gagacattgc atgaaagatg atgagagata aatgttgatc ttttggcccc atttgттаат 120
tgtattcagt atttgaacgt cgtcctgttt gttgttagtt ttcttcatca ttatttgtat 180
agacaatttt taaatctctg taatatgata cattttccta tcttttaagt tattgttacc 240
taaagttaat ccagattata tggtccttat atgtgtacaa cattaaaatg aaaggctttg 300
tcttgcattg tgaggtacag gcggaagttg gaatcagggt ttaggattct gtctctcatt 360
agctgaataa tgtgaggatt aacttctgcc agctcagacc atttcctaат cagttgaaag 420
ggaaacaagt atttcagtct caaaattgaa taatgcacaa gtcttaagtg attaaaataa 480
aactgttctt atgtc 495

```

```

<210> 306
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig41413

```

```

<400> 306
cagctcagac catttcctaa tcagttgaaa gggaaacaag tatttcagtc tcaaaattga 60

```

```

<210> 307
<211> 409
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig41538

```

```

<400> 307
aaaaaaaaaa aaaaaaaaaa aaagagttgt tttctcatgt tcattatagt tcattacagt 60
tacatagtcg gaaggtctta caactaatca ctggtagcaa taaatgcttc aggcccacat 120
gatgctgatt agttctcagt tttcattcag ttcacaatat aaccaccatt cctgccctcc 180
ctgccaaagg tcataaatgg tgactgccta acaacaaaat ttgcagtctc atctcatttt 240
catccagact tctggaactc aaagattaac ttttgactaa ccctggaata tctcttatct 300
cacttatagc ttcaggcatg tttttatatg tattcttgat agcaatacca taatcaatgt 360
gtattcctga tagtaatgct acaataaatc caaacatttc aactctgtt 409

```

```

<210> 308
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig41538

```

```

<400> 308
ctcatgttca ttatagttca ttacagttac atagtccgaa ggtcttataa ctaatcactg 60

```

```

<210> 309
<211> 552
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig41887

```

```

<400> 309
ctgaagacta cgaccatgaa atcacagggc tgcgggtgtc tgtaggtctt ctctgggtga 60

```

aaagtgtcca	ggtgaaactt	ggagactcct	gggacgtgaa	actgggagcc	ttaggtggga	120
ataccaggga	agtcaccctg	cagccaggcg	aatacatcac	aaaagtcttt	gtcgcccttc	180
aagctttcct	ccgggggtatg	gtcatgtaca	ccagcaagga	ccgctatttc	tattttggga	240
agcttgatgg	ccagatctcc	tctgcctacc	ccagccaaga	ggggcagggtg	ctggtgggca	300
tctatggcca	gtatcaactc	cttggcatca	agagcattgg	ctttgaatgg	aattatccac	360
tagaggagcc	gaccactgag	ccaccagtta	atctcacata	ctcagcaaac	tcacccgtgg	420
gtcgctaggg	tgggggtatg	ggccatccga	gctgaggcca	tctgtgtggt	ggtggctgat	480
ggtactggag	taactgagtc	gggacgctga	atctgaatcc	accaataaat	aaagcttctg	540
cagaatcagt	gc	552				

<210> 310
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig41887

<400> 310
 tactggagta actgagtcgg gacgctgaat ctgaatccac caataaataa agctttctgca 60

<210> 311
 <211> 745
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig42342

gcagtaaaga	caggacgcac	ccatgtcaca	agaggagcac	aggcaggggt	gttggtgttg	60
gggcagccct	cagggtctcc	agaccagcc	ccactcacac	agcagcctag	gaaggaagg	120
cagagtccca	ggtgtcagct	ggtgggtctc	ccaggagctg	cccctccctg	gaagtcacag	180
gacaggaatg	acagatcagg	gaactgcagg	aagctgccac	ctctggggtc	agaatatgcc	240
cagcctgcgg	gggctctcta	tcgggggtctt	cgagagccag	acagcctgcc	ttgtgtgca	300
tacctggctt	tgctctgtgc	agaaccagc	acacgtgatt	ttgtgtgaca	tgccagcagc	360
ctggctccca	ggacaggagg	cctgccctgg	gggaggggct	gcaggaggag	ggggggcagg	420
cacccatgag	tctgtccagc	cttgtcacag	atgcacgcc	caagctgcgg	tcctgatttc	480
agctcacctc	agagtaaate	agaataaact	gcaccagac	tttcacgaat	gcatgttgac	540
gctttcagtt	cacccctttc	tttgctaaact	ttcttcttat	tttcttctaa	tgcgagagct	600
tattaattcc	atatttatca	ttttgaataa	cttttctcct	tttttagtaac	aaaatgtact	660
tcactcttag	taaaatgtat	ttactatttt	agtaacaaaa	atatacttgc	ctaatacatgt	720
ttaaaatata	gtgatgtgaa	aaatt	745			

<210> 312
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig42342

<400> 312
 caccagact ttcacgaatg catgttgacg ctttcagttc acccctttct ttgctaactt 60

<210> 313
 <211> 398
 <212> DNA
 <213> Homo sapiens

<300>

<308> Contig43645

<400> 313

```
agttcaaaagg cagataaaatc tgtaaattat tttatcctat ctaccatttc ttaagaagac 60
attactccaa aataattaaa tttaaggctt tatcaggctt gcatatagaa tcttaaattc 120
taataaagtt tcatgttaat gtcataggat ttttaaaaga gctataggta atttctgtat 180
aatatgtgta tattaaaatg taattgattt cagttgaaag tattttaaag ctgataaata 240
gcattagggg tctttgcaat gtggtatcta gctgtattat tggttttatt tactttaaac 300
atthtgaaaa gcttatactg gcagcctaga aaaacaaaca attaatgtat ctttatgtcc 360
ctggcacatg aataaaacttt gctgtgggtt actaatct 398
```

<210> 314

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig43645

<400> 314

```
gaaaagctta tactggcagc ctagaaaaac aaacaattaa tgtatcttta tgtccctggc 60
```

<210> 315

<211> 478

<212> DNA

<213> Homo sapiens

<300>

<308> Contig44289

<400> 315

```
ctaaaaacaa cactcatcag tcttgggaaa tttgaacttt gatcaactta actaaagaag 60
gaagggtagt aagaattttt caaatacaaa tatttgccaa ttcacagatg ataacattta 120
aggccttcaa aagtaagggt ttttccttgt ttctccagtc agcttttgtc aactctaata 180
gttttttcat aaacattttt tatttgtata attgcaacag ttttaagaaat tatcacaact 240
atthagaaac atttaaaatg ttctttttga tataagctat atacttggaa aaatacattg 300
gtatctaaaa tttgaggtgt gtttaagactg ctttttggtt taaaaaatgg tttacattca 360
aatttttgaa gtgttttatg cttcatatgg ctaagttgta gtttggcaga gttaacagca 420
taagaataaa catgctgtaa ttttaaaaga tgctttgaat aaaaatttat ttttaattt 478
```

<210> 316

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig44289

<400> 316

```
catcagtctt gggaaatttg aactttgatc aacttaacta aagaaggaag ggtagtaaga 60
```

<210> 317

<211> 556

<212> DNA

<213> Homo sapiens

<300>

<308> Contig44909

<400> 317

```
accatctggg atttctacag cctgggtacc catagccaca ccaaggcttc tgggagattc 60
```

tgcagggtca	gctttccagg	ctgttcccaa	atagctccct	gcctccccac	tgcccctaaa	120
gccacagcag	aagagccatt	catctcataa	acaaaaagga	agaggaaaga	atgaggaagg	180
accctgtgca	aggttatttg	caggcagggg	tgggcttgta	cctgacagca	cccaccctg	240
tgtggccccc	aggccctcat	caccctcaga	cccctcctaa	gcagttccct	cattgctctt	300
tggaactaggc	tgacagcagg	aagagcaggg	cccatgaccg	ggtggaagtt	cagttttggt	360
gtctgcttca	agagggggtt	ttacactctg	attccaggac	aagcactctg	aggcgggtgg	420
gggagagaaa	ccctggctct	tcaccacagg	ttcacacaca	tgtaaatgaa	acactatggt	480
agtatctaac	acactcctgg	atacagaaca	caagtcttgg	cacatatgtg	atggaaataa	540
agtggttttgc	aatctt	556				

<210> 318
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig44909

<400> 318	
tcaccacagg	ttcacacaca
tgtaaatgaa	acactatggt
agtatctaac	acactcctgg
	60

<210> 319
 <211> 710
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig45032

<400> 319						
aaagataggc	ttctaagtta	aggcaaatca	ttcattctgt	cattaaacaa	atacaaacca	60
ggcacctgtc	atatgccaa	tgatattcaa	aatggcccat	gtagaccttt	gtgaagtatg	120
tgccctaaca	gacattaaac	aaatgtctgt	gaaactgaca	taataaagta	aggtaagtta	180
tatgtgagac	attctctttt	tataataatt	cctgtaaagc	agtacttact	taggtaatga	240
tatcatactg	ttttgtttta	tatttttcc	aagagctaaa	acgtcatcct	ctcttcagt	300
atgtggactg	ggaaaatctg	cagcatcaga	ctatgccttt	catccccac	ccagatgatg	360
aaacagatac	ctcctatttt	gaagccagga	atactgctca	gcacctgacc	gtatctggat	420
ttagtctgta	gcacaaaaat	tttcctttta	gtctagcctc	gtgttataga	atgaacttgc	480
ataattatat	actccttaat	actagattga	tctaaggggg	aaagatcatt	atttaacct	540
gttcaatgtg	cttttaatgt	acgttacagc	tttcacagag	ttaaaaggct	gaaaggaata	600
tagtcagtaa	tttatcttaa	cctcaaaact	gtatataaat	cttcaaagct	tttttcatct	660
atattatttg	tttattgcac	tttatgaaaa	ctgaagcatc	aataaaatta	710	

<210> 320
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig45032

<400> 320						
ttaacctagt	tcaatgtgct	tttaatgtac	gttacagctt	tcacagagtt	aaaaggctga	60

<210> 321
 <211> 726
 <212> DNA
 <213> Homo sapiens

<300>

<308> Contig46218

<400> 321

```
atacatattg ctttagagag caggtaggtg gccatgtgtt cagcagtggtg tccttaagaa 60
aataccatct ttctaagcca ctggaatttt tactttacta tttttaacat taatggatgt 120
caggtcacat acctcaagtc ttacatatc catgtatatt ccataatat tgtttatata 180
ggcccaagtt tctccttaat tgggatctat atactaccag cacaacatca aaaacatgta 240
attgaataca tcagagctat atatgtaagg aaatgactgg tgaccccat atcatcattg 300
ttgaattcat gttaagtaga ccctctaggg gaccataagg caattgagca cataacgaaa 360
aatgatgcaa taagaatgta tgcactctct ttgccaaatg catgtgcttt tgtgtaacgt 420
ggatgtaaac agaattgcag tgctgccgaa attcttgatc ttggctaaga gagtattttt 480
ccccctgtaa ttatgactct gagataaaat tgccattttg aaatttccaa agtaacaact 540
ttttttattt tatgaataaa cttgggattg caatttctct gatctgacaa tcaataactt 600
taacaaagat ctaaataagt gtttcaagga aagttttcct aagcaaagt aatattacct 660
catttgggca tcattactct gttaattcta tatcaaagga aataaacttg ctacttgcac 720
taaagt 726
```

<210> 322

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig46218

<400> 322

```
accataaggc aattgagcac ataacgaaaa atgatgcaat aagaatgtat gcactctctt 60
```

<210> 323

<211> 580

<212> DNA

<213> Homo sapiens

<300>

<308> Contig47096

<400> 323

```
ggtggtctct catccttgtg tgctgctctg ctaagagatg tccaaggcgg agccgggggca 60
agatccttcc agactcatct gtcagagccc caagcccttt agacccagag cccaaggacc 120
atgcccttgg gacattagga ctgcagcctt tgcttctgtg tattttggag ttttggtag 180
ttttgtcacc tggacacact catttggttag ccatagtggg ttcccttggg cagcaacagt 240
gcatgtacct ctggatgtca tctgaggtga gaccaccgag gccttttctc tctgtgtaca 300
gaggggagtt aggagttgct ggactggatg cattacgagg actggggaca gggtagaggg 360
acatccaggg atcagggcat gagtgggggc aaccccccg cctctgccct ggcatggtct 420
ccgcatgggc tgaggtgtag ctgattggct gccacatttc ggccatgctg gctggcgtgc 480
ccatgttgca gatattttcc cgagttcccc agaatggatg gtattgaatc tcagccacat 540
gcaacactgt gtccagcatt ctttgcaata aatacttttt 580
```

<210> 324

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig47096

<400> 324

```
atattttccc gagttcccca gaatggatgg tattgaatct cagccacatg caacactgtg 60
```

<210> 325

<211> 632

<212> DNA
<213> Homo sapiens

<300>
<308> Contig47563

<400> 325
gccatctagt ctgtggtttt ctgttgaagc agtctgaatt gactaaaaca gtcacttgga 60
gtagttataa accactttcc tgttgaaagc agaacatgct gattcaactg ttttgttcaa 120
tagcaatgat agattttgtt taagtcccct acaotttctt atttctaaat gatcaagagt 180
acacttcctg gcagtgatta aggagtgtgt atctaacaga aaaaatatat ataccctgtg 240
aaccggaata tggaattcag attgtttctg ccctcagtat cataacttaa aaacaagcat 300
acaaacaaac ataagggaac aaacagcaac cataacaaaa acaaaccttt aaagggtggg 360
ttttgctgtg ataaatgaat acggtactct gaaggagaaa aaagtttctc aaatgagctt 420
aaactgcaag tgatttataa attagagaat ataattctta aagctattga aagtttcaac 480
cagaaaacct caagtgaatt ttgtatgtaa atgaaatctt gaatgtaagt tctgtgattc 540
tttaagcaaa caattagctg aaaacttggt attgttgtag tttatgtagt aagtgacttg 600
gcacccatca gaaaataaag ggcattaaat tg 632

<210> 326
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig47563

<400> 326
agcaaacaat tagctgaaaa cttggtattg ttgtagttta tgtagtaagt gacttggcac 60

<210> 327
<211> 540
<212> DNA
<213> Homo sapiens

<300>
<308> Contig48913

<400> 327
accagagggg gtcccttttc cacagtaatg ggatcggtct gtgtgccttc agggaggaag 60
agggaggtgg tcaagcttga aaaactggct ttaggatggg tctgactttg ttctccctcc 120
ccaagtgttc tcaacctcca ttctgcagtg ttcagagttt tagggaaagg gtttgggtgc 180
cccagcatcc aggtgttggt tggcttagcg catgtgaagt gaaaaccttc tggggttgtt 240
tggaagcagc tttctggttc ttgtgattgt atcctgaggt ccagaacctc tattctccca 300
cgaggatcct cagtgaccat ggtggccaca cgcttgcca gcctgctggc tcctgggtga 360
gctgaagaac cttgcctgtg gcacttttcg aggggtgagct ggaaccgaga gaacatggtc 420
cccgtgctgg gactcatgcg ggtcatttcc tgccggcctg gtttcgcctg gtcgtgtctt 480
tatgagcacc atgtaagcct ccttgtattg agataattgg gcattaaaca ttaaactgca 540

<210> 328
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig48913

<400> 328
tatgagcacc atgtaagcct ccttgtattg agataattgg gcattaaaca ttaaactgca 60

<210> 329

<211> 534
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig49169

<400> 329
 cctaattgtta acattttttaaa aaatacatat ttgggactct tattatcaag gttctaccta 60
 tgtaatttta caattcatgt ttcaagacat ttgccaaatg tattaccgat gcctctgaaa 120
 agggggtcac tgggtctcat agactgatat gaagtcgaca ttttatagt gcttagagac 180
 caaactaatg gaaggcagac tatttacagc ttagtatatg tgtacttaag tctatgtgaa 240
 cagagaaatg cctcccgtag tgtttgaaag cgtaaagctg ataagttaat taacaactgc 300
 tgagagatca aagattcaac ttgccataca cctcaaattc ggagaaacag ttaatttggg 360
 caaatctaca gttctgtttt tgctactcta ttgtcattcc tgtttaatac tcactgtact 420
 tgtatttgag acaaataggt gatactgaat tttatactgt tttctacttt tccattaaaa 480
 cattggcacc tcaatgataa agaaatttaa ggtataaaat taaatgtaaa aatt 534

<210> 330
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig49169

<400> 330
 catacacctc aaattcggag aaacagttaa tttgggcaaa tctacagttc tgtttttgct 60

<210> 331
 <211> 602
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig49388

<400> 331
 tgtcagtga ggggtctctg cagccaactg agactatctt gctgtgccct gagccttcct 60
 aggggtttaga agaacagcat tcaaaattcc ccgtcctgtc agtgtttgcc ttcgcacctc 120
 ctcccctaaa gcagcgcggg gggcaaataa gacccacccc ctccctgcag cttcacaggg 180
 acgtcttcctt cctcccccgc aaccacccca ggctcccctg ggaggctgca gttgtggtac 240
 acgtccccgg tgctgggttg gccgtgactc gggggcgggg cgatcgggtc tcagcccctg 300
 ccttccccag tctctgggtc acccgaattt tcccacccct gcttctcccc gaggaggttg 360
 agctcttgag caagtggga cttgggcccgg ggcctggaag aatgattggc tgggaggccg 420
 cgggaggagg gccaggaggc ccggaccagt tgggaggagt gagcaggccc cgggggaggg 480
 ggatgagcgc agtttgctcg ctttcctccc ctgccggccc cctccgcccc cacacacact 540
 cgggacgtct tcattgaaga ttcacttaca aaggaatggt tcaactaaata aaagaaaacc 600
 ag 602

<210> 332
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig49388

<400> 332
 cgggacgtct tcattgaaga ttcacttaca aaggaatggt tcaactaaata aaagaaaacc 60

<210> 333
 <211> 562
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig50728

<400> 333
 gcgaatttgg gcccttgat cctctgatgg gagctgaaag gatgagaggt gggcatctag 60
 atttagggag gctgttcagg ctttgcagg cctttacctg aacacataga aaccctggag 120
 ctgtgactgt gtccatgtgt gtgtgtttgt ctgtgtgtgt tgcgggggat gggcacctgc 180
 atgaatgtgg tagagaaaat ggctctgctc agaggggaaga tacgcatagc aaggcaggga 240
 ccagaggaat cacaggcgcc tggagagcag ccgggcaccg cctccaggga cctgccggct 300
 tccctcagtc ctccaggggc ccagcactct tcccttaggc cctgtgagcg tcccttgtca 360
 ggatacattc tctcattttg ctgaagctga tttgattggg tgtctgtttc tcgcagccaa 420
 aagagctctg aatgaggaaa gtgcttctgt gctaactccc cggtctcct gaatttcagt 480
 cattcatgta ccgcctcga aatttttgca atatctgtgt accaactgtc catttactta 540
 ataaagaagt tttctttaa tt 562

<210> 334
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig50728

<400> 334
 tttgattggg tgtctgtttc tcgcagccaa aagagctctg aatgaggaaa gtgcttctgt 60

<210> 335
 <211> 400
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AI497657

<400> 335
 tttttttttt tgcacttatg gtattttattg ttggaagatt gagtacctta atgcacacca 60
 atgctcagat gacttggggg cacatagggg actgctgtca ccatgcctca ctccctgcagg 120
 gaaggggctg ccctactaaa accccagcgg gccagtgct gtgtccagaa caggtcctta 180
 tattactgca gccacaatg gaactactga gtaggagcca aaagaggagg gagcaggaag 240
 aggtggcatt tggagagggg agaccgcacc cacaggctctg ccacagcgcg tcaacgggat 300
 ggggtacttt tacagtcaag ttgacttcgg tgtccgcccc ccatctacct ttgtaggacc 360
 actgaaacaa gggacatcca ccacggcccc cagccggggc 400

<210> 336
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> AI497657

<400> 336
 gagcattggt gtgcattaag gtactcaatc ttccaacaat aaataccata agtgcaaaaa 60

<210> 337
 <211> 475

<212> DNA
 <213> Homo sapiens

<300>
 <308> Contig50950

<400> 337
 ctggaagagg ctcccaaccc agagtgtccc tgtgggaggc aggcagaagg tgacaattga 60
 cacgatttcc tgcacgcgtc ctccctctacc ttggaagcag ttagaatcta ccaggcacag 120
 atgaggccgc ccttgccctga cggagcttga tgagcagccc ttggtctccg gttccaggac 180
 tgagagccca gctgcctctg cccacccttc cccaggcctc tgccagcctc tggctgcacg 240
 gtcaggccct gccccatggc aggcctgcca gagcttggct ggggaccctt cccgcctctg 300
 gctccctgat gggctggatg taacttgtgt cttctagccc ctttaaggagc ccagggtgtt 360
 taaggaatga attggtcact gcattcttga tgcattatgg ttctgagaaa agcaaataatc 420
 acttttggct gcattaaaag aagcatcata tataaaataa agaagatgaa ggtct 475

<210> 338
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig50950

<400> 338
 gtcactgcat cttgtatcga ttatggttct gagaaaagca aatatcactt ttggctgcat 60

<210> 339
 <211> 860
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig51660

<400> 339
 ggatggcaac cttcagctag actgcctggc tcaaggggtg aagcaatacc aacagagagc 60
 atttggcttg ttccggtgtt cctcctgcca gcgaagttg gcttccgcca agtgcagatt 120
 ctgtgccaca cgtactggga gcactggaca tcccagggtc aggtgcgtat gaggtctctt 180
 ggccaaaagg gccagaagt ctcctgggtc caatatgaga tgccctgagtt ctcctcggat 240
 agcaccatga ggattctgag caacctgggt cagcatatac tgaagaaata ctatggaaat 300
 ggcattgagga agtctccaga aatgccagta atcctggaag tgcctctgga aggatcccat 360
 gacacagcca attgtgaggg atgcactttg ggcataatgt gacagggctt aaaaagctac 420
 atgacaaaagc cgtccaaatc cctactcccc cacctaaaga ctgggaattc ctcacctgga 480
 attggtgctg tgtacctcgc aaaccaagcc aagaaccagt cagatgaggc aaaagaggct 540
 aaggggagtg ggtatgagaa attagggccc agtcgagacc cagatccact gaacatctgt 600
 gtctttattt tgctgcttgt atttattgta gtcaaatgct ttacatcaga atgatgaaaa 660
 taggcttgcc actttctctt attttaattc catggtagtc aatgaactgg ctgccacttt 720
 aatataactg aaaattcatt ttgagaccaa gcaggatcaa gttttagtaa taaacactgg 780
 tttcctagcc atcctctgaa aacagtatga aacatgacca agtacataat ggatttagta 840
 ataaatatgt tcgaattgct 860

<210> 340
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig51660

<400> 340

gctgcttgta tttattgtag tcaaatgctt tacatcagaa tgatgaaaat aggcttgcca 60

<210> 341

<211> 608

<212> DNA

<213> Homo sapiens

<300>

<308> Contig52490

<400> 341

atcgtggcta	gcggacagac	acgagcctct	tgggaatacc	ttgtccatca	cgtcatggcc	60
atgggtgcct	tcttctccgg	catcttttgg	agcagctttg	tcggtggggg	tgtcttaaca	120
ctactggtgg	aagtcagcaa	catcttctct	accattcgca	tgatgatgaa	aatcagtaat	180
gcccaggatc	atctctctta	ccgggttaac	aagtatgtga	acctggtcac	gtactttctc	240
ttccgcctgg	cccctcaggc	ctacctcacc	catttcttct	tgcgttatgt	gaaccagagg	300
accctgggca	ccttcctgct	gggtatcctg	ctcatgctgg	acgtgatgat	cataatctac	360
ttttcccgcc	tcttccgctc	tgactttctg	cctgagcatg	tccccaagaa	gcaacacaaa	420
gacaagtctt	tgactgagaa	ctgagtgaag	ggcacagagc	ctgggacaac	aaaaacggac	480
aaggccagaa	acagcttcat	atggacactg	ggacttagcc	ccaagcctgg	gtgtcctctg	540
aggccagcct	ctccaccttc	tgagcctgcg	cccacactat	tgaaaacact	aatgaaagta	600
ctcctctg	608					

<210> 342

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig52490

<400> 342

ccaggatcat ctctcttacc ggggttaacaa gtatgtgaac ctggtcatgt actttctctt 60

<210> 343

<211> 1282

<212> DNA

<213> Homo sapiens

<300>

<308> Contig53598

<400> 343

catgccagca	cctttgaacc	ggtctcttag	aagaagacac	acatcctggg	tgtacagtgg	60
tgaaatgggg	agtgggtgcc	cattctgaaa	aacgaggcat	tcctgtcat	tcctctgct	120
tagctggtgg	gcaggggaga	gagggaaatg	ccaaaaactt	ggagtgaagg	atgatgctat	180
tttttatttt	taaataatc	ttcaggttat	tttcttactg	ttgcttcaga	tctaagttaa	240
aaggcagatg	tccctctctc	tccacccccg	acgctgaccc	cggcctcagt	cacggctctt	300
tgcatgatca	cagttctgtg	ttctggcctg	tggcagggcc	gggaagggcc	gctggcttcc	360
gaacagacgt	ggttgctctc	cacgaggcgc	atggggagcc	cgcgggccct	aagctttgtc	420
gcagatgtca	tcattggcag	aattacttgt	cttgaaaaat	aagtagcatt	gctgaaacac	480
acaaccgaat	tctctacgat	ggccatttgc	tcattgtctt	tcctctgtgt	gtagtgaagt	540
accctggcag	tgtttgccctg	ctcagagtgg	cccctcagaa	caacagggct	ggccttgga	600
aaaccccaaa	acaggactgt	ggtgacaact	ctggtcagg	gtgatttgac	atgagggccg	660
gaggcggttg	ctgacggcag	gactggagag	gctgcgtgcc	cggcactggc	agcgaggctc	720
gtgtgtcccc	caggcagatc	tgggcacttt	cccaacccag	gtttatgcgt	ctccagggaa	780
gcctcggtgc	cagagtgggtg	ggcagatctg	accatcccca	cagaccagaa	acaaggaatt	840
tctgggatta	cccagtcctc	cttcaaccca	gttgatgtaa	ccacctcatt	ttttacaaat	900
acagaatcta	ttctactcag	gctatgggcc	togtctcac	tcagttattg	cgagtgttgc	960
tgtccgcatg	ctccgggccc	cacgtggctc	ctgtgctcta	gatcatgggtg	actccccgc	1020
cctgtggttg	gaatcgatgc	cacggattgc	aggccaaatt	tcagatcgtg	tttccaaaca	1080

```

cccttgctgt gccctttaat gggattgaaa gcacttttac cacatggaga aatatatttt 1140
taatttgtga tgcttttcta caaggtccac tattttctgag tttaatgtgt ttccaacact 1200
taaggagact ctaatgaaag ctgatgaatt ttcttttctg tccaaacaag taaaataaaa 1260
ataaaagtct atttagatgt tg 1282

```

```

<210> 344
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig53598

```

```

<400> 344
ccactatttc tgagttaaat gtgtttccaa cacttaagga gactctaataa aaagctgatg 60

```

```

<210> 345
<211> 601
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig53641

```

```

<400> 345
tggaggctgt ggatgatgct ttcaagacaa tggatgtgga tatggccgag gaacatgcc 60
gggcccagat gagggcccag atgaatatcg gggatgaagc gctgattgga cgggtggagct 120
gggatgacat acaagtgcag ctcttgacct gggatgagga cggagatttt ggcgatgcct 180
gggccaggat cccctttgct ttctgggcca gataccatca gtacattctg aatagcaacc 240
gtgccaacag gagggccacg tggagagctg gcgtcagcag tggcaccaat ggaggggcca 300
gcaccagcgt cctagatggc cccagcacca gctccaccat cccgaccaga aatgctgcc 360
gagctggcgc cagcttcttc tcctggatcc agcaccgttg acgaactgca gcgatcttac 420
tggccaagcc agagcgcttc ctctcagatt ccttctcgac acagcaccct aggcggcttc 480
ttcctgtcag tcggagggtg catgcaagat gaagctctct ttgctcttcc tgctttcatt 540
ttgtgctttt ccttggtgtt tcatgttttg ggtatcagtg ttacattaaa gttgcaaaat 600
t 601

```

```

<210> 346
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig53641

```

```

<400> 346
ctttcatttt gtgcttttcc ttgtgttttc atgttttggg tatcagtgtt acattaaagt 60

```

```

<210> 347
<211> 751
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig54242

```

```

<400> 347
aattactcaa agaaggagcc atttcagtta actcaagtga atgaaagact tttggaatct 60
gcagtgggtc cttccctggt gaccatttgg taacttgtaa tctgaccaa aactcttgag 120
ctgcaacagg ccttgccaga gggctcagga tgggaaagga agaaggggat aggaaaagaa 180
gaggtaatat tacatttccc ctttaaagta aatttttagcc aactcatcat tctgaaatgt 240

```

ccctataaaag	aatgagtcga	actagaccag	aagccagcct	actccttctt	acatagcttc	300
tccaacaggg	gtagcaatga	cctgtccact	tcaaacacag	ataaggcctg	ccatcctcat	360
tgggttaaagg	cacacgtgag	actttcagtg	ggctctgctg	agaagggaagg	cagcccagga	420
gtcagggtatg	caggcattgc	attgtcagtg	tctgctctca	gagtttacac	attcaattgc	480
ttccaaggggt	gaatctcctg	ctctgtgaat	gctatcagac	cccaaaggcc	aaccttgggc	540
tgggtctatg	tacgttcttc	cgaagcactg	atgatcaaaa	ttgaagacac	attcagaggt	600
ttgattgggt	gagattaact	ggtgtggtgg	ttggtgtatg	tatgttttat	ttttatgtct	660
ttgtatgtag	ttctacataa	tgcaaattgt	gctttctgat	ggacaagacc	tcataactgt	720
gattaatatc	aataaaaagg	ggatgttgtg	g	751		

<210> 348
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig54242

<400> 348	
gtaaattttta	gccaaactcat cattctgaaa tgtccctata aagaatgagt cgaactagac 60

<210> 349
 <211> 637
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig54661

<400> 349	
ggcagtgatg	tctatgttga gattaactta tgtattgagg aaaatttgaa gtttattttt 60
tcgatgaata	aggctgtcaa atgatttagt atagattaat gacatctttt ttagaaatat 120
taaagtgagt	attcctcatt atgtcatcat ttctgataat tagagtgcta atttgaatgt 180
tagataatgt	ttccacatct atacctatct ctttctaggg cacttctgac cctggggcctt 240
ggggatggcc	tttaggccac agtagtgtct gtgttaagtt cactaaatgt gtattttaatg 300
agaaacattc	ctatgtaaaa atgtgtgtat gtgaacgtat gcatacatctt ttattgtgca 360
cctgtacatt	gtgaagaagt agtttggaat tttgtaaagc acaaaccata aaagagtgtg 420
gagttattaa	atgatgtagc acaaagttaa tgtttagcct ataaaaggct ctttctatct 480
tctatggcaa	agactttgac acttgaaaaa taaaaccaat atttgattta tttttgtaag 540
tatttaggat	attattttta ataaatgatt gtccattatc aatataatag ttgtgaaatg 600
atttaagtaa	ataaacttta tgcttctgtg tctgttg 637

<210> 350
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig54661

<400> 350	
ctgtacattg	tgaagaagta gtttggaat ttgtaaagca caaaccataa aagagtgtgg 60

<210> 351
 <211> 924
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig55188

```

<400> 351
gcgacaagta ccgcaagcgg gcactcatcc tgggtgtcact gctggccttt gccggcctct 60
tcgccgcctt cgtgctgtgg ctgtacatct accccattaa ctggccctgg atcgagcacc 120
tcacctgctt ccccttcacc agccgcttct gcgagaagta tgagctggac caggtgctgc 180
actgaccgct gggccacacg gctgcccctc agccctgctg gaacagggtc tgcctgcgag 240
ggctgccctc tgcagagcgc tctctgtgtg ccagagagcc agagacccaa gacagggccc 300
gggctctgga cctgggtgcc cccctgccag gcgaggctga ctccgcgtga gatggttgg 360
taaggcgggg tttttctggg gcgtgaggcc tgtgagatcc tgacccaagc tcaggcacac 420
ccaaggcacc tgcctctctg agtcttgggt ctcagttcct aatatccgc tccttgctga 480
gaccatctcc tggggcaggg tccttttctt cccaggctct cagcgctgcc tctgctggtg 540
ccttctcccc cactactact ggagcgtgcc cttgctgggg acgtggctgt gccctcagtt 600
gccccaggg ctgggtgccc accatgcccc ttctctttc toctoctacc tctgccctgt 660
gagcccatcc ataaggctct cagatgggac attgtgggaa aggccttggc catggtctgg 720
gggcagagaa caagggggga gacacaagta gacctcaggt agaacgacac tgggcggagc 780
caccacaggg cctgctccca gggagtgtct gaggcgcac aggcccgttt tttaccagtt 840
tatatcacgg tcttcatttt taaaagtaac gctaactttg tacggacgat gtctcatgga 900
ttaaataata ttctttatgg cagt 924

```

```

<210> 352
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig55188

```

```

<400> 352
agtaacgcta actttgtacg gacgatgtct catggattaa ataatattct ttatggcagt 60

```

```

<210> 353
<211> 699
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig55353

```

```

<400> 353
tgattatgcc aagagctcta aacagaagtt tgagaaggta aaaattaagt tgtagtatct 60
gagttgtttt tattttcttc ctttggtggt tatgaaggta ttcataagaa ctttaatttc 120
aggggaaaaa atgcctgatt tgctattttt gacatttcct cgtctcttaa gaagtcagtt 180
aaatatgttt tcatagttta tattcctggt tcatagatta ctgtgaaaca tgtattttaa 240
cctatgaatt ataaaaatag attttagatt tagcgtgagt taaatagatt agtcatatat 300
cttttagatt tgtggatttg acatgtaaat tatgtgttgt gtataagtaa gttagtact 360
aaacatatgg catggttatt gataaacttg ttgctatttt tttccaaatg ctatcagttg 420
ttgtggactt ttaaaaatta gtttgaattt tggaatgttc tgtgataaaa tataatttca 480
actattttgt acattttaat atgccatggt gtatatgtct gtatttataa atgttgtaaa 540
tatctgcatt ttaagaatta tgaaagattt tcctcaaaaa tgacagaact ctccatactt 600
aattgtgaca cattataaga tatctgattt taagcttttg gattttgttc taaaaattaa 660
gtttaaacat gctgaaaatt ccataaaaaat aaaattttg 699

```

```

<210> 354
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig55353

```

```

<400> 354
taaaaatagta tttagattct agcgtgagtt aaatagatta gtcatatatc ttttagattt 60

```

<210> 355
 <211> 809
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig56503

<400> 355
 gcatgtgaga tgagtgactg ccggtgaatg tgtccacagt tgagaggttg gagcaggatg 60
 agggaaatcct gtcaccatca ataatacactt gtggagcgcc actctgcca agacgccacc 120
 tgggcggaca gcatggagct ctccatggcc aggctgcctg tgtgcatgtt ccctgtcttg 180
 tgcccctttg cccgcctcct gcaaacctca caggggtccc acacaacagt gccctccaga 240
 agcagcccct cggaggcaga ggaaggaaaa tggggatggc tggggctctc tccatcctcc 300
 ttttctcctt gccttcgcat ggctggcctt cccctccaaa acctccattc ccctgctgcc 360
 agcccctttg ccatagcctg attttgggga ggaggaaggg gcgatttgag ggagaagggg 420
 agaaagctta tggctgggtc tggtttcttc ccttcccaga gggctcttact gttccagggt 480
 ggccccaggg caggcagggg ccacactatg cctgcgccct ggtaaagggtg acccctgcca 540
 tttaccagca gccctggcat gttcctgccc cacaggaata gaatggaggg agctccagaa 600
 actttccatc ccaaaggcag tctccgtggg tgaagcagac tggatttttg ctctgccct 660
 gaccctttgt ccctctttga gggaggggag ctatgctagg actccaacct cagggactcg 720
 ggtggcctgc gctagcttct tttgatactg aaaactttta aggtgggagg gtggcaaggg 780
 atgtgcttaa taaatcaatt ccaagcctc 809

<210> 356
 <211> 60
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig56503

<400> 356
 gaaaactttt aaggtgggag ggtggcaagg gatgtgctta ataaatcaat tccaagcctc 60

<210> 357
 <211> 976
 <212> DNA
 <213> Homo sapiens

<300>
 <308> Contig56678

<400> 357
 gaaggatata ctttgttata acttattatt ttgttctctg taaatacaag atgtttatag 60
 gaaatatgta ttctgaactc tatctgcaga atgagtcact acaccaaaat agttctatta 120
 tttagaatgt gttaatttta aagggaacctg ataggtattt atttacatat gcgatccaca 180
 tttgtgtgaa agcatgtgat cataactaacc cagcctcctg gaatgtcgt gtacgatgat 240
 tgatgtcttt ttctcagtec atagttacaa ttgtttagta tgctaatacag tccagttccc 300
 tgaggtttaa gatcaaatat aaattactct gcttttcgac tcattcaggt agcattgtac 360
 ctgaacctga ttgctacttt ttcactctta atattatatt tcctcatcta atctgccttc 420
 ccctcatcca cagacatttg gagaaggaaa tgggaggggtg tctgttatcc ctttctcttt 480
 gctttgtccc cgttgttaga ctggcagcgt cagttgctcg gtgggcttg ttagagccgt 540
 gggtagggca ggtggctggc ggggacaggg agaggctgag agggaagtgg tggcatttac 600
 tgctctgaca cttccactgt ccctgctggg gatgctggg ccaaggcctg tggggcctgt 660
 gaactgcaca gccaggagca aggaaccac taaatactcc gtcacctcca tgtcccctct 720
 acagtgttaa attattacat aagcagggtga aaggtagaag gcgaattatg tgagtaaata 780
 tggctctgtt tctcttcagc aaaaatgact atttttgtgt gtgactaatt tatttttatt 840
 attgtaaaga tacaataaac cggttgaaat atctgctttg ttgacaagcg tgtgctttct 900
 ctggccttat tcgcgttctg ttctcctgca aatagcgccc tctaaaaaga agagtcagac 960

aataaaactgg ttgaaa 976

<210> 358

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig56678

<400> 358

tattacataa gcaggtgaaa ggtagaaggc gaattatgtg agtaaatatg gtctgttttc 60

<210> 359

<211> 1118

<212> DNA

<213> Homo sapiens

<300>

<308> Contig57584

<400> 359

agctgttg	catccagagg	tggaattggg	gcccggcatt	ccctcctcgt	cccgggctgg	60
cccttgcccc	cacctgcaa	ctcctgggtg	agatgggctc	agccaagagc	gtcccagtc	120
caccagcgcg	gcctccgccg	acaacaagca	tctggctcga	gtggcggacc	cccgttcacc	180
tagtgctggc	atcctgcgca	ctcccatcca	ggtggagagc	tctccacagc	caggcctacc	240
agcaggggag	caactggagg	gtcttaaaaa	tgcccaggac	tcagatcccc	gctctcctac	300
tcttggtatt	gcacggacac	ctatgaagac	cagcagtgga	gaccccccaa	gcccactggt	360

gaaacagctg	agtgaagtat	ttgaaactga	agactctaaa	tcaaattcttc	ccccagagcc	420
tgttctgccc	ccagaggcac	ctttatcttc	tgaattggac	ttgcctctgg	gtaccagtt	480
atctgttgag	gaacagatgc	caccttgga	ccagactgag	ttccccctcca	aacaggtgtt	540
ttccaaggag	gaagcaagac	agcccacaga	aaccctgtg	gccagccaga	gctccgacaa	600
gccctcaagg	gacctgaga	ctcccagatc	ttcagggtct	atgcgcaata	gatggaaaacc	660
aaacagcagc	aagggtactag	ggagatcccc	cctcaccatc	ctgcaggatg	acaactcccc	720
tggcaccctg	acactacgac	agggtaagcg	gccttcaccc	ctaagtga	atgttagtga	780
actaaaggaa	ggagccattc	ttggaactgg	acgacttctg	aaaactggag	gacgagcatg	840
ggagcaaggc	caggaccatg	acaaggaaaa	tcagcacttt	cccttggtgg	agagctaggc	900
cctgcatggc	cccagcaatg	cagtcaccca	gggcctgggtg	atatctgtgt	cctctcacc	960
cttctttccc	agggatactg	aggaatggct	tggtttctta	gactcctcct	cagctaccaa	1020
actgggactc	acagctttat	tgggctttct	ttgtgtcttg	tgtgtttctt	ttatattaaa	1080
ggaagtaatt	ttaaatgtta	ctttaaaaag	gtatatgt	1118		

<210> 360

<211> 60

<212> DNA

<213> Homo sapiens

<300>

<308> Contig57584

<400> 360

aggaatggct tggtttctta gactcctcct cagctaccaa actgggactc acagctttat 60

<210> 361

<211> 859

<212> DNA

<213> Homo sapiens

<300>

<308> Contig63649

```

<400> 361
gtcgcagggt accagtgtgc ggagttcctg ttgccaaagt gaaggtggcc ctgggcaggc 60
acaggtgttg tcatatcttc agccaacagg accatcctcc ggagggccac ctctggggac 120
ttcctacggg aagagagtga cagatttggt gcttctgtgt gtttctgccg cttcagtggg 180
gccgtgcggg gagacagcgg gtggatcctc cagcagcctg tctgctgagc ctgccttctc 240
aagtctactg ttaaaatcag gaccgggtcg tgtccgagcc tacaggccct gtctccgctc 300
cccaggcctg caggagttaga gggctgcacc tgcctcgttg agagggagag gcagatttag 360
tggacgcctg gcatggactc ggactggcct ttggaagctc cctgccctga cgggttgcc 420
gtcaccactg cgaagtgagg cttggaggac ctgcacctga gaaaggctgt gtgtggtctt 480
gggtccacac ctgccagagc taacttactg ccagacggcg acttactgtg ggccaccctc 540
agtgaaccgg ggtgtcctca gctggcccta cagagcactt ctgtgctggg gatgagtagg 600
aactctgggc gaggagggtc ccagcgccgc cctcgatac agccctgctc tgccctctgc 660
ccgtacttat accaggtggg atccctgccc tgcattgcct ggggattggc tgggcttggg 720
cacgccctgc tgtggaactg gatgttttca gggagccag cctttcctca tgtcaacaca 780
gttcacaata tagttttcaa agtacagttt aaaactcaaa agtaaaacttt tcagcaactc 840
aaaaaaaaaa aaaaaaaaaa 859

```

```

<210> 362
<211> 60
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig63649

```

```

<400> 362
cagcctttcc tcatgtcaac acagttcaca atatagtttt caaagtacag tttaaaactc 60

```

```

<210> 363
<211> 1170
<212> DNA
<213> Homo sapiens

```

```

<300>
<308> Contig63525

```

```

<400> 363
gccatggctc cctgggcgga gcgagcactc gcggctgaac ccgctgcgcg cgggtgtggct 60
cacgctgacc gccgccttcc tgcctgacct actgctgcag ctccctgccg ccggcctgct 120
cccgggctgc gcgatcttcc aggacctgat ccgctatggg aaaaccaagt gtggggagcc 180
gtcgcgcccc gccgcctgcc gagcctttga tgtccccaag agatattttt cccactttta 240
tatcatctca gtgctgtgga atggttccct gctttggctg cttactcaat ctctgttcc 300
gggagcacct tttccaagct ggcttcatgg tttgctcaga attctcgggg cggcacagtt 360
ccagggaggg gagctggcac tgtctgcatt cttagtgtct gtatttctgt ggctgcacag 420
cttacgaaga ctcttcgagt gcctctacgt cagtgtcttc tccaatgtca tgattcacgt 480
cgtgcagtac tgttttgagc ttgtctatta tgccttggtt ggcctaactg tgctgagcca 540
agtgcgaatg gatggcagga atgctacata acagggaaaa atctattgat gcaagcacgg 600
tggttccata ttcttgggat gatgatgttc atctggatcat ctgcccataca gtataagtgc 660
catgttattc tcggcaatct caggaaaaat aaagcaggag tggtcattca ctgtaaccac 720
aggatcccat ttggagactg gtttgaatat gtttcttccc ctaactactt agcagagctg 780
atgatctacg tttccatggc cgtcaccttt gggttccaca acttaacttg gtggctagtg 840
gtgacaaatg tcttctttaa tcaggccctg tctgccttct tcagccacca attctacaaa 900
agcaaatttg tctcttaccg gaagcatagg aaagctttcc taccattttt gttttaagtt 960
aacctcagtc atgaagaatg caaaccaggt gatggtttca atgcctaagg acagtgaagt 1020
ctggagccca aagtacagtt tcagcaaaagc tgtttgaaac tctccattcc atttctatac 1080
cccacaagtt ttcactgaat gagcatgcag tgccactcaa gaaaatgaat ctccaaagta 1140
tcttcaaaga attaattact aatggcagat 1170

```

```

<210> 364
<211> 60

```


<212> DNA
<213> Homo sapiens

<300>
<308> Contig63525

<400> 364
ctcttaccgc aagcatagga aagctttcct accatttttg ttttaagtta acctcagtca 60

<210> 365
<211> 632
<212> DNA
<213> Homo sapiens

<300>
<308> Contig64688

<400> 365
aagaatgcta agatgatttc agatatcgaa aagaaaaggc agcgtatgat tgaagtccag 60
gatgaactgc ttcggttaga gccacagctg aaacaactac aaacaaaata tgatgaactt 120
aaagagagaa agtcttcctt taggaatgca gcataattct tatctaattt aaaacagctt 180
tatcaagatt attcagatgt tcaagctcaa gaaccaaacg taaaggaaac gtatgattca 240
tccagccttc cagctctgtt atttaaagca agaacaactc tgggagccga aagccatctg 300
cgaaatatca accatcagtt agagaagctc cttgaccagg gatgagaaga gcagtctact 360
aaaatgtgcc tataggaaga ctagtctcat gctgttacct tctgaaactg tacctttata 420
aatcaattgt tttgcaaaga agttatggcc tacttagaat ctaaaatttg ttattcaaatt 480
taaattggctg tgaacaatgt taaatagcat cagtttgtcc aatagtttta aaggccataa 540
tcatcttttc tggttaatat cttgagtaat tttaaaatgt tgacacctta atcgggtccca 600
ggtatgagcc ataataaact tgtaaaatta ag 632

<210> 366
<211> 60
<212> DNA
<213> Homo sapiens

<300>
<308> Contig64688

<400> 366
ggctgtgaac aatgttaaatt agcatcagtt tgtccaatag ttttaaaggc cataatcatc 60